

Mild Steel: Weld Removal

Maximum speed with X-LOCK



Compared to traditional process with three Zirconia fibre discs and no X-LOCK interface

1 Weld Removal

2824 siaflap
Zirconia Flap Disc
Grit: # 40
Angle grinder
11,000 rpm recommended*

XLOCK

2 Surface Refinement

6924 siamet HD
SCM Disc
Grit: coarse
Angle grinder
7,500 rpm recommended*

XLOCK

Up to **XLOCK**

40%

quicker

Stainless Steel: Weld Removal

Maximum speed with X-LOCK



Compared to traditional process with three Zirconia fibre discs and no X-LOCK interface

1 Weld Removal

4560 siabite
Ceramic Fibre Disc
Grit: # 80
Angle grinder
7,500 rpm recommended*

XLOCK

2 Surface Refinement

6270 siamet SCM LS
Disc
Grit: medium
Angle grinder
7,500 rpm recommended*

XLOCK

Up to **XLOCK**

30%

quicker

* Speed recommendations based on 115 mm and 125 mm disc diameter.



Your Key to a Perfect Surface
www.sia-abrasives.com



7 613387 642652

new



XLOCK








X-LOCK – Just one Click

The ultimate disc changing system for angle grinders

The X-LOCK Product Range

From preparation to finish, a fast and easy solution for every application.

	Cutting Discs	Grinding Discs	Flap Discs	Fibre Discs	SCM Discs
	 <p>8913 siacut Fast cutting performance</p>	 <p>8933 siagrind Long lifetime</p>	 <p>2824 siaflap High performance disc</p>	 <p>4560 siabite High stock removal</p>	 <p>6270 siamet scm LS Best performance</p> <p>6924 siamet scm Highest aggressiveness</p>
Cutting	✓				
Deburring			✓	✓	✓
Weld preparation		✓	✓	✓	
Weld removal		✓	✓	✓	
Surface refinement			✓	✓	✓



X-LOCK Just one Click – Fast & Easy

The new **changing system** to switch angle grinder accessories with just one Click.
The X-LOCK interface of the grinder's head and the accessory allows **easy** and **effortless mounting**.

This is how it works!

