

# Perfect Finish Solutions – abrasive solutions with a system

sia Abrasives' proven surface system comprising abrasives, power tools and accessories supports professionals by providing tailor-made solutions for applications such as grinding, sanding and polishing.

Creating new abrasive processes together with professionals from the industry, to accelerate your business.

We are your abrasives specialists. See for yourself.

Catalogue

Data Sheets

Technologies

System Solutions Building Interior







# Grinding

# Sanding

# Polishing



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing



Grinder Accessories



Grinding & Cutting Discs



Fibre & Flap Discs



Quick Change Discs



SCM Discs



Clean & Strip Discs



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing



Backing Pads | Fibre



Backing Pads | Fibre



Backing Pads | SCM



Backing Pads | SCM



Backing Pads | siafast & SCM



Backing Pads | Quick Change  
Discs R-Type



Expansion Mandrel



Mandrels | Spiral Bands



Perfect Finish Solutions  
*By sia Abrasives*







# Grinding

# Sanding

# Polishing

Backing Pads   Fibre	Bosch PN	sia Abrasives PN	Diameter mm	Thread / Connection	Hardness	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E004F16	0020.0348	115	M14	Hard	2	2	S
	F03E004F15	0020.0350	125	M14	Hard	1	1	S
	F03E004F14	0020.0352	180	M14	Hard	1	1	S
<b>Hard Backing Pads   Fibre Discs</b>								
	F03E0072UD	0020.8414	115	M14	Extra hard   Turbo II	1	1	S
	F03E0072UE	0020.8415	125	M14	Extra hard   Turbo II	1	1	S
	F03E0072UG	0020.8417	180	M14	Extra hard   Turbo II	1	1	S
<b>Extra Hard Backing Pads   Fibre</b>								



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing

Backing Pads   Fibre	Bosch PN	sia Abrasives PN	Diameter mm	Thread / Connection	Hardness	Application	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E007P7F	0020.9560	115	X-LOCK (Bosch, Makita)	Soft	Fibre discs grit 80, 120	1	1	S
	F03E007P7G	0020.9561	125	X-LOCK (Bosch, Makita)	Soft	Fibre discs grit 80, 120	1	1	S
	F03E007P7H	0020.9562	115	X-LOCK (Bosch, Makita)	Medium   Turbo I	Fibre discs grit 60, 80	1	1	S
	F03E007P7J	0020.9563	125	X-LOCK (Bosch, Makita)	Medium   Turbo I	Fibre discs grit 60, 80	1	1	S
	F03E007P7K	0020.9564	115	X-LOCK (Bosch, Makita)	Hard   Turbo II	Fibre discs grit 36, 60	1	1	S
	F03E007P7L	0020.9565	125	X-LOCK (Bosch, Makita)	Hard   Turbo II	Fibre discs grit 36, 60	1	1	S



Perfect Finish Solutions  
By sia Abrasives







# Grinding

# Sanding

# Polishing

Backing Pads   SCM	Bosch PN	sia Abrasives PN	Diameter mm	Thread / Connection	Disc Attachment	Centre Pin mm	Pack Quantity	MOQ	Stocking Status
	F03E0067L5	0020.7617	115	M14	siafast   hook and loop	22	1	1	S
	F03E0067L6	0020.7618	125	M14	siafast   hook and loop	22	1	1	S
	F03E0067L7	0020.7619	180	M14	siafast   hook and loop	22	1	1	S
<b>XLOCK</b> 	F03E007P7M	0020.9566	115	X-LOCK System (Bosch, Makita)	siafast   hook and loop	22	1	1	S
	F03E007P7N	0020.9567	125	X-LOCK System (Bosch, Makita)	siafast   hook and loop	22	1	1	S

S: Stocked  
P: Purchased  
M: Made to Order



**Perfect Finish Solutions**  
*By sia Abrasives*










Grinding

Sanding

Polishing

Quick Change Disc R-Type	Bosch PN	sia Abrasives PN	Diameter mm	Length mm	Shaft Diameter mm	Pack Quantity	MOQ	Stocking Status
	F03E006E4R	0020.8066	50		6	1	1	S
	F03E006E4U	0020.8069	75		6	1	1	S

S: Stocked  
P: Purchased  
M: Made to Order  
**Stocking Status**



Perfect Finish Solutions  
By sia Abrasives






Grinding

Sanding

Polishing

Expansion Mandrel	Bosch PN	sia Abrasives PN	Diameter mm	Length mm	Shaft Diameter mm	Pack Quantity	MOQ	Stocking Status
	F03E002L5Y	0020.0113	19	52	6	1	1	S

S: Stocked  
P: Purchased  
M: Made to Order



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing

Mandrels   Spiral Bands	Bosch PN	sia Abrasives PN	Diameter mm	Width mm	Shaft Diameter mm	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E003E0H	0020.3308	10	20	6	10	1	S
	F03E003E0N	0020.3314	22	20	6	10	1	S
	F03E003E0J	0020.3309	13	25	6	10	1	S
	F03E003E0K	0020.3311	19	25	6	10	1	S
	F03E003E0G	0020.3304	25	25	6	10	1	S
	F03E003E0L	0020.3312	38	25	6	10	1	S
	F03E003E0P	0020.3315	51	25	6	10	1	S
	F03E004F2B	0020.3310	15	30	6	10	1	S
	F03E004F28	0020.3305	30	30	6	10	1	S
	F03E004F2A	0020.3306	45	30	6	10	1	S



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing



8913 siacut



XLOCK



8913 siacut X-LOCK



8933 siagrind



XLOCK



8933 siagrind X-LOCK



Perfect Finish Solutions  
By sia Abrasives







Grinding

Sanding

Polishing

8913 siacut	Bosch PN	sia Abrasives PN	Diameter mm	Bore mm	Model	Specification	Thickness mm	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E0075TC	0020.8716	76	10	INOX / Stainless steel   T41	A 60 R-BF41	1.0	5	5	S
	F03E0075TE	0020.8718	100	16	INOX / Stainless steel   T41	A 60 S-BF41	1.0	25	25	S
	F03E0075TG	0020.8720	115	22.2	INOX / Stainless steel   T41	A 60 S-BF41	1.0	25	25	S
	F03E0075TP	0020.8727	125	22.2	Aluminium   T41	CS 60 BF41	1.0	25	25	S
	F03E0075TL	0020.8724	125	22.2	INOX / Stainless steel   T41	A 60 S-BF41	1.0	25	25	S
	F03E0075TM	0020.8725	125	22.2	INOX / Stainless steel   T41	AS 46T BF41	1.6	25	25	S
	F03E0075TN	0020.8726	125	22.2	Steel   T41	A 30 S-BF41	2.5	25	25	S
	F03E0075TT	0020.8730	230	22.2	INOX / Stainless steel   T41	AS 46T BF41	1.8	10	10	S
	F03E0075TV	0020.8732	230	22.2	Steel   T41	A 30 S-BF41	2.5	25	25	S
	F03E0075U5	0020.8742	115	22.2	X-LOCK   INOX/Stainless steel	AS 60T INOX BF	1.0	25	25	S
	F03E0075U6	0020.8743	125	22.2	X-LOCK   INOX/Stainless steel	AS 60T INOX BF	1.0	25	25	S



Perfect Finish Solutions  
By sia Abrasives



BOSCH






Grinding

Sanding


Polishing



2824 siaflap




4560 siabite




4570 siabite X



4581 siaramic



4582 siaramic



4815 siacut



4819 siaron 8



4961 sialoX



Perfect Finish Solutions  
By sia Abrasives





**BOSCH**



Grinding

Sanding

Polishing

2824 siaflap	Bosch PN	sia Abrasives PN	Diameter mm	Grit	Bore mm	Model	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E004N6S	0020.2651	115	40	22.23	T29 (angled)   Standard	10	10	S
	F03E004N6U	0020.2653	115	60	22.23	T29 (angled)   Standard	10	10	S
	F03E004N6V	0020.2655	115	80	22.23	T29 (angled)   Standard	10	10	S
	F03E004N6W	0020.2677	115	120	22.23	T29 (angled)   Standard	10	10	S
	F03E00284N	0020.2657	125	40	22.23	T29 (angled)   Standard	10	10	S
	F03E00284R	0020.2659	125	60	22.23	T29 (angled)   Standard	10	10	S
	F03E00284S	0020.2661	125	80	22.23	T29 (angled)   Standard	10	10	S
	F03E00284T	0020.2680	125	120	22.23	T29 (angled)   Standard	10	10	S
	F03E002855	0020.3025	180	40	22.23	T29 (angled)   Standard	10	10	S
	F03E002858	0020.3027	180	60	22.23	T29 (angled)   Standard	10	10	S
F03E002859	0020.3028	180	80	22.23	T29 (angled)   Standard	10	10	S	
	F03E0077JE	0020.8912	115	40	22.23	X-LOCK   T29 (angled)   Standard	10	10	S
	F03E0077JF	0020.8913	115	60	22.23	X-LOCK   T29 (angled)   Standard	10	10	S
	F03E0077JG	0020.8914	115	80	22.23	X-LOCK   T29 (angled)   Standard	10	10	S
	F03E0077JJ	0020.8915	115	120	22.23	X-LOCK   T29 (angled)   Standard	10	10	S
	F03E0077JK	0020.8916	125	40	22.23	X-LOCK   T29 (angled)   Standard	10	10	S
	F03E0077JL	0020.8917	125	60	22.23	X-LOCK   T29 (angled)   Standard	10	10	S
	F03E0077JM	0020.8918	125	80	22.23	X-LOCK   T29 (angled)   Standard	10	10	S
	F03E0077JN	0020.8919	125	120	22.23	X-LOCK   T29 (angled)   Standard	10	10	S



Perfect Finish Solutions  
By sia Abrasives



BOSCH






Grinding

Sanding

Polishing



4560 siabite 115mm

4560 siabite 125mm

4560 siabite 180mm



Perfect Finish Solutions  
*By sia Abrasives*





Grinding

Sanding

Polishing

4560 siabite

Bosch PN

sia Abrasives PN

Diameter mm

Centre hole mm

Hole pattern

Grit

Model

Pack Quantity

MOQ

S: Stocked  
P: Purchased  
M: Made to Order  
**Stocking Status**



F03E00716T

1201.2447.0036

115

22

Star

36

50

50

S

F03E00716V

1201.2447.0060

115

22

Star

60

50

50

S

F03E00716W

1201.2447.0080

115

22

Star

80

50

50

S

F03E00716Y

1201.2447.0120

115

22

Star

120

50

50

S



F03E0077JS

9569.8280.0036

115

22

Cross-recessed

36

X-LOCK

50

50

S

F03E0077K3

9569.8280.0050

115

22

Cross-recessed

50

X-LOCK

50

50

S

F03E0077K2

9569.8280.0060

115

22

Cross-recessed

60

X-LOCK

50

50

S

F03E0077K1

9569.8280.0080

115

22

Cross-recessed

80

X-LOCK

50

50

S

F03E0077K0

9569.8280.0100

115

22

Cross-recessed

100

X-LOCK

50

50

S

F03E0077JZ

9569.8280.0120

115

22

Cross-recessed

120

X-LOCK

50

50

S



Perfect Finish Solutions  
By sia Abrasives



BOSCH



Grinding

Sanding

Polishing

4560 siabite



Bosch PN	sia Abrasives PN	Diameter mm	Centre hole mm	Hole pattern	Grit	Model	Pack Quantity	MOQ	Stocking Status
F03E00716Z	1591.3789.0036	125	22	Star	36		50	50	S
F03E007170	1591.3789.0050	125	22	Star	50		50	50	S
F03E007171	1591.3789.0060	125	22	Star	60		50	50	S
F03E007172	1591.3789.0080	125	22	Star	80		50	50	S
F03E007174	1591.3789.0120	125	22	Star	120		50	50	S
F03E0077JT	9789.5058.0036	125	22	Cross-recessed	36	X-LOCK	50	50	S
F03E0077JU	9789.5058.0050	125	22	Cross-recessed	50	X-LOCK	50	50	S
F03E0077JV	9789.5058.0060	125	22	Cross-recessed	60	X-LOCK	50	50	S
F03E0077JW	9789.5058.0080	125	22	Cross-recessed	80	X-LOCK	50	50	S
F03E0077JX	9789.5058.0100	125	22	Cross-recessed	100	X-LOCK	50	50	S
F03E0077JY	9789.5058.0120	125	22	Cross-recessed	120	X-LOCK	50	50	S

S: Stocked  
P: Purchased  
M: Made to Order  
**Stocking Status**



Perfect Finish Solutions  
By sia Abrasives













Grinding

Sanding

Polishing



4570 siabite X 100mm

4570 siabite X 115mm

4570 siabite X 125mm

4570 siabite X 180mm



Perfect Finish Solutions  
*By sia Abrasives*







Grinding

Sanding

Polishing

4570 siabite X	Bosch PN	sia Abrasives PN	Diameter mm	Centre hole mm	Hole pattern	Grit	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E0075WY	5369.8301.0036	100	16	Star	36	50	50	S
	F03E0075WZ	5369.8301.0060	100	16	Star	60	50	50	S
	F03E0075X0	5369.8301.0080	100	16	Star	80	50	50	S
	F03E007A3Z	5369.8301.0120	100	16	Star	120	50	50	S
	F03E00760E	1737.3366.0036	115	22	Star	36	50	50	S
	F03E00760F	1737.3366.0060	115	22	Star	60	50	50	S
	F03E00760G	1737.3366.0080	115	22	Star	80	50	50	S
	F03E007A44	1737.3366.0120	115	22	Star	120	50	50	S



Perfect Finish Solutions  
By sia Abrasives



BOSCH



Grinding

Sanding

Polishing

4570 siabite X	Bosch PN	sia Abrasives PN	Diameter mm	Centre hole mm	Hole pattern	Grit	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E00760L	1935.3923.0036	125	22	Star	36	50	50	S
	F03E00760M	1935.3923.0060	125	22	Star	60	50	50	S
	F03E00760N	1935.3923.0080	125	22	Star	80	50	50	S
	F03E007A46	1935.3923.0120	125	22	Star	120	50	50	S
	F03E00760P	1426.9972.0036	180	22	Star	36	50	50	S
	F03E00760R	1426.9972.0060	180	22	Star	60	50	50	S
	F03E00760S	1426.9972.0080	180	22	Star	80	50	50	S



Perfect Finish Solutions  
By sia Abrasives



BOSCH



Grinding

Sanding

Polishing



4581 siaramic 100mm

4581 siaramic X 115mm

4581 siaramic 125mm

4581 siaramic X 180mm



Perfect Finish Solutions  
*By sia Abrasives*



**BOSCH**







Grinding

Sanding

Polishing

4581 siaramic	Bosch PN	sia Abrasives PN	Diameter mm	Centre hole mm	Hole pattern	Grit	Model	Pack Quantity	MOQ	Stocking Status
	F03E007U0X	5598.5922.0036	100	16	Star	36		25	25	S
	F03E007U0Y	5598.5922.0060	100	16	Star	60		25	25	S
	F03E007U0Z	5598.5922.0080	100	16	Star	80		25	25	S
	F03E007T9Z	6923.1272.0036	115	22	Cross-recessed	36	X-LOCK	25	25	S
	F03E007TA3	6923.1272.0060	115	22	Cross-recessed	60	X-LOCK	25	25	S
	F03E007TA4	6923.1272.0080	115	22	Cross-recessed	80	X-LOCK	25	25	S

S: Stocked  
P: Purchased  
M: Made to Order



Perfect Finish Solutions  
By sia Abrasives







Grinding

Sanding

Polishing

4581 siaramic	Bosch PN	sia Abrasives PN	Diameter mm	Centre hole mm	Hole pattern	Grit	Model	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E007TA6	7142.8050.0036	125	22	Cross-recessed	36	X-LOCK	25	25	S
	F03E007TA7	7142.8050.0060	125	22	Cross-recessed	60	X-LOCK	25	25	S
	F03E007TA5	7142.8050.0080	125	22	Cross-recessed	80	X-LOCK	25	25	S
	F03E007TA8	1655.7593.0036	180	22	Star	36		25	25	S
	F03E007TA9	1655.7593.0060	180	22	Star	60		25	25	S
	F03E007TB0	1655.7593.0080	180	22	Star	80		25	25	S



Perfect Finish Solutions  
By sia Abrasives









Grinding

Sanding



Polishing




4582 siaramic 100mm



4582 siaramic X 115mm



4582 siaramic 125mm



4582 siaramic X 180mm



Perfect Finish Solutions  
*By sia Abrasives*







Grinding

Sanding

Polishing

4582 siaramic	Bosch PN	sia Abrasives PN	Diameter mm	Centre hole mm	Hole pattern	Grit	Model	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E007U10	5611.5474.0036	100	16	Star	36		25	25	S
	F03E007U11	5611.5474.0060	100	16	Star	60		25	25	S
	F03E007U12	5611.5474.0080	100	16	Star	80		25	25	S
	F03E007U13	5611.5474.0120	100	16	Star	120		25	25	S
	F03E007TB5	6936.0824.0036	115	22	Cross-recessed	36	X-LOCK	25	25	S
	F03E007TB6	6936.0824.0060	115	22	Cross-recessed	60	X-LOCK	25	25	S
	F03E007TB7	6936.0824.0080	115	22	Cross-recessed	80	X-LOCK	25	25	S
	F03E007TB8	6936.0824.0120	115	22	Cross-recessed	120	X-LOCK	25	25	S



Perfect Finish Solutions  
By sia Abrasives





BOSCH



Grinding

Sanding

Polishing

4582 siaramic	Bosch PN	sia Abrasives PN	Diameter mm	Centre hole mm	Hole pattern	Grit	Model	Pack Quantity	MOQ	Stocking Status
	F03E007TB9	7155.7602.0036	125	22	Cross-recessed	36	X-LOCK	25	25	S
	F03E007TC0	7155.7602.0060	125	22	Cross-recessed	60	X-LOCK	25	25	S
	F03E007TC1	7155.7602.0080	125	22	Cross-recessed	80	X-LOCK	25	25	S
	F03E007TC2	7155.7602.0120	125	22	Cross-recessed	120	X-LOCK	25	25	S
	F03E007TC3	1690.3366.0036	180	22	Star	36		25	25	S
	F03E007TC4	1690.3366.0060	180	22	Star	60		25	25	S
	F03E007TC5	1690.3366.0080	180	22	Star	80		25	25	S
	F03E007TC6	1690.3366.0120	180	22	Star	120		25	25	S

S: Stocked  
P: Purchased  
M: Made to Order  
**Stocking Status**



Perfect Finish Solutions  
By sia Abrasives












Grinding

Sanding

Polishing



4815 siacut 100mm

4815 siacut 115mm

4815 siacut 125mm

4815 siacut 180mm



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing

4815 siacut

Bosch PN

sia Abrasives PN

Diameter mm

Centre hole mm


Hole pattern

Grit

Pack Quantity

MOQ

S: Stocked  
P: Purchased  
M: Made to Order  
**Stocking Status**



F03E001F9V

0690.2684.0036

100

16

Star

36

25

25

S

F03E005T3L

0690.2684.0060

100

16

Star

60

50

50

S

F03E003LF8

0690.2684.0080

100

16

Star

80

50

50

S

F03E003L6X

0690.2684.0120

100

16


Star

120

50

50

S



F03E003L8T

7025.6097.0036

115

22

Star

36

50

50

S

F03E003L2J

7025.6097.0060

115

22

Star

60

50

50

S

F03E003L1U

7025.6097.0080

115

22

Star

80

50

50

S

F03E001EE1

7025.6097.0120

115

22

Star

120

50

50

S



Perfect Finish Solutions  
By sia Abrasives



**BOSCH**



Grinding



Sanding

Polishing

4815 siacut

Bosch PN	sia Abrasives PN	Diameter mm	Centre hole mm	Hole pattern	Grit	Pack Quantity	MOQ	Stocking Status
F03E003L8U	7245.2875.0036	125	22	Star	36	50	50	S
F03E003L1V	7245.2875.0060	125	22	Star	60	50	50	S
F03E001ED0	7245.2875.0080	125	22	Star	80	50	50	S
F03E001EE5	7245.2875.0120	125	22	Star	120	50	50	S
F03E001ED2	6715.2236.0060	180	22	Star	60	50	50	S
F03E001ED3	6715.2236.0080	180	22	Star	80	50	50	S
F03E001EE7	6715.2236.0120	180	22	Star	120	50	50	S

S: Stocked  
P: Purchased  
M: Made to Order  
**Stocking Status**



Perfect Finish Solutions  
By sia Abrasives







Grinding

Sanding

Polishing



4819 siaron 8 100mm

4819 siaron 8 115mm

4819 siaron 8 125mm

4819 siaron 8 180mm



Perfect Finish Solutions  
*By sia Abrasives*







Grinding

Sanding

Polishing

4819 siaron 8	Bosch PN	sia Abrasives PN	Diameter mm	Centre hole mm	Hole pattern	Grit	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E003L52	0785.2867.0036	100	16	Star	36	50	50	S
	F03E003L76	0785.2867.0060	100	16	Star	60	50	50	S
	F03E003L5U	0785.2867.0080	100	16	Star	80	50	50	S
	F03E001EP8	0785.2867.0120	100	16	Star	120	25	25	S
	F03E001ED8	7120.5813.0036	115	22	Star	36	50	50	S
	F03E001EC6	7120.5813.0060	115	22	Star	60	50	50	S
	F03E003L2A	7120.5813.0080	115	22	Star	80	50	50	S
	F03E001EP0	7120.5813.0120	115	22	Star	120	50	50	S



Perfect Finish Solutions  
By sia Abrasives





BOSCH



Grinding

Sanding

Polishing

4819 siaron 8	Bosch PN	sia Abrasives PN	Diameter mm	Centre hole mm	Hole pattern	Grit	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E003L51	7340.2591.0024	125	22	Star	24	25	25	S
	F03E001EG3	7340.2591.0036	125	22	Star	36	50	50	S
	F03E003L2T	7340.2591.0060	125	22	Star	60	50	50	S
	F03E003L2X	7340.2591.0080	125	22	Star	80	50	50	S
	F03E003L8J	7340.2591.0120	125	22	Star	120	50	50	S
	F03E003L1G	6810.2419.0024	180	22	Star	24	25	25	S
	F03E003L16	6810.2419.0036	180	22	Star	36	50	50	S
	F03E003L25	6810.2419.0060	180	22	Star	60	50	50	S
	F03E003L2D	6810.2419.0080	180	22	Star	80	50	50	S
	F03E001EP3	6810.2419.0120	180	22	Star	120	50	50	S



Perfect Finish Solutions  
By sia Abrasives



BOSCH





Grinding

Sanding



Polishing




4961 sialoX 100mm



4961 sialoX 115mm



4961 sialoX 125mm



4961 sialoX 180mm



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing

4961 sialoX	Bosch PN	sia Abrasives PN	Diameter mm	Centre hole mm	Hole pattern	Grit	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E006B6K	3854.6295.0024	100	16	Star	24	25	25	S
	F03E006B6L	3854.6295.0036	100	16	Star	36	50	50	S
	F03E006B6P	3854.6295.0060	100	16	Star	60	50	50	S
	F03E006B6R	3854.6295.0080	100	16	Star	80	50	50	S
	F03E006B6T	3854.6295.0120	100	16	Star	120	50	50	S
	F03E006B99	0222.1827.0024	115	22	Star	24	25	25	S
	F03E006B9A	0222.1827.0036	115	22	Star	36	50	50	S
	F03E006B9D	0222.1827.0060	115	22	Star	60	50	50	S
	F03E006B9E	0222.1827.0080	115	22	Star	80	50	50	S
	F03E006B9G	0222.1827.0120	115	22	Star	120	50	50	P



Perfect Finish Solutions  
By sia Abrasives



BOSCH



Grinding

Sanding

Polishing

4961 sialoX	Bosch PN	sia Abrasives PN	Diameter mm	Centre hole mm	Hole pattern	Grit	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E006B9H	0441.8605.0016	125	22	Star	16	25	25	S
	F03E006B9J	0441.8605.0024	125	22	Star	24	25	25	S
	F03E006B9K	0441.8605.0036	125	22	Star	36	50	50	S
	F03E006B9N	0441.8605.0060	125	22	Star	60	50	50	S
	F03E006B9P	0441.8605.0080	125	22	Star	80	50	50	S
	F03E006B9S	0441.8605.0120	125	22	Star	120	50	50	S
	F03E006B90	9879.5847.0024	180	22	Star	24	25	25	S
	F03E006B91	9879.5847.0036	180	22	Star	36	50	50	S
	F03E006B94	9879.5847.0060	180	22	Star	60	50	50	S
	F03E006B95	9879.5847.0080	180	22	Star	80	50	50	S
	F03E006B97	9879.5847.0120	180	22	Star	120	50	50	S



Perfect Finish Solutions  
By sia Abrasives









Grinding

Sanding

Polishing



2511 siabite



2820 siamet



2824 siaflap



6270 siamet SCM LS



6924 siamet HD



Perfect Finish Solutions  
By sia Abrasives



BOSCH



Grinding


Sanding

Polishing


2511 siabite

Bosch PN	sia Abrasives PN	Series	Diameter mm	Grit	Disc Attachment	Pack Quantity	MOQ	Stocking Status
----------	------------------	--------	-------------	------	-----------------	---------------	-----	-----------------

S: Stocked  
P: Purchased  
M: Made to Order  
**Stocking Status**



F03E006E0L	8185.7250.0036	2511 siabite	50	36	R-Type Quick Change	50	50	S
F03E006E0P	8185.7250.0060	2511 siabite	50	60	R-Type Quick Change	50	50	S
F03E006E0R	8185.7250.0080	2511 siabite	50	80	R-Type Quick Change	50	50	S
F03E006E0S	8185.7250.0120	2511 siabite	50	120	R-Type Quick Change	50	50	S



F03E006E0T	8734.9195.0036	2511 siabite	75	36	R-Type Quick Change	50	50	S
F03E006E0W	8734.9195.0060	2511 siabite	75	60	R-Type Quick Change	50	50	S
F03E006E0X	8734.9195.0080	2511 siabite	75	80	R-Type Quick Change	50	50	S
F03E006E0Y	8734.9195.0120	2511 siabite	75	120	R-Type Quick Change	50	50	S



Perfect Finish Solutions  
By sia Abrasives







Grinding

Sanding

Polishing

2820 siamet	Bosch PN	sia Abrasives PN	Series	Diameter mm	Grit	Disc Attachment	Pack Quantity	MOQ	Stocking Status
	F03E006DP9	4917.8786.0036	2820 siamet	50	36	R-Type Quick Change	50	50	S
	F03E006DR2	4917.8786.0060	2820 siamet	50	60	R-Type Quick Change	50	50	S
	F03E006DR3	4917.8786.0080	2820 siamet	50	80	R-Type Quick Change	50	50	S
	F03E006DR4	4917.8786.0120	2820 siamet	50	120	R-Type Quick Change	50	50	S
	F03E006DR8	5445.4510.0036	2820 siamet	75	36	R-Type Quick Change	50	50	S
	F03E006DS1	5445.4510.0060	2820 siamet	75	60	R-Type Quick Change	50	50	S
	F03E006DS2	5445.4510.0080	2820 siamet	75	80	R-Type Quick Change	50	50	S
	F03E006DS3	5445.4510.0120	2820 siamet	75	120	R-Type Quick Change	50	50	S

S: Stocked  
P: Purchased  
M: Made to Order  
**Stocking Status**



**Perfect Finish Solutions**  
*By sia Abrasives*



**BOSCH**





Grinding

Sanding

Polishing

6270 siamet SCM LS	Bosch PN	sia Abrasives PN	Series	Diameter mm	Grit	Disc Attachment	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E014LOR	6335.2710.2921	6270 siamet SCM LS	50	coarse A	R-Type Quick Change	50	50	S
	F03E014LOS	6335.2710.4921	6270 siamet SCM LS	50	medium A	R-Type Quick Change	50	50	S
	F03E014LOT	6335.2710.5921	6270 siamet SCM LS	50	fine A	R-Type Quick Change	50	50	S
	F03E014LOU	6335.2710.6921	6270 siamet SCM LS	50	very fine A	R-Type Quick Change	50	50	S
	F03E014LOL	6884.4655.2921	6270 siamet SCM LS	75	coarse A	R-Type Quick Change	25	25	S
	F03E014LOM	6884.4655.4921	6270 siamet SCM LS	75	medium A	R-Type Quick Change	25	25	S
	F03E014LON	6884.4655.5921	6270 siamet SCM LS	75	fine A	R-Type Quick Change	25	25	S
	F03E014LOP	6884.4655.6921	6270 siamet SCM LS	75	very fine A	R-Type Quick Change	25	25	S



Perfect Finish Solutions  
By sia Abrasives







Grinding

Sanding

Polishing

6924 siamet HD	Bosch PN	sia Abrasives PN	Series	Diameter mm	Grit	Disc Attachment	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E014HC4	0546.3989.2923	6924 siamet HD	50	coarse	R-Type Quick Change	50	50	S
	F03E014HC1	0546.3989.4923	6924 siamet HD	50	medium	R-Type Quick Change	50	50	S
	F03E014HB8	1073.9713.2923	6924 siamet HD	75	coarse	R-Type Quick Change	25	25	S
	F03E014HB5	1073.9713.4923	6924 siamet HD	75	medium	R-Type Quick Change	25	25	S



Perfect Finish Solutions  
By sia Abrasives




BOSCH



Grinding

Sanding

Polishing



6270 siamet SCM LS



6924 siamet hd



Perfect Finish Solutions  
By sia Abrasives



**BOSCH**



# Grinding

# Sanding

# Polishing

6270 siamet SCM	Bosch PN	sia Abrasives PN	Diameter mm	Centre hole mm	Other	Grade	Colour	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order <b>Stocking Status</b>
	F03E014KZ2	4892.0370.2921	115	22	Removable centre hole	2921   coarse A	Brown	25	25	S
	F03E014KZ3	4892.0370.4921	115	22	Removable centre hole	4921   medium A	Maroon	25	25	S
	F03E014KZ4	4892.0370.5921	115	22	Removable centre hole	5921   fine A	Green	25	25	S
	F03E014KZ5	4892.0370.6921	115	22	Removable centre hole	6921   very fine A	Blue	25	200	P
	F03E014KZ6	5111.7148.2921	125	22	Removable centre hole	2921   coarse A	Brown	25	25	S
	F03E014KZ7	5111.7148.4921	125	22	Removable centre hole	4921   medium A	Maroon	25	25	S
	F03E014KZ8	5111.7148.5921	125	22	Removable centre hole	5921   fine A	Green	25	25	S
	F03E014KZ9	5111.7148.6921	125	22	Removable centre hole	6921   very fine A	Blue	25	200	P
	F03E014L05	6245.7362.2921	178	22	Removable centre hole	2921   coarse A	Brown	25	25	S
	F03E014L06	6245.7362.4921	178	22	Removable centre hole	4921   medium A	Maroon	25	25	S
	F03E014L07	6245.7362.5921	178	22	Removable centre hole	5921   fine A	Green	25	25	S
	F03E014L08	6245.7362.6921	178	22	Removable centre hole	6921   very fine A	Blue	25	100	P



## Perfect Finish Solutions

By sia Abrasives






# BOSCH



Grinding

Sanding

Polishing

6924 siamet hd	Bosch PN	sia Abrasives PN	Diameter mm	Centre hole mm	Other	Grade	Colour	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E014K29	9049.2842.2923	115	22	Removable centre hole	2923   coarse	Brown	25	25	S
	F03E014K2D	9049.2842.4923	115	22	Removable centre hole	4923   medium	Maroon	25	25	S
	F03E014K20	9268.9620.2923	125	22	Removable centre hole	1923   extra coarse	Purple	25	25	S
	F03E014K1Z	9268.9620.1923	125	22	Removable centre hole	2923   coarse	Brown	25	25	S
	F03E014K21	9268.9620.4923	125	22	Removable centre hole	4923   medium	Maroon	25	25	S
	F03E014K2B	0456.8174.2923	178	22	Removable centre hole	2923   coarse	Brown	25	25	S
	F03E014K2F	0456.8174.4923	178	22	Removable centre hole	4923   medium	Maroon	25	25	S



Perfect Finish Solutions  
By sia Abrasives



BOSCH



Grinding

Sanding

Polishing



6300 siastrip



6300 siastrip



**XLOCK**



6300 siastrip X-LOCK



Perfect Finish Solutions  
By sia Abrasives



**BOSCH**





Grinding

Sanding

Polishing

6300 siastrip	Bosch PN	sia Abrasives PN	Diameter mm	Centre hole mm	Grade	Model	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E006D05	0020.8061	115	22	extra coarse	Fibreglass backed disc	10	10	S
	F03E014LN1	0423.4783.1721	115	22.23	extra coarse	X-LOCK   Plastic backed disc	10	10	S
	F03E014LN2	0643.1561.1721	125	22.23	extra coarse	X-LOCK   Plastic backed disc	10	10	S
	F03E014K22	4450.4531.1721.40	100	12	extra coarse		10	10	S
	F03E0140GW	6323.6454.1721.04	178	20	extra coarse	2 aluminium oxide	10	10	S



Perfect Finish Solutions  
By sia Abrasives



BOSCH



Grinding

Sanding

Polishing



Sanders



Sander Accessories




Discs, Belts, Spiral Bands & Flap Wheels



Foam & Nonwoven Discs



Sponge & Nonwoven  
Rolls, Pads & Blocks



Strips, Sheets, Rolls, Delta &  
Polygon



Hand Sanding Blocks



Sanding Accessories



Perfect Finish Solutions  
*By sia Abrasives*





Grinding

Sanding

Polishing



150mm | 2.5mm



150mm | 5mm

**Random Orbital Sander - Pneumatic**

Working pressure	6bar (90psi)
Backing plate	15 hole
Sanding pad diameter	150 mm
Speed	10,000 rpm
Sanding sheet / disc attachment	Hook-and-loop fastening
Weight	845 g
Tool dimensions (width)	147 mm
Tool dimensions (length)	210 mm
Tool dimensions (height)	118 mm
Eccentricity	1.25 mm
Orbit diameter	2.5 mm

**F03E02CW47**  
0009.0573

**Random Orbital Sander - Pneumatic**

Working pressure	6bar (90psi)
Backing plate	15 hole
Sanding pad diameter	150 mm
Speed	10,000 rpm
Sanding sheet / disc attachment	Hook-and-loop fastening
Weight	870 g
Tool dimensions (width)	147 mm
Tool dimensions (length)	210 mm
Tool dimensions (height)	118 mm
Eccentricity	2.5 mm
Orbit diameter	5.0 mm

**F03E02CW48**  
0009.0574



**Perfect Finish Solutions**  
By sia Abrasives



**BOSCH**



Grinding

Sanding

Polishing



Backing Pads | Extracted



Intermediate Pads  
77, 123 & 125mm



Intermediate Pads  
147 & 150mm



Intermediate Pad | 215mm




Backing Pads | No hole



Protection Disc  
145mm



Conversion Discs



Conversion Strips



Perfect Finish Solutions  
By sia Abrasives



**BOSCH**



Grinding

Sanding

Polishing

Backing Pads   Sanders	Bosch PN	sia Abrasives PN	Diameter mm	Hardness	Holes	Thread / Connection	Disc Attachment	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E003E0F	0020.5742	150	Extra soft	103	5/16; M8	siafast   hook and loop	1	1	S
	F03E004G5R	0020.5740	150	Soft	103	5/16; M8	siafast   hook and loop	1	1	S
	F03E003E0E	0020.5741	150	Hard	103	5/16; M8	siafast   hook and loop	1	1	S
	F03E005315	0020.6734	150	Soft	54	5/16	siafast   hook and loop	1	1	S
	F03E005316	0020.6735	150	Hard	54	5/16	siafast   hook and loop	1	1	S
	F03E007C8Y	0020.9299	76	Soft	6	5/16	siafast   hook and loop	1	1	S



Perfect Finish Solutions  
By sia Abrasives






BOSCH



Grinding

Sanding

Polishing

Backing Pads   Sanders	Bosch PN	sia Abrasives PN	Diameter mm	Hardness	Holes	Thread / Connection	Disc Attachment	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E005311	0020.6730	125	Soft	No hole	5/16	siafast   hook and loop	1	1	S
	F03E003E09	0020.0345	150	Hard	No hole	5/16	siafast   hook and loop	1	1	S
	F03E004F1J	0020.2959	150	Medium hard	No hole	5/16	siafast   hook and loop	1	1	S



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing

Intermediate Pads	Bosch PN	sia Abrasives PN	Diameter mm	Holes	Thickness mm	Disc Attachment	Pack Quantity	MOQ	<small>S: Stocked P: Purchased M: Made to Order</small> <b>Stocking Status</b>
	F03E005DA8	0020.7234	125	54	10	siafast   hook and loop	2	2	S
	F03E006L8F	0020.8124	123	45	1	siafast   hook and loop	2	2	S
	F03E006L8E	0020.8123	77	6	1	siafast   hook and loop	2	2	S
	F03E007164	0020.8259	77	6	5	siafast   hook and loop	2	2	S
	F03E006L8M	0020.8128	215	19	1	siafast   hook and loop	2	2	S



Perfect Finish Solutions  
By sia Abrasives



**BOSCH**



Grinding

Sanding

Polishing

Intermediate Pads	Bosch PN	sia Abrasives PN	Diameter mm	Holes	Thickness mm	Disc Attachment	Pack Quantity	MOQ	Stocking Status
	F03E0065K9	0020.7858	150	103	1	siafast   hook and loop	2	2	S
	F03E005UG6	0020.7430	150	103	5	siafast   hook and loop	2	2	S
	F03E0035S5	0020.5886	150	103	10	siafast   hook and loop	2	2	S
	F03E0067KY	0020.4546	150	15	12	siafast   hook and loop	2	2	S
	F03E006L8G	0020.8125	147	80	1	siafast   hook and loop	2	2	S

S: Stocked  
P: Purchased  
M: Made to Order  
**Stocking Status**



Perfect Finish Solutions  
By sia Abrasives



**BOSCH**







Grinding

Sanding

Polishing

siaklett Discs	Bosch PN	sia Abrasives PN	Diameter mm	Holes	Disc Attachment	Connection	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E003JU2	9142.8492.0000	125	No hole	siafast   hook and loop	self-adhesive	1	1	S
	F03E001E10	9692.0437.0000	150	No hole	siafast   hook and loop	self-adhesive	2	2	S
	F03E003JZ4	0330.7046.0000	178	No hole	siafast   hook and loop	self-adhesive	2	2	S
	F03E001DP7	0801.0225.0000	200	No hole	siafast   hook and loop	self-adhesive	2	2	S
	F03E003JU7	1438.4338.0000	230	No hole	siafast   hook and loop	self-adhesive	1	1	S
	F03E00430Z	1877.7894.0000	250	No hole	siafast   hook and loop	self-adhesive	1	1	S
	F03E003JU5	2954.5563.0000	300	No hole	siafast   hook and loop	self-adhesive	1	1	S
	F03E007418	5270.4667.0000	407	No hole	siafast   hook and loop	self-adhesive	1	1	S
	F03E003M35	0678.1224.0000	125	8 hole	siafast   hook and loop	self-adhesive	1	1	S
	F03E001G9X	0829.5083.0000	150	7 hole	siafast   hook and loop	self-adhesive	1	1	S
	F03E001GB1	4574.9303.0000	150	9 hole	siafast   hook and loop	self-adhesive	1	1	S



Perfect Finish Solutions  
By sia Abrasives











Grinding

Sanding

Polishing

siaklett Strips	Bosch PN	sia Abrasives PN	Width	Length	Holes	Disc Attachment	Connection	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E001AS0	0502.6039.0000	70	500	No hole	siafast   hook and loop	self-adhesive	1	1	S
	F03E003H59	1014.3429.0000	70	500	14 hole	siafast   hook and loop	self-adhesive	1	1	S
	F03E001BR9	1853.8526.0000	92	230	8 hole	siafast   hook and loop	self-adhesive	2	2	S
	F03E002B00	0596.3968.0000	93	230	No hole	siafast   hook and loop	self-adhesive	1	1	S
	F03E001C77	7514.5735.0000	113	280	10 hole	siafast   hook and loop	self-adhesive	2	2	S
	F03E003HX4	7088.2671.0000	115	280	No hole	siafast   hook and loop	self-adhesive	2	2	S



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing




1749 siaral f




1815 siatop




1913 siawat




1944 siaone




1948 siaflex



1950 siaspeed (ultrafine)



1958 siapro



Perfect Finish Solutions  
By sia Abrasives



BOSCH



Grinding

Sanding

Polishing



1960 siarexx




2790 sianet




2812 siaral x



7241 siacarbon



7500 sianet CER



7900 sianet



Perfect Finish Solutions  
By sia Abrasives



**BOSCH**



Grinding

Sanding

Polishing



1749 siaral f | 125 mm



1749 siaral f | 150mm



1749 siaral f | 178mm



1749 siaral f | 200mm



1749 siaral f | 407mm



Perfect Finish Solutions  
*By sia Abrasives*



**BOSCH**



Grinding

Sanding

Polishing

1749 siaral f

Bosch PN	sia Abrasives PN	Diameter mm	Grit	Disc Attachment	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
F03E003JX9	2453.8834.0060	125	60	siafast   hook and loop	50	50	S
F03E003JY7	2453.8834.0120	125	120	siafast   hook and loop	50	50	S
F03E003JZ0	2453.8834.0220	125	220	siafast   hook and loop	50	50	S
F03E003JZ8	2453.8834.0320	125	320	siafast   hook and loop	50	50	S
F03E003K00	2453.8834.0400	125	400	siafast   hook and loop	50	50	S
F03E0083KV	2981.4558.0040	150	40	siafast   hook and loop	50	50	S
F03E003KS2	2981.4558.0060	150	60	siafast   hook and loop	50	50	S
F03E003KS3	2981.4558.0080	150	80	siafast   hook and loop	50	50	S
F03E003KS4	2981.4558.0100	150	100	siafast   hook and loop	50	50	S
F03E003KS6	2981.4558.0120	150	120	siafast   hook and loop	50	50	S
F03E003KS7	2981.4558.0150	150	150	siafast   hook and loop	50	50	S



Perfect Finish Solutions  
By sia Abrasives







Grinding

Sanding

Polishing

1749 siaral f

	Bosch PN	sia Abrasives PN	Diameter mm	Centre hole mm	Grit	Disc Attachment	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order <b>Stocking Status</b>
	F03E0083KX	3587.8581.0040	178		40	siafast   hook and loop	50	50	S
	F03E0083K7	3587.8581.0060	178		60	siafast   hook and loop	50	50	S
	F03E0083KC	3587.8581.0080	178		80	siafast   hook and loop	50	50	S
	F03E0083KF	3587.8581.0100	178		100	siafast   hook and loop	50	50	S
	F03E0083KE	3587.8581.0120	178		120	siafast   hook and loop	50	50	S
	F03E0083HV	9061.0856.0040	178	22	40		50	50	S
	F03E001E2W	9061.0856.0060	178	22	60		50	50	S
	F03E001E2X	9061.0856.0080	178	22	80		50	50	S
	F03E001E2Y	9061.0856.0100	178	22	100		50	50	S
	F03E001E2Z	9061.0856.0120	178	22	120		50	50	S
	F03E0083HW	5063.3164.0040	178	22	40		50	50	S
	F03E0083HS	5063.3164.0060	178	22	60		50	50	S
	F03E0083YF	5063.3164.0080	178	22	80		50	50	S
	F03E0083JE	5063.3164.0100	178	22	100		50	50	S
	F03E0083JH	5063.3164.0120	178	22	120		50	50	S



Perfect Finish Solutions  
By sia Abrasives




BOSCH



Grinding

Sanding

Polishing

1749 siaral f	Bosch PN	sia Abrasives PN	Diameter mm	Grit	Disc Attachment	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E0083L0	4058.1760.0040	200	40	siafast   hook and loop	50	50	S
	F03E0042C8	4058.1760.0060	200	60	siafast   hook and loop	50	50	S
	F03E001D6E	4058.1760.0080	200	80	siafast   hook and loop	50	50	S
	F03E001D6F	4058.1760.0100	200	100	siafast   hook and loop	50	50	S
	F03E0042C9	4058.1760.0120	200	120	siafast   hook and loop	50	50	S
	F03E0042CA	4058.1760.0150	200	150	siafast   hook and loop	50	50	S



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing

1749 siaral f

Bosch PN	sia Abrasives PN	Diameter mm	Centre hole mm	Grit	Disc Attachment	Pack Quantity	MOQ	Stocking Status
----------	------------------	-------------	----------------	------	-----------------	---------------	-----	-----------------

S: Stocked  
P: Purchased  
M: Made to Order



F03E0083HT	5131.9601.0040	407		40		10	10	S
F03E0083HZ	5131.9601.0060	407		60		10	10	S
F03E0083HR	5131.9601.0080	407		80		10	10	S
F03E0083HX	5131.9601.0100	407		100		10	10	S
F03E0083J1	5131.9601.0120	407		120		10	10	S
F03E0083JF	5131.9601.0150	407		150		10	10	S
F03E007J5G	5131.9601.0180	407		180		10	10	S
F03E007J1U	5131.9601.0240	407		240		10	10	S



F03E0083GG	2690.6226.0040	407	25	40	Double sided	10	10	S
F03E0083GF	2690.6226.0060	407	25	60	Double sided	10	10	S
F03E0083GK	2690.6226.0080	407	25	80	Double sided	10	10	S
F03E0083GL	2690.6226.0100	407	25	100	Double sided	10	10	S
F03E0083GM	2690.6226.0120	407	25	120	Double sided	10	10	S



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing



1815 siatop | 115mm



1815 siatop | 125mm



1815 siatop | 150mm



1815 siatop | 180mm



1815 siatop | 200mm



1815 siatop | 230mm



1815 siatop | 300mm



1815 siatop | 407mm



Perfect Finish Solutions  
By sia Abrasives







Grinding

Sanding

Polishing

1815 siatop	Bosch PN	sia Abrasives PN	Diameter mm	Holes	Centre hole mm	Grit	Disc Attachment	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E003E1R	3869.7936.0040	125	No hole		40	siafast   hook and loop	50	50	S
	F03E001CY0	3869.7936.0060	125	No hole		60	siafast   hook and loop	50	50	S
	F03E001CY1	3869.7936.0080	125	No hole		80	siafast   hook and loop	50	50	S
	F03E001CY2	3869.7936.0100	125	No hole		100	siafast   hook and loop	50	50	S
	F03E001CY3	3869.7936.0120	125	No hole		120	siafast   hook and loop	50	50	S
	F03E003K2P	3869.7936.0150	125	No hole		150	siafast   hook and loop	50	50	S
	F03E006V79	5351.2795.0040	125	8 hole		40	siafast   hook and loop	100	100	S
	F03E006V7A	5351.2795.0060	125	8 hole		60	siafast   hook and loop	100	100	S
	F03E006V7B	5351.2795.0080	125	8 hole		80	siafast   hook and loop	100	100	S
	F03E006V7C	5351.2795.0100	125	8 hole		100	siafast   hook and loop	100	100	S
	F03E006V7D	5351.2795.0120	125	8 hole		120	siafast   hook and loop	100	100	S
	F03E004242	5351.2795.0150	125	8 hole		150	siafast   hook and loop	100	100	S
	F03E003M6L	0972.4494.0040	125	9 hole	10	40	siafast   hook and loop	50	50	S
	F03E003M6N	0972.4494.0060	125	9 hole	10	60	siafast   hook and loop	50	50	S
	F03E003M6P	0972.4494.0080	125	9 hole	10	80	siafast   hook and loop	50	50	S
	F03E003M6R	0972.4494.0100	125	9 hole	10	100	siafast   hook and loop	50	50	S
	F03E003M6S	0972.4494.0120	125	9 hole	10	120	siafast   hook and loop	50	50	S
	F03E003M6T	0972.4494.0150	125	9 hole	10	150	siafast   hook and loop	50	50	S



Perfect Finish Solutions  
By sia Abrasives



BOSCH



Grinding

Sanding

Polishing

1815 siatop	Bosch PN	sia Abrasives PN	Diameter mm	Holes	Centre hole mm	Grit	Disc Attachment	Pack Quantity	MOQ	Stocking Status
	F03E003E1T	4418.9881.0024	150	No hole		24	siafast   hook and loop	50	50	S
	F03E003E1U	4418.9881.0036	150	No hole		36	siafast   hook and loop	50	50	S
	F03E003E1V	4418.9881.0040	150	No hole		40	siafast   hook and loop	50	50	S
	F03E003E1X	4418.9881.0060	150	No hole		60	siafast   hook and loop	50	50	S
	F03E003E1Y	4418.9881.0080	150	No hole		80	siafast   hook and loop	50	50	S
	F03E003E1Z	4418.9881.0100	150	No hole		100	siafast   hook and loop	50	50	S
	F03E003E20	4418.9881.0120	150	No hole		120	siafast   hook and loop	50	50	S
	F03E003L02	4418.9881.0150	150	No hole		150	siafast   hook and loop	50	50	S
	F03E001G43	5502.6187.0040	150	7 hole	12	40	siafast   hook and loop	50	50	S
	F03E001G3Y	5502.6187.0060	150	7 hole	12	60	siafast   hook and loop	50	50	S
	F03E001G45	5502.6187.0080	150	7 hole	12	80	siafast   hook and loop	50	50	S
	F03E001G3Z	5502.6187.0100	150	7 hole	12	100	siafast   hook and loop	50	50	S
	F03E001G46	5502.6187.0120	150	7 hole	12	120	siafast   hook and loop	50	50	S
	F03E001G08	9269.6628.0040	150	9 hole	18	40	siafast   hook and loop	50	50	S
	F03E001G0A	9269.6628.0060	150	9 hole	18	60	siafast   hook and loop	50	50	S
	F03E001G09	9269.6628.0080	150	9 hole	18	80	siafast   hook and loop	50	50	S
	F03E001G0B	9269.6628.0100	150	9 hole	18	100	siafast   hook and loop	50	50	S
	F03E001G0C	9269.6628.0120	150	9 hole	18	120	siafast   hook and loop	50	50	S
	F03E001G1C	9269.6628.0150	150	9 hole	18	150	siafast   hook and loop	50	50	S

S: Stocked  
P: Purchased  
M: Made to Order



Perfect Finish Solutions  
By sia Abrasives



BOSCH



Grinding

Sanding

Polishing

1815 siatop

	Bosch PN	sia Abrasives PN	Diameter mm	Holes	Grit	Disc Attachment	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E003E21	5056.3994.0024	180	No hole	24	siafast   hook and loop	50	50	S
	F03E003E23	5056.3994.0040	180	No hole	40	siafast   hook and loop	50	50	S
	F03E003E25	5056.3994.0060	180	No hole	60	siafast   hook and loop	50	50	S
	F03E003DK0	5056.3994.0080	180	No hole	80	siafast   hook and loop	50	50	S
	F03E003DK1	5056.3994.0100	180	No hole	100	siafast   hook and loop	50	50	S
	F03E003DK2	5056.3994.0120	180	No hole	120	siafast   hook and loop	50	50	S
	F03E001DD3	5495.7550.0040	200	No hole	40	siafast   hook and loop	50	50	S
	F03E003K29	5495.7550.0060	200	No hole	60	siafast   hook and loop	50	50	S
	F03E003K72	5495.7550.0080	200	No hole	80	siafast   hook and loop	50	50	S
	F03E003K7Y	5495.7550.0100	200	No hole	100	siafast   hook and loop	50	50	S
	F03E003K7V	5495.7550.0120	200	No hole	120	siafast   hook and loop	50	50	S



Perfect Finish Solutions  
By sia Abrasives







Grinding

Sanding

Polishing

1815 siatop



1815 siatop	Bosch PN	sia Abrasives PN	Diameter mm	Holes	Grit	Disc Attachment	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E007M1H	6133.1663.0040.01	230	No hole	40	siafast   hook and loop	50	50	S
	F03E0064HG	6133.1663.0060.01	230	No hole	60	siafast   hook and loop	100	100	S
	F03E0064HH	6133.1663.0080.01	230	No hole	80	siafast   hook and loop	100	100	S
	F03E0064HJ	6133.1663.0120.01	230	No hole	120	siafast   hook and loop	100	100	S
	F03E02D44M	6133.1663.0040.02	230	No hole	40	siafast   hook and loop	10	10	S
	F03E02DB8P	6133.1663.0060.02	230	No hole	60	siafast   hook and loop	10	10	S
	F03E02DB8Q	6133.1663.0080.02	230	No hole	80	siafast   hook and loop	10	10	S
	F03E02DB8R	6133.1663.0120.02	230	No hole	120	siafast   hook and loop	10	10	S
	F03E007JD5	7649.2888.0040.01	300	No hole	40	siafast   hook and loop	50	50	S
	F03E003K9L	7649.2888.0060.01	300	No hole	60	siafast   hook and loop	100	100	S
	F03E001D03	7649.2888.0080.01	300	No hole	80	siafast   hook and loop	100	100	S
	F03E005S00	7649.2888.0120.01	300	No hole	120	siafast   hook and loop	100	100	S
	F03E02D5DJ	7649.2888.0040.02	300	No hole	40	siafast   hook and loop	10	10	S
	F03E02DB8S	7649.2888.0060.02	300	No hole	60	siafast   hook and loop	10	10	S
	F03E02DB8T	7649.2888.0080.02	300	No hole	80	siafast   hook and loop	10	10	S
	F03E02DB8U	7649.2888.0120.02	300	No hole	120	siafast   hook and loop	10	10	S



Perfect Finish Solutions  
By sia Abrasives










Grinding

Sanding

Polishing



1944 siaone | 150mm



1944 siaone | 150mm



Perfect Finish Solutions  
*By sia Abrasives*



**BOSCH**




Grinding

Sanding

Polishing

1944 siaone



Bosch PN	sia Abrasives PN	Diameter mm	Holes	Grit	Disc Attachment	Pack Quantity	MOQ	Stocking Status
F03E007GF9	7190.4609.0040	150	No hole	40	siafast   hook and loop	50	50	P
F03E007GG0	7190.4609.0060	150	No hole	60	siafast   hook and loop	50	50	P
F03E007GG1	7190.4609.0080	150	No hole	80	siafast   hook and loop	50	50	P
F03E007TW9	7190.4609.0100	150	No hole	100	siafast   hook and loop	50	50	P
F03E007TX0	7190.4609.0120	150	No hole	120	siafast   hook and loop	50	50	P
F03E007TX1	7190.4609.0150	150	No hole	150	siafast   hook and loop	50	50	P
F03E007TX2	7190.4609.0180	150	No hole	180	siafast   hook and loop	50	50	P
F03E007TX3	7190.4609.0220	150	No hole	220	siafast   hook and loop	50	50	P
F03E007TX4	7190.4609.0240	150	No hole	240	siafast   hook and loop	50	50	P
F03E007TX5	7190.4609.0320	150	No hole	320	siafast   hook and loop	50	50	P
F03E007TX6	7190.4609.0400	150	No hole	400	siafast   hook and loop	50	50	P
F03E007TX7	7190.4609.0500	150	No hole	500	siafast   hook and loop	50	50	P

S: Stocked  
P: Purchased  
M: Made to Order



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing

1944 siaone



Bosch PN	sia Abrasives PN	Diameter mm	Holes	Centre hole mm	Grit	Disc Attachment	Pack Quantity	MOQ	Stocking Status
F03E007GE9	7425.4595.0040	150	15 hole	18	40	siafast   hook and loop	50	50	S
F03E007GF0	7425.4595.0060	150	15 hole	18	60	siafast   hook and loop	50	50	S
F03E007GF1	7425.4595.0080	150	15 hole	18	80	siafast   hook and loop	50	50	S
F03E007T7K	7425.4595.0100	150	15 hole	18	100	siafast   hook and loop	50	50	P
F03E007T7L	7425.4595.0120	150	15 hole	18	120	siafast   hook and loop	50	50	S
F03E007T7M	7425.4595.0150	150	15 hole	18	150	siafast   hook and loop	50	50	S
F03E007T7N	7425.4595.0180	150	15 hole	18	180	siafast   hook and loop	50	50	S
F03E007T7P	7425.4595.0220	150	15 hole	18	220	siafast   hook and loop	50	50	S
F03E007T7R	7425.4595.0240	150	15 hole	18	240	siafast   hook and loop	50	50	S
F03E007T7S	7425.4595.0320	150	15 hole	18	320	siafast   hook and loop	50	50	S
F03E007T7T	7425.4595.0400	150	15 hole	18	400	siafast   hook and loop	50	50	S
F03E007T7U	7425.4595.0500	150	15 hole	18	500	siafast   hook and loop	50	50	S

S: Stocked  
P: Purchased  
M: Made to Order  
**Stocking Status**



Perfect Finish Solutions  
By sia Abrasives







Grinding

Sanding

Polishing




1948 siaflex | 125mm | No hole




1948 siaflex | 125mm | 8 hole



1948 siaflex | 150mm | No hole



1948 siaflex | 150mm | 15 hole



1948 siaflex | 150mm | 57 hole



1948 siaflex | 203mm | No hole



Perfect Finish Solutions  
By sia Abrasives



**BOSCH**




Grinding

Sanding

Polishing

1948 siaflex



Bosch PN	sia Abrasives PN	Diameter mm	Holes	Grit	Disc Attachment	Pack Quantity	MOQ	Stocking Status
F03E0060TR	6736.2380.0040	125	No hole	40	siafast   hook and loop	50	50	S
F03E0060TS	6736.2380.0060	125	No hole	60	siafast   hook and loop	50	50	S
F03E0060U1	6736.2380.0080	125	No hole	80	siafast   hook and loop	100	100	S
F03E0060U3	6736.2380.0120	125	No hole	120	siafast   hook and loop	100	100	S
F03E0060U4	6736.2380.0150	125	No hole	150	siafast   hook and loop	100	100	S
F03E0060U5	6736.2380.0180	125	No hole	180	siafast   hook and loop	100	100	S
F03E0060U7	6736.2380.0240	125	No hole	240	siafast   hook and loop	100	100	S
F03E0060U9	6736.2380.0320	125	No hole	320	siafast   hook and loop	100	100	S
F03E0060UB	6736.2380.0400	125	No hole	400	siafast   hook and loop	100	100	S
F03E0060UD	6736.2380.0600	125	No hole	600	siafast   hook and loop	100	100	S
F03E0060UE	6736.2380.0800	125	No hole	800	siafast   hook and loop	50	50	S
F03E0060UF	6736.2380.1000	125	No hole	1000	siafast   hook and loop	50	50	S

S: Stocked  
P: Purchased  
M: Made to Order



Perfect Finish Solutions  
By sia Abrasives








Grinding

Sanding

Polishing

1948 siaflex	Bosch PN	sia Abrasives PN	Diameter mm	Holes	Grit	Disc Attachment	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E0061T1	8239.3460.0040	125	8 hole	40	siafast   hook and loop	50	50	S
	F03E0061T2	8239.3460.0060	125	8 hole	60	siafast   hook and loop	50	50	S
	F03E0061T3	8239.3460.0080	125	8 hole	80	siafast   hook and loop	100	100	S
	F03E0061T4	8239.3460.0100	125	8 hole	100	siafast   hook and loop	100	100	S
	F03E0061T5	8239.3460.0120	125	8 hole	120	siafast   hook and loop	100	100	S
	F03E0061T6	8239.3460.0150	125	8 hole	150	siafast   hook and loop	100	100	S
	F03E0061T7	8239.3460.0180	125	8 hole	180	siafast   hook and loop	100	100	S
	F03E0061T9	8239.3460.0240	125	8 hole	240	siafast   hook and loop	100	100	S
	F03E0061TB	8239.3460.0320	125	8 hole	320	siafast   hook and loop	100	100	S
	F03E0061TD	8239.3460.0400	125	8 hole	400	siafast   hook and loop	100	100	S
	F03E0061TG	8239.3460.0800	125	8 hole	800	siafast   hook and loop	50	50	S
	F03E007FF3	8239.3460.1200	125	8 hole	1200	siafast   hook and loop	100	100	S
	F03E007FF4	8239.3460.1500	125	8 hole	1500	siafast   hook and loop	100	100	S



Perfect Finish Solutions  
By sia Abrasives






Grinding

Sanding

Polishing

1948 siaflex



Bosch PN	sia Abrasives PN	Diameter mm	Holes	Grit	Disc Attachment	Pack Quantity	MOQ	Stocking Status
F03E0060UT	7285.4325.0040	150	No hole	40	siafast   hook and loop	50	50	S
F03E0060UU	7285.4325.0060	150	No hole	60	siafast   hook and loop	50	50	S
F03E0060UV	7285.4325.0080	150	No hole	80	siafast   hook and loop	100	100	S
F03E0060UW	7285.4325.0100	150	No hole	100	siafast   hook and loop	100	100	S
F03E0060UX	7285.4325.0120	150	No hole	120	siafast   hook and loop	100	100	S
F03E0060UY	7285.4325.0150	150	No hole	150	siafast   hook and loop	100	100	S
F03E0060UZ	7285.4325.0180	150	No hole	180	siafast   hook and loop	100	100	S
F03E0060V0	7285.4325.0220	150	No hole	220	siafast   hook and loop	100	100	S
F03E0060V1	7285.4325.0240	150	No hole	240	siafast   hook and loop	100	100	S
F03E0060V2	7285.4325.0280	150	No hole	280	siafast   hook and loop	100	100	S
F03E0060V3	7285.4325.0320	150	No hole	320	siafast   hook and loop	100	100	S
F03E0060V5	7285.4325.0400	150	No hole	400	siafast   hook and loop	100	100	S
F03E0060V6	7285.4325.0500	150	No hole	500	siafast   hook and loop	100	100	S
F03E0060V7	7285.4325.0600	150	No hole	600	siafast   hook and loop	100	100	S
F03E0060V8	7285.4325.0800	150	No hole	800	siafast   hook and loop	50	50	S
F03E0060V9	7285.4325.1000	150	No hole	1000	siafast   hook and loop	50	50	S
F03E0060VA	7285.4325.1200	150	No hole	1200	siafast   hook and loop	50	50	S
F03E0060VB	7285.4325.1500	150	No hole	1500	siafast   hook and loop	50	50	S

S: Stocked  
P: Purchased  
M: Made to Order  
**Stocking Status**



Perfect Finish Solutions  
By sia Abrasives






Grinding

Sanding

Polishing

1948 siaflex



Bosch PN	sia Abrasives PN	Diameter mm	Holes	Centre hole mm	Grit	Disc Attachment	Pack Quantity	MOQ	Stocking Status
F03E0060X5	7498.8090.0040	150	15 hole	18	40	siafast   hook and loop	50	50	S
F03E0060X6	7498.8090.0060	150	15 hole	18	60	siafast   hook and loop	50	50	S
F03E0060X7	7498.8090.0080	150	15 hole	18	80	siafast   hook and loop	100	100	S
F03E0060X8	7498.8090.0100	150	15 hole	18	100	siafast   hook and loop	100	100	S
F03E0060X9	7498.8090.0120	150	15 hole	18	120	siafast   hook and loop	100	100	S
F03E0060XA	7498.8090.0150	150	15 hole	18	150	siafast   hook and loop	100	100	S
F03E0060XB	7498.8090.0180	150	15 hole	18	180	siafast   hook and loop	100	100	S
F03E0060XC	7498.8090.0220	150	15 hole	18	220	siafast   hook and loop	100	100	S
F03E0060XD	7498.8090.0240	150	15 hole	18	240	siafast   hook and loop	100	100	S
F03E0060XF	7498.8090.0320	150	15 hole	18	320	siafast   hook and loop	100	100	S
F03E0060XH	7498.8090.0400	150	15 hole	18	400	siafast   hook and loop	100	100	S
F03E0060XJ	7498.8090.0500	150	15 hole	18	500	siafast   hook and loop	100	100	S
F03E0060XK	7498.8090.0600	150	15 hole	18	600	siafast   hook and loop	100	100	S
F03E0060XL	7498.8090.0800	150	15 hole	18	800	siafast   hook and loop	50	50	S

S: Stocked  
P: Purchased  
M: Made to Order



Perfect Finish Solutions  
By sia Abrasives






Grinding

Sanding

Polishing

1948 siaflex



Bosch PN	sia Abrasives PN	Diameter mm	Holes	Centre hole mm	Grit	Disc Attachment	Pack Quantity	MOQ	Stocking Status
F03E0076UB	1520.4046.0040	150	57   S-Performance	10	40	siafast   hook and loop	50	50	S
F03E0076UC	1520.4046.0060	150	57   S-Performance	10	60	siafast   hook and loop	100	100	S
F03E0076UD	1520.4046.0080	150	57   S-Performance	10	80	siafast   hook and loop	100	100	S
F03E0076UE	1520.4046.0100	150	57   S-Performance	10	100	siafast   hook and loop	100	100	S
F03E0076UF	1520.4046.0120	150	57   S-Performance	10	120	siafast   hook and loop	100	100	S
F03E0076UG	1520.4046.0150	150	57   S-Performance	10	150	siafast   hook and loop	100	100	S
F03E0076UH	1520.4046.0180	150	57   S-Performance	10	180	siafast   hook and loop	100	100	S
F03E0076UJ	1520.4046.0220	150	57   S-Performance	10	220	siafast   hook and loop	100	100	S
F03E0076UK	1520.4046.0240	150	57   S-Performance	10	240	siafast   hook and loop	100	100	S
F03E0076UM	1520.4046.0320	150	57   S-Performance	10	320	siafast   hook and loop	100	100	S
F03E0076UP	1520.4046.0400	150	57   S-Performance	10	400	siafast   hook and loop	100	100	S
F03E0076UR	1520.4046.0500	150	57   S-Performance	10	500	siafast   hook and loop	100	100	S
F03E0076US	1520.4046.0600	150	57   S-Performance	10	600	siafast   hook and loop	50	50	S

S: Stocked  
P: Purchased  
M: Made to Order  
**Stocking Status**



Perfect Finish Solutions  
By sia Abrasives






Grinding

Sanding

Polishing

1948 siaflex	Bosch PN	sia Abrasives PN	Diameter mm	Holes	Grit	Disc Attachment	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E00634T	8441.0760.0040	203	No hole	40	siafast   hook and loop	50	50	S
	F03E00634V	8441.0760.0080	203	No hole	80	siafast   hook and loop	50	50	S
	F03E00634X	8441.0760.0120	203	No hole	120	siafast   hook and loop	100	100	S
	F03E00634Z	8441.0760.0180	203	No hole	180	siafast   hook and loop	100	100	S
	F03E00635G	8441.0760.0240	203	No hole	240	siafast   hook and loop	100	100	S
	F03E006352	8441.0760.0320	203	No hole	320	siafast   hook and loop	100	100	S



Perfect Finish Solutions  
By sia Abrasives







Grinding

Sanding


Polishing



1950 siaspeed | 77mm



1950 siaspeed | 80mm



1950 siaspeed | 90mm



1950 siaspeed | 125mm | No hole



1950 siaspeed | 125mm | 8 hole



1950 siaspeed | 150mm



1950 siaspeed | 180mm



1950 siaspeed | 203mm



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing

1950 siaspeed	Bosch PN	sia Abrasives PN	Diameter mm	Grit	Disc Attachment	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order <b>Stocking Status</b>	
	F03E0076PX	1270.8925.0080	77	6	80	siafast   hook and loop	50	50	
	F03E0076PZ	1270.8925.0120	77	6	120	siafast   hook and loop	50	50	
	F03E0076R1	1270.8925.0180	77	6	180	siafast   hook and loop	50	50	
	F03E0076R3	1270.8925.0240	77	6	240	siafast   hook and loop	50	50	
	F03E0076R5	1270.8925.0320	77	6	320	siafast   hook and loop	50	50	
	F03E0076R7	1270.8925.0400	77	6	400	siafast   hook and loop	50	50	
	F03E0076R8	1270.8925.0500	77	6	500	siafast   hook and loop	50	50	
	F03E0076R9	1270.8925.0600	77	6	600	siafast   hook and loop	50	50	
	F03E0076RA	1270.8925.0800	77	6	800	siafast   hook and loop	50	50	
	F03E0076RB	1270.8925.1000	77	6	1000	siafast   hook and loop	50	50	
	F03E0076RC	1270.8925.1200	77	6	1200	siafast   hook and loop	50	50	
	F03E0076RD	1270.8925.1500	77	6	1500	siafast   hook and loop	50	50	



Perfect Finish Solutions  
By sia Abrasives



BOSCH



Grinding

Sanding

Polishing

1950 siaspeed	Bosch PN	sia Abrasives PN	Diameter mm	Holes	Grit	Disc Attachment	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E001CL4	5816.8425.0040	80	No hole	40	siafast   hook and loop	50	50	S
	F03E001CL3	5816.8425.0060	80	No hole	60	siafast   hook and loop	50	50	S
	F03E001CL2	5816.8425.0080	80	No hole	80	siafast   hook and loop	50	50	S
	F03E001CL6	5816.8425.0120	80	No hole	120	siafast   hook and loop	50	50	S
	F03E001CL8	5816.8425.0180	80	No hole	180	siafast   hook and loop	50	50	S
	F03E003E5T	5816.8425.0240	80	No hole	240	siafast   hook and loop	50	50	S
	F03E003E5V	5816.8425.0320	80	No hole	320	siafast   hook and loop	50	50	S
	F03E003E5X	5816.8425.0400	80	No hole	400	siafast   hook and loop	50	50	S
	F03E003E5Y	5816.8425.0500	80	No hole	500	siafast   hook and loop	50	50	S
	F03E003E5Z	5816.8425.0600	80	No hole	600	siafast   hook and loop	50	50	S
	F03E0038ZS	5816.8425.1500	80	No hole	1500	siafast   hook and loop	50	50	S



Perfect Finish Solutions  
By sia Abrasives







Grinding

Sanding

Polishing

1950 siaspeed	Bosch PN	sia Abrasives PN	Diameter mm	Holes	Centre hole mm	Grit	Disc Attachment	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E003CD6	1236.7347.0040	90	7	8	40	siafast   hook and loop	100	100	S
	F03E003CD7	1236.7347.0060	90	7	8	60	siafast   hook and loop	100	100	S
	F03E003CD8	1236.7347.0080	90	7	8	80	siafast   hook and loop	100	100	S
	F03E003CD9	1236.7347.0100	90	7	8	100	siafast   hook and loop	600	4800	P
	F03E004876	1236.7347.0120	90	7	8	120	siafast   hook and loop	100	100	S
	F03E004877	1236.7347.0150	90	7	8	150	siafast   hook and loop	600	4800	P
	F03E004878	1236.7347.0180	90	7	8	180	siafast   hook and loop	100	100	S
	F03E00487A	1236.7347.0240	90	7	8	240	siafast   hook and loop	100	100	S
	F03E00487C	1236.7347.0320	90	7	8	320	siafast   hook and loop	100	100	S
	F03E00487E	1236.7347.0400	90	7	8	400	siafast   hook and loop	600	4800	P
	F03E00487F	1236.7347.0500	90	7	8	500	siafast   hook and loop	600	4800	P
	F03E00487G	1236.7347.0600	90	7	8	600	siafast   hook and loop	600	4800	P
	F03E00487H	1236.7347.0800	90	7	8	800	siafast   hook and loop	600	4800	P
	F03E00487J	1236.7347.1000	90	7	8	1000	siafast   hook and loop	600	4800	P
	F03E00487K	1236.7347.1200	90	7	8	1200	siafast   hook and loop	600	4800	P
	F03E00487L	1236.7347.1500	90	7	8	1500	siafast   hook and loop	600	4800	P



Perfect Finish Solutions  
By sia Abrasives







Grinding

Sanding

Polishing

1950 siaspeed	Bosch PN	sia Abrasives PN	Diameter mm	Holes	Grit	Disc Attachment	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E003E61	6783.7705.0060	125	No hole	60	siafast   hook and loop	50	50	S
	F03E003E62	6783.7705.0080	125	No hole	80	siafast   hook and loop	100	100	S
	F03E003E63	6783.7705.0100.01	125	No hole	100	siafast   hook and loop	100	600	P
	F03E003E64	6783.7705.0120	125	No hole	120	siafast   hook and loop	100	100	S
	F03E003E65	6783.7705.0150	125	No hole	150	siafast   hook and loop	100	100	S
	F03E003E66	6783.7705.0180	125	No hole	180	siafast   hook and loop	100	100	S
	F03E003E68	6783.7705.0240	125	No hole	240	siafast   hook and loop	100	100	S
	F03E001DT1	6783.7705.0320	125	No hole	320	siafast   hook and loop	100	100	S
	F03E001DT3	6783.7705.0400	125	No hole	400	siafast   hook and loop	100	100	S
	F03E001DT5	6783.7705.0600	125	No hole	600	siafast   hook and loop	100	100	S
	F03E003916	6783.7705.0800	125	No hole	800	siafast   hook and loop	50	300	P
	F03E003917	6783.7705.1000	125	No hole	1000	siafast   hook and loop	50	300	P
	F03E003918	6783.7705.1200	125	No hole	1200	siafast   hook and loop	50	300	P
	F03E003919	6783.7705.1500	125	No hole	1500	siafast   hook and loop	50	50	S



Perfect Finish Solutions  
By sia Abrasives






Grinding

Sanding

Polishing

1950 siaspeed	Bosch PN	sia Abrasives PN	Diameter mm	Holes	Grit	Disc Attachment	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E003E6D	8286.8318.0040	125	8 hole	40	siafast   hook and loop	50	50	S
	F03E003E6E	8286.8318.0060	125	8 hole	60	siafast   hook and loop	50	50	S
	F03E003E6F	8286.8318.0080	125	8 hole	80	siafast   hook and loop	100	100	S
	F03E003E6G	8286.8318.0100	125	8 hole	100	siafast   hook and loop	100	100	S
	F03E003E6H	8286.8318.0120	125	8 hole	120	siafast   hook and loop	100	100	S
	F03E003E6J	8286.8318.0150	125	8 hole	150	siafast   hook and loop	100	100	S
	F03E001FU0	8286.8318.0180	125	8 hole	180	siafast   hook and loop	100	100	S
	F03E001FU2	8286.8318.0240	125	8 hole	240	siafast   hook and loop	100	100	S
	F03E001FU4	8286.8318.0320	125	8 hole	320	siafast   hook and loop	100	100	S
	F03E001FU6	8286.8318.0400	125	8 hole	400	siafast   hook and loop	100	100	S
	F03E001FU7	8286.8318.0500	125	8 hole	500	siafast   hook and loop	100	100	S
	F03E001FU8	8286.8318.0600	125	8 hole	600	siafast   hook and loop	100	100	S



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing




1950 siaspeed | 150mm | No hole




1950 siaspeed | 150mm | 7 hole



1950 siaspeed | 150mm | 9 hole



1950 siaspeed | 150mm | 15 hole



1950 siaspeed | 150mm | S-Performance



Perfect Finish Solutions  
*By sia Abrasives*



**BOSCH**



Grinding

Sanding

Polishing

1950 siaspeed	Bosch PN	sia Abrasives PN	Diameter mm	Holes	Grit	Disc Attachment	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E001E11	7332.9183.0040	150	No hole	40	siafast   hook and loop	50	50	S
	F03E001E12	7332.9183.0060	150	No hole	60	siafast   hook and loop	50	50	S
	F03E001E13	7332.9183.0080	150	No hole	80	siafast   hook and loop	100	100	S
	F03E001E14	7332.9183.0100	150	No hole	100	siafast   hook and loop	100	100	S
	F03E001E15	7332.9183.0120	150	No hole	120	siafast   hook and loop	100	100	S
	F03E001E16	7332.9183.0150	150	No hole	150	siafast   hook and loop	100	100	S
	F03E001E17	7332.9183.0180	150	No hole	180	siafast   hook and loop	100	100	S
	F03E001E19	7332.9183.0240	150	No hole	240	siafast   hook and loop	100	100	S
	F03E001E1B	7332.9183.0320	150	No hole	320	siafast   hook and loop	100	100	S
	F03E001E1D	7332.9183.0400	150	No hole	400	siafast   hook and loop	100	100	S
	F03E001E1E	7332.9183.0500	150	No hole	500	siafast   hook and loop	100	100	S
F03E001E1F	7332.9183.0600	150	No hole	600	siafast   hook and loop	100	100	S	
	F03E005W0U	7332.9183.0800	150	No hole	800	siafast   hook and loop	50	50	S
	F03E005W0V	7332.9183.1000	150	No hole	1000	siafast   hook and loop	50	50	S
	F03E003920	7332.9183.1200	150	No hole	1200	siafast   hook and loop	50	50	S
	F03E003922	7332.9183.1500	150	No hole	1500	siafast   hook and loop	50	50	S



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing

1950 siaspeed	Bosch PN	sia Abrasives PN	Diameter mm	Holes	Centre hole mm	Grit	Disc Attachment	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E003E69	8438.1710.0040	150	7	12	40	siafast   hook and loop	50	50	S
	F03E003E6A	8438.1710.0060	150	7	12	60	siafast   hook and loop	50	50	S
	F03E003E6B	8438.1710.0080	150	7	12	80	siafast   hook and loop	100	100	S
	F03E003DS0	8438.1710.0100	150	7	12	100	siafast   hook and loop	100	100	S
	F03E003DS1	8438.1710.0120	150	7	12	120	siafast   hook and loop	100	100	S
	F03E003DS2	8438.1710.0150	150	7	12	150	siafast   hook and loop	100	100	S
	F03E003DS3	8438.1710.0180	150	7	12	180	siafast   hook and loop	100	100	S
	F03E003DS5	8438.1710.0240	150	7	12	240	siafast   hook and loop	100	100	S
	F03E003DS7	8438.1710.0320	150	7	12	320	siafast   hook and loop	100	100	S
	F03E003DS9	8438.1710.0400	150	7	12	400	siafast   hook and loop	100	100	S
	F03E003E6C	8438.1710.0500	150	7	12	500	siafast   hook and loop	100	100	S
	F03E001GC0	8438.1710.0600	150	7	12	600	siafast   hook and loop	100	100	S
	F03E003923	8438.1710.0800	150	7	12	800	siafast   hook and loop	50	50	S
	F03E003925	8438.1710.1200	150	7	12	1200	siafast   hook and loop	50	50	S
	F03E003926	8438.1710.1500	150	7	12	1500	siafast   hook and loop	50	50	S



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing

1950 siaspeed	Bosch PN	sia Abrasives PN	Diameter mm	Holes	Centre hole mm	Grit	Disc Attachment	Pack Quantity	MOQ	Stocking Status
	F03E001GC1	2237.4737.0040	150	9	18	40	siafast   hook and loop	50	50	S
	F03E001GC2	2237.4737.0060	150	9	18	60	siafast   hook and loop	50	50	S
	F03E001GC3	2237.4737.0080	150	9	18	80	siafast   hook and loop	100	100	S
	F03E001GC4	2237.4737.0100	150	9	18	100	siafast   hook and loop	100	100	S
	F03E001GC5	2237.4737.0120	150	9	18	120	siafast   hook and loop	100	100	S
	F03E004N39	2237.4737.0150	150	9	18	150	siafast   hook and loop	100	100	S
	F03E004N3A	2237.4737.0180	150	9	18	180	siafast   hook and loop	100	100	S
	F03E004N3C	2237.4737.0240	150	9	18	240	siafast   hook and loop	100	100	S
	F03E004N3E	2237.4737.0320	150	9	18	320	siafast   hook and loop	100	100	S
	F03E003MJ7	2237.4737.0400	150	9	18	400	siafast   hook and loop	100	100	S
	F03E004N3G	2237.4737.0500	150	9	18	500	siafast   hook and loop	100	100	S
F03E003MJ8	2237.4737.0600	150	9	18	600	siafast   hook and loop	100	100	S	
	F03E00391H	2237.4737.0800	150	9	18	800	siafast   hook and loop	50	50	S
	F03E00391K	2237.4737.1200	150	9	18	1200	siafast   hook and loop	50	50	S

S: Stocked  
P: Purchased  
M: Made to Order



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing

1950 siaspeed	Bosch PN	sia Abrasives PN	Diameter mm	Holes	Centre hole mm	Grit	Disc Attachment	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E003E6V	7546.2948.0040	150	15	18	40	siafast   hook and loop	50	50	S
	F03E003E6W	7546.2948.0060	150	15	18	60	siafast   hook and loop	50	50	S
	F03E003E6X	7546.2948.0080	150	15	18	80	siafast   hook and loop	100	100	S
	F03E003E6Y	7546.2948.0100	150	15	18	100	siafast   hook and loop	100	100	S
	F03E003E6Z	7546.2948.0120	150	15	18	120	siafast   hook and loop	100	100	S
	F03E003E70	7546.2948.0150	150	15	18	150	siafast   hook and loop	100	100	S
	F03E003E71	7546.2948.0180	150	15	18	180	siafast   hook and loop	100	100	S
	F03E003DT1	7546.2948.0240	150	15	18	240	siafast   hook and loop	100	100	S
	F03E003DT3	7546.2948.0320	150	15	18	320	siafast   hook and loop	100	100	S
	F03E003DT5	7546.2948.0400	150	15	18	400	siafast   hook and loop	100	100	S
	F03E003DT6	7546.2948.0500	150	15	18	500	siafast   hook and loop	100	100	S
F03E003DT7	7546.2948.0600	150	15	18	600	siafast   hook and loop	100	100	S	
	F03E005W0W	7546.2948.0800	150	15	18	800	siafast   hook and loop	50	50	S
	F03E005W0Y	7546.2948.1000	150	15	18	1000	siafast   hook and loop	50	50	S
	F03E005W10	7546.2948.1200	150	15	18	1200	siafast   hook and loop	50	50	S
	F03E005W11	7546.2948.1500	150	15	18	1500	siafast   hook and loop	50	50	S



Perfect Finish Solutions  
By sia Abrasives



BOSCH







Grinding

Sanding

Polishing

1950 siaspeed	Bosch PN	sia Abrasives PN	Diameter mm	Holes	Centre hole mm	Grit	Disc Attachment	Pack Quantity	MOQ	Stocking Status
	F03E0076WJ	1546.3150.0040	150	57   S-Performance	10	40	siafast   hook and loop	50	50	S
	F03E0076WK	1546.3150.0060	150	57   S-Performance	10	60	siafast   hook and loop	50	50	S
	F03E0076WL	1546.3150.0080.01	150	57   S-Performance	10	80	siafast   hook and loop	100	100	S
	F03E0076MG	8443.7842.0100	150	81   S-Performance	10	100	siafast   hook and loop	100	100	S
	F03E0076MH	8443.7842.0120	150	81   S-Performance	10	120	siafast   hook and loop	100	100	S
	F03E0076MJ	8443.7842.0150	150	81   S-Performance	10	150	siafast   hook and loop	100	100	S
	F03E0076MK	8443.7842.0180	150	81   S-Performance	10	180	siafast   hook and loop	100	100	S
	F03E0076MM	8443.7842.0240	150	81   S-Performance	10	240	siafast   hook and loop	100	100	S
	F03E0076MP	8443.7842.0320	150	81   S-Performance	10	320	siafast   hook and loop	100	100	S
	F03E0076MS	8443.7842.0400	150	81   S-Performance	10	400	siafast   hook and loop	100	100	S
	F03E0076MT	8443.7842.0500	150	81   S-Performance	10	500	siafast   hook and loop	100	100	S
	F03E0076MU	8443.7842.0600	150	81   S-Performance	10	600	siafast   hook and loop	100	100	S

S: Stocked  
P: Purchased  
M: Made to Order



Perfect Finish Solutions  
By sia Abrasives



BOSCH





Grinding

Sanding

Polishing

1950 siaspeed	Bosch PN	sia Abrasives PN	Diameter mm	Holes	Centre hole mm	Grit	Disc Attachment	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E006D32	8466.9397.0040	203	No hole		40	siafast   hook and loop	50	50	S
	F03E006D33	8466.9397.0060	203	No hole		60	siafast   hook and loop	50	50	S
	F03E006D34	8466.9397.0080	203	No hole		80	siafast   hook and loop	50	50	S
	F03E006D36	8466.9397.0120	203	No hole		120	siafast   hook and loop	50	50	S
	F03E006D37	8466.9397.0150	203	No hole		150	siafast   hook and loop	50	50	S
	F03E006D38	8466.9397.0180	203	No hole		180	siafast   hook and loop	50	50	S
	F03E006D3A	8466.9397.0240	203	No hole		240	siafast   hook and loop	50	50	S
	F03E006D3C	8466.9397.0320	203	No hole		320	siafast   hook and loop	50	50	S
	F03E003E6K	5002.6471.0040	203	9	18	40	siafast   hook and loop	50	50	S
	F03E003E6L	5002.6471.0060	203	9	18	60	siafast   hook and loop	50	50	S
	F03E003E6M	5002.6471.0080	203	9	18	80	siafast   hook and loop	100	100	S
	F03E003E6P	5002.6471.0120	203	9	18	120	siafast   hook and loop	100	100	S
	F03E003E6S	5002.6471.0180	203	9	18	180	siafast   hook and loop	100	100	S
	F03E003E6U	5002.6471.0240	203	9	18	240	siafast   hook and loop	100	100	S
	F03E001FV1	5002.6471.0320	203	9	18	320	siafast   hook and loop	100	100	S
	F03E001FV3	5002.6471.0400	203	9	18	400	siafast   hook and loop	100	100	S
	F03E001FV4	5002.6471.0500	203	9	18	500	siafast   hook and loop	100	100	S
	F03E001FV5	5002.6471.0600	203	9	18	600	siafast   hook and loop	100	100	S



Perfect Finish Solutions  
By sia Abrasives



BOSCH



Grinding

Sanding

Polishing

1958 siaspro	Bosch PN	sia Abrasives PN	Diameter mm	Holes	Centre hole mm	Grit	Disc Attachment	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order <b>Stocking Status</b>
	F03E0077RA	1736.2582.0100	150	57   S-Performance		100	siafast   hook and loop	100	100	S
	F03E0078EH	8633.7741.0200	150	81   S-Performance	10	200	siafast   hook and loop	100	100	S
	F03E0078EJ	8633.7741.0300	150	81   S-Performance	10	300	siafast   hook and loop	100	100	S
	F03E0078EK	8633.7741.0400	150	81   S-Performance	10	400	siafast   hook and loop	100	100	S
	F03E0078EU	7714.6626.0800	150	15	18	800	siafast   hook and loop	50	50	S



Perfect Finish Solutions  
By sia Abrasives






Grinding

Sanding

Polishing




1960 siarexx | 125mm | 8 hole



1960 siarexx | 125mm | 9 hole



1960 siarexx | 150mm | No hole



1960 siarexx | 150mm | 6 hole



1960 siarexx | 150mm | 9 hole



Perfect Finish Solutions  
By sia Abrasives





Grinding


Sanding

Polishing

1960 siarexx

Bosch PN	sia Abrasives PN	Diameter mm	Holes	Centre hole mm	Grit	Disc Attachment	Pack Quantity	MOQ	Stocking Status
F03E003LW0	8502.6854.0040	125	8		40	siafast   hook and loop	50	50	S
F03E003LW1	8502.6854.0060	125	8		60	siafast   hook and loop	50	50	S
F03E003LW3	8502.6854.0080	125	8		80	siafast   hook and loop	100	100	S
F03E003LW4	8502.6854.0100	125	8		100	siafast   hook and loop	100	100	S
F03E003LW5	8502.6854.0120	125	8		120	siafast   hook and loop	100	100	S
F03E003CK9	8502.6854.0180	125	8		180	siafast   hook and loop	100	100	S
F03E004N2V	8502.6854.0240	125	8		240	siafast   hook and loop	100	100	S
F03E001FB2	8502.6854.0320	125	8		320	siafast   hook and loop	100	100	S
F03E001FB5	8502.6854.0400	125	8		400	siafast   hook and loop	100	100	S
F03E003CK7	4102.2332.0180	125	9	10	180	siafast   hook and loop	100	100	S
F03E003CN5	4102.2332.0240	125	9	10	240	siafast   hook and loop	100	100	S

S: Stocked  
P: Purchased  
M: Made to Order  
**Stocking Status**



Perfect Finish Solutions  
By sia Abrasives






Grinding

Sanding

Polishing

1960 siarexx	Bosch PN	sia Abrasives PN	Diameter mm	Holes	Grit	Disc Attachment	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E001DU4	7548.7719.0040	150	No hole	40	siafast   hook and loop	50	50	S
	F03E001DU5	7548.7719.0060	150	No hole	60	siafast   hook and loop	50	50	S
	F03E001DU6	7548.7719.0080	150	No hole	80	siafast   hook and loop	100	100	S
	F03E001DU7	7548.7719.0100	150	No hole	100	siafast   hook and loop	100	100	S
	F03E001DU8	7548.7719.0120	150	No hole	120	siafast   hook and loop	100	100	S
	F03E001DU9	7548.7719.0150	150	No hole	150	siafast   hook and loop	100	100	S
	F03E003CP3	7548.7719.0180	150	No hole	180	siafast   hook and loop	100	100	S
	F03E003CJ3	7548.7719.0240	150	No hole	240	siafast   hook and loop	100	100	S
	F03E003CJ7	7548.7719.0320	150	No hole	320	siafast   hook and loop	100	100	S
	F03E003CJ9	7548.7719.0400	150	No hole	400	siafast   hook and loop	100	100	S



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing

1960 siarexx	Bosch PN	sia Abrasives PN	Diameter mm	Holes	Centre hole mm	Grit	Disc Attachment	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E001FW5	3337.6726.0080	150	6		80	siafast   hook and loop	100	100	S
	F03E001FW6	3337.6726.0100	150	6		100	siafast   hook and loop	100	100	S
	F03E001FW7	3337.6726.0120	150	6		120	siafast   hook and loop	100	100	S
	F03E001FW8	3337.6726.0150	150	6		150	siafast   hook and loop	100	100	S
	F03E001FW9	3337.6726.0180	150	6		180	siafast   hook and loop	100	100	S
	F03E003CJ1	3337.6726.0240	150	6		240	siafast   hook and loop	100	100	S
	F03E003CJ6	3337.6726.0320	150	6		320	siafast   hook and loop	100	100	S
	F03E003CJ8	3337.6726.0400	150	6		400	siafast   hook and loop	100	100	S
	F03E003M9L	2453.2806.0040	150	9	18	40	siafast   hook and loop	50	500	P
	F03E003M9N	2453.2806.0060	150	9	18	60	siafast   hook and loop	50	500	P
	F03E003M9R	2453.2806.0080	150	9	18	80	siafast   hook and loop	100	100	S
	F03E003M9S	2453.2806.0100	150	9	18	100	siafast   hook and loop	100	100	S
	F03E003M9U	2453.2806.0120	150	9	18	120	siafast   hook and loop	100	100	S
	F03E003M9V	2453.2806.0150	150	9	18	150	siafast   hook and loop	100	100	S
	F03E004N2W	2453.2806.0180	150	9	18	180	siafast   hook and loop	100	100	S
	F03E003M9X	2453.2806.0240	150	9	18	240	siafast   hook and loop	100	100	S
	F03E003M9Z	2453.2806.0320	150	9	18	320	siafast   hook and loop	100	100	S
	F03E001FX0	2453.2806.0400	150	9	18	400	siafast   hook and loop	100	100	S



Perfect Finish Solutions  
By sia Abrasives



BOSCH







Grinding

Sanding

Polishing

2812 siaral x

Bosch PN

sia Abrasives PN

Diameter mm

Centre hole mm

Hole pattern

Grit

Disc Attachment

Pack Quantity

MOQ

S: Stocked  
P: Purchased  
M: Made to Order  
**Stocking Status**



F03E005JU9

1560.7940.0016

178

16

siafast | hook and loop

50

50

S

F03E005JV0

1560.7940.0024

178

24

siafast | hook and loop

50

50

S

F03E005JV1

1560.7940.0036

178

36

siafast | hook and loop

50

50

S

F03E005JV2

1560.7940.0040

178

40

siafast | hook and loop

50

50

S

F03E005HF6

1560.7940.0060

178

60

siafast | hook and loop

100

100

S

F03E005JV3

1560.7940.0080

178

80

siafast | hook and loop

100

100

S

F03E005JV4

1560.7940.0100

178

100

siafast | hook and loop

100

100

S

F03E005JV5

1560.7940.0120

178

120

siafast | hook and loop

100

100

S



F03E001E7P

8111.2532.0036

178

22

Star

36

25

25

S

F03E001E7S

8111.2532.0060

178

22

Star

60

50

50

S

F03E001E7T

8111.2532.0080

178

22

Star

80

50

50

S



Perfect Finish Solutions  
By sia Abrasives




BOSCH



Grinding

Sanding

Polishing

7241 siacarbon	Bosch PN	sia Abrasives PN	Diameter mm	Holes	Grit	Disc Attachment	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status	
	F03E00530L	9980.9463.0180	150	Full surface extraction	180	siafast   hook and loop	10	10	S	
	F03E002S1B	9980.9463.0240	150	Full surface extraction	240	siafast   hook and loop	10	10	S	
	F03E002S1C	9980.9463.0320	150	Full surface extraction	320	siafast   hook and loop	10	10	S	
	F03E002S1D	9980.9463.0500	150	Full surface extraction	500	siafast   hook and loop	10	10	S	



Perfect Finish Solutions  
By sia Abrasives







Grinding

Sanding


Polishing




7500 sianet | 125mm




7500 sianet | 203mm



7500 sianet | 150mm



7500 sianet | 230mm



7500 sianet | 407mm



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing

7500 sianet

Bosch PN

sia Abrasives PN

Diameter mm

Holes


Grit

Disc Attachment

Pack Quantity

MOQ

S: Stocked  
P: Purchased  
M: Made to Order  
**Stocking Status**



125	Full surface extraction
125	Full surface extraction
125	Full surface extraction
125	Full surface extraction
125	Full surface extraction
125	Full surface extraction
125	Full surface extraction
125	Full surface extraction

siafast   hook and loop
siafast   hook and loop
siafast   hook and loop
siafast   hook and loop
siafast   hook and loop
siafast   hook and loop
siafast   hook and loop
siafast   hook and loop

150	Full surface extraction
150	Full surface extraction
150	Full surface extraction
150	Full surface extraction
150	Full surface extraction
150	Full surface extraction
150	Full surface extraction
150	Full surface extraction
150	Full surface extraction

siafast   hook and loop
siafast   hook and loop
siafast   hook and loop
siafast   hook and loop
siafast   hook and loop
siafast   hook and loop
siafast   hook and loop
siafast   hook and loop



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing

7500 sianet	Bosch PN	sia Abrasives PN	Diameter mm	Holes	Grit	Disc Attachment	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
			203	Full surface extraction		siafast   hook and loop			
			203	Full surface extraction		siafast   hook and loop			
			203	Full surface extraction		siafast   hook and loop			
			203	Full surface extraction		siafast   hook and loop			
			230	Full surface extraction		siafast   hook and loop			
			230	Full surface extraction		siafast   hook and loop			
			230	Full surface extraction		siafast   hook and loop			
			230	Full surface extraction		siafast   hook and loop			
			407	Full surface extraction		siafast   hook and loop			
			407	Full surface extraction		siafast   hook and loop			
			407	Full surface extraction		siafast   hook and loop			
			407	Full surface extraction		siafast   hook and loop			
			407	Full surface extraction		siafast   hook and loop			



Perfect Finish Solutions  
By sia Abrasives







Grinding

Sanding


Polishing



7900 sianet | 125mm



7900 sianet | 150mm



7900 sianet | 225mm



Perfect Finish Solutions  
By sia Abrasives



**BOSCH**



Grinding

Sanding

Polishing

7900 sianet	Bosch PN	sia Abrasives PN	Diameter mm	Holes	Grit	Disc Attachment	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E00678H	5869.5710.0080	125	Full surface extraction	80	siafast   hook and loop	50	50	S
	F03E00678T	5869.5710.0120	125	Full surface extraction	120	siafast   hook and loop	50	50	S
	F03E00678V	5869.5710.0180	125	Full surface extraction	180	siafast   hook and loop	50	50	S
	F03E00678X	5869.5710.0240	125	Full surface extraction	240	siafast   hook and loop	50	50	S
	F03E00678Y	5869.5710.0320	125	Full surface extraction	320	siafast   hook and loop	50	50	S
	F03E00678Z	5869.5710.0400	125	Full surface extraction	400	siafast   hook and loop	50	50	S
	F03E00677U	6397.0967.0080	150	Full surface extraction	80	siafast   hook and loop	50	50	S
	F03E006782	6397.0967.0120	150	Full surface extraction	120	siafast   hook and loop	50	50	S
	F03E006783	6397.0967.0150	150	Full surface extraction	150	siafast   hook and loop	50	50	S
	F03E006784	6397.0967.0180	150	Full surface extraction	180	siafast   hook and loop	50	50	S
	F03E006786	6397.0967.0240	150	Full surface extraction	240	siafast   hook and loop	50	50	S
	F03E006787	6397.0967.0320	150	Full surface extraction	320	siafast   hook and loop	50	50	S
	F03E006788	6397.0967.0400	150	Full surface extraction	400	siafast   hook and loop	50	50	S



Perfect Finish Solutions  
By sia Abrasives









Grinding

Sanding

Polishing



**Hand Sanding Belts and Sleeves**  
width: 30-390mm / length: up to 950mm

**Narrow, Edge and Long Belts**  
width: 25-220mm / length: up to 2260mm

**6270 siamet SCM LS**   
width: 50-100mm / length: up to 1520mm

**Tongued Sanding Belts**  
width: 9-30 mm / length: up to 1680 mm



**Perfect Finish Solutions**  
By sia Abrasives






Grinding

Sanding


Polishing



2511/2515 siashark




2800 siaron



2812 siaral x



2820 siamet



2920 siawood x



2946 siatur jj



Perfect Finish Solutions  
By sia Abrasives



BOSCH



Grinding

Sanding

Polishing

2511/2515 siashark



Bosch PN	sia Abrasives PN	Series	Width mm	Length mm	Grit	Pack Quantity	MOQ	Stocking Status
F03E007V07	4278.6885.0040	2515	200	750	40	10	10	S
F03E007V08	4278.6885.0060	2515	200	750	60	10	10	S
F03E007V09	4278.6885.0080	2515	200	750	80	10	10	S
F03E007VOA	4183.6702.0100	2511	200	750	100	10	10	S
F03E007V0B	0280.8933.0040	2515	250	750	40	10	10	S
F03E007V0C	0280.8933.0060	2515	250	750	60	10	10	S
F03E007V0D	0280.8933.0080	2515	250	750	80	10	10	S
F03E007V0E	0185.9217.0100	2511	250	750	100	10	10	S
F03E007V0F	6250.9329.0040	2515	300	750	40	10	10	S
F03E007V0G	6250.9329.0060	2515	300	750	60	10	10	S
F03E007V0H	6250.9329.0080	2515	300	750	80	10	10	S
F03E007V0J	6155.9613.0100	2511	300	750	100	10	10	S

S: Stocked  
P: Purchased  
M: Made to Order  
**Stocking Status**



Perfect Finish Solutions  
By sia Abrasives







Grinding

Sanding

Polishing



2800 siaron | 200x750mm | 250x750mm



2800 siaron | 300x750mm | 300x800mm



Perfect Finish Solutions  
By sia Abrasives



**BOSCH**




Grinding

Sanding

Polishing

2800 siron



Bosch PN	sia Abrasives PN	Width mm	Length mm	Grit	Pack Quantity	MOQ	Stocking Status
F03E00403A	0484.1633.0024	200	750	24	10	10	S
F03E00403C	0484.1633.0036	200	750	36	10	10	S
F03E0072WG	0484.1633.0040	200	750	40	10	10	S
F03E001X93	0484.1633.0060	200	750	60	10	10	S
F03E001X9K	0484.1633.0080	200	750	80	10	10	S
F03E001X9J	0484.1633.0100	200	750	100	10	10	S
F03E001X9L	0484.1633.0120	200	750	120	10	10	S
F03E007K6V	6432.5808.0024	250	750	24	5	5	S
F03E0035KB	6432.5808.0036	250	750	36	5	5	S
F03E0039WV	6432.5808.0040	250	750	40	5	5	S
F03E007K6Y	6432.5808.0060	250	750	60	10	10	S
F03E0035J1	6432.5808.0080	250	750	80	10	10	S
F03E007K6W	6432.5808.0100	250	750	100	10	10	S
F03E007K6X	6432.5808.0120	250	750	120	10	10	S

S: Stocked  
P: Purchased  
M: Made to Order



Perfect Finish Solutions  
By sia Abrasives






Grinding

Sanding

Polishing

2800 siron



Bosch PN	sia Abrasives PN	Width mm	Length mm	Grit	Pack Quantity	MOQ	Stocking Status
F03E007K6Z	2434.8323.0024	300	750	24	5	5	S
F03E007K70	2434.8323.0036	300	750	36	5	5	S
F03E007K71	2434.8323.0040	300	750	40	5	5	S
F03E007K72	2434.8323.0060	300	750	60	10	10	S
F03E007K73	2434.8323.0080	300	750	80	10	10	S
F03E007K74	2434.8323.0100	300	750	100	10	10	S
F03E007K75	2434.8323.0120	300	750	120	10	10	S
F03E007K76	3533.1746.0024	300	800	24	5	5	S
F03E001XR7	3533.1746.0036	300	800	36	5	5	S
F03E007E5L	3533.1746.0040	300	800	40	5	5	S
F03E007A95	3533.1746.0060	300	800	60	10	10	S
F03E007A96	3533.1746.0080	300	800	80	10	10	S
F03E007A97	3533.1746.0100	300	800	100	10	10	S
F03E007K77	3533.1746.0120	300	800	120	10	10	S

S: Stocked  
P: Purchased  
M: Made to Order



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing

2812 siaral x



Bosch PN	sia Abrasives PN	Width mm	Length mm	Grit	Pack Quantity	MOQ	Stocking Status
F03E001XD2	0725.8806.0024	200	750	24	10	10	S
F03E001XD4	0725.8806.0036	200	750	36	10	10	S
F03E004056	7271.6954.0040	200	750	40	10	10	S
F03E001XD6	7271.6954.0060	200	750	60	10	10	S
F03E001XD8	1173.7707.0080	200	750	80	10	10	S
F03E00404Z	8785.5450.0100	200	750	100	10	10	S
F03E004051	8785.5450.0120	200	750	120	10	10	S
F03E001XD9	6695.9202.0024	250	750	24	10	10	S
F03E00404W	6695.9202.0036	250	750	36	10	10	S
F03E004059	7143.8103.0080	250	750	80	10	10	S
F03E00404X	4787.7965.0100	250	750	100	10	10	S
F03E00405A	4787.7965.0120	250	750	120	10	10	S
F03E004057	3273.9469.0040	250	750	40	10	10	S
F03E004058	3273.9469.0060	250	750	60	10	10	S
F03E005VV0	2698.1717.0024	300	750	24	5	5	S
F03E005VV1	2698.1717.0036	300	750	36	5	5	S
F03E005VV2	2698.1717.0040	300	750	40	5	5	S
F03E005VV3	2698.1717.0060	300	750	60	10	10	S
F03E005VV4	2698.1717.0080	300	750	80	10	10	S
F03E005VV6	2698.1717.0120	300	750	120	10	10	P

S: Stocked  
P: Purchased  
M: Made to Order



Perfect Finish Solutions  
By sia Abrasives







Grinding

Sanding

Polishing

2820 siamet



Bosch PN	sia Abrasives PN	Width mm	Length mm	Grit	Pack Quantity	MOQ	Stocking Status
F03E00403V	0915.8238.0036	200	750	36	10	10	S
F03E001XR2	0915.8238.0040	200	750	40	5	5	S
F03E001XB0	0915.8238.0060	200	750	60	10	10	S
F03E001XB1	0915.8238.0080	200	750	80	10	10	S
F03E00403Z	0915.8238.0100	200	750	100	10	10	S
F03E00403E	0915.8238.0120	200	750	120	10	10	S

S: Stocked  
P: Purchased  
M: Made to Order  
**Stocking Status**



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing



2920 siawood x  
width: 63–100mm / length: up to 610mm



2920 siawood x  
width: 200-250mm / length: up to 750mm



Perfect Finish Solutions  
By sia Abrasives



**BOSCH**



Grinding

Sanding

Polishing

2920 siawood x



Bosch PN	sia Abrasives PN	Width mm	Length mm	Grit	Pack Quantity	MOQ	Stocking Status
F03E007R4C	7580.4881.0040	63	406	40	10	10	P
F03E001WH4	7580.4881.0060	63	406	60	10	10	P
F03E007S8A	7580.4881.0080	63	406	80	10	10	P
F03E001WM0	7580.4881.0120	63	406	120	10	10	P
F03E001WM1	7580.4881.0180	63	406	180	10	10	P
F03E0084ZV	3395.6683.0040	75	533	40	10	10	S
F03E0084ZW	3395.6683.0060	75	533	60	10	10	S
F03E0084ZX	3395.6683.0080	75	533	80	10	10	S
F03E0084ZY	3395.6683.0100	75	533	100	10	10	S
F03E0084ZZ	3395.6683.0120	75	533	120	10	10	S
F03E0083F8	5052.5920.0040	75	610	40	10	10	S
F03E00832E	5052.5920.0060	75	610	60	10	10	S
F03E00832D	5052.5920.0080	75	610	80	10	10	S
F03E00832C	5052.5920.0100	75	610	100	10	10	S
F03E0083FA	5052.5920.0120	75	610	120	10	10	S
F03E0083EB	8037.6118.0040	100	610	40	10	10	S
F03E0083DK	8037.6118.0060	100	610	60	10	10	S
F03E0083EC	8037.6118.0080	100	610	80	10	10	S
F03E0083ED	8037.6118.0100	100	610	100	10	10	S
F03E008503	8037.6118.0120	100	610	120	10	10	S
F03E007M5G	8037.6118.0150	100	610	150	10	10	S

S: Stocked  
P: Purchased  
M: Made to Order  
**Stocking Status**



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing

2920 siawood x

Bosch PN	sia Abrasives PN	Width mm	Length mm	Grit	Pack Quantity	MOQ	Stocking Status
F03E001X9T	7197.3357.0024	200	480	24	5	5	S
F03E001X9V	7197.3357.0040	200	480	40	5	5	S
F03E001XB3	7197.3357.0060	200	480	60	10	10	S
F03E004048	7197.3357.0080	200	480	80	10	10	S
F03E001X9W	7197.3357.0100	200	480	100	10	10	S
F03E001X9X	3074.3131.0016	200	750	16	10	10	S
F03E001XA1	9044.3527.0016	250	750	16	10	10	S



S: Stocked  
P: Purchased  
M: Made to Order



Perfect Finish Solutions  
By sia Abrasives






Grinding

Sanding

Polishing

2946 siatur jj

Bosch PN	sia Abrasives PN	Width mm	Length mm	Belt type	Grit	Pack Quantity	MOQ	Stocking Status
F03E007M17	6370.4566.0150	220	490	Triple-S	150	10	10	S
F03E0085LV	6985.0905.0240	300	750	Type 1	240	10	10	S



S: Stocked  
P: Purchased  
M: Made to Order



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing



2511 siabite



2582 siaramic



2820 siamet



Perfect Finish Solutions  
By sia Abrasives



**BOSCH**



Grinding

**Sanding**

Polishing

2511 siabite



Bosch PN	sia Abrasives PN	Width mm	Length mm	Grit	Type	Pack Quantity	MOQ	Stocking Status
F03E007M0G	5326.8661.0080	150	2000	80	Belt Triple-S	10	10	S

S: Stocked  
P: Purchased  
M: Made to Order  
**Stocking Status**



Perfect Finish Solutions  
*By sia Abrasives*







Grinding

Sanding

Polishing

2582 siaramic	Bosch PN	sia Abrasives PN	Width mm	Length mm	Grit	Type	Pack Quantity	MOQ	<small>S: Stocked P: Purchased M: Made to Order</small> <b>Stocking Status</b>																				
																													
																													



Perfect Finish Solutions  
By sia Abrasives







Grinding

Sanding

Polishing



**2820 siamet**

width: 30–50mm / length: up to 915mm



**2820 siamet**

width: 50–75mm / length: up to 2250mm



**2820 siamet**

width: 100 / length: up to 1525mm



**2820 siamet**

width: 150mm / length: up to 2000mm



**Perfect Finish Solutions**  
By sia Abrasives



**BOSCH**



Grinding

Sanding

Polishing

### 2820 siamet



### 2820 siamet

width: 30–50mm / length: up to 915mm

Bosch PN	sia Abrasives PN	Width mm	Length mm	Grit	Type	Pack Quantity	MOQ	Stocking Status
F03E007M0R	6501.0986.0040	50	915	40	Belt Triple-S	5	5	S
F03E005C1B	6501.0986.0060	50	915	60	Belt Triple-S	10	10	S
F03E007M0S	6501.0986.0080	50	915	80	Belt Triple-S	10	10	S
F03E007M0T	6501.0986.0100	50	915	100	Belt Triple-S	10	10	S
F03E001VE8	6501.0986.0120	50	915	120	Belt Triple-S	10	10	S
F03E007M0U	6501.0986.0180	50	915	180	Belt Triple-S	10	10	S
F03E007M0V	6501.0986.0240	50	915	240	Belt Triple-S	10	10	S
F03E007M0W	6501.0986.0320	50	915	320	Belt Triple-S	10	10	S
F03E007M0X	6501.0986.0400	50	915	400	Belt Triple-S	10	10	S

S: Stocked  
P: Purchased  
M: Made to Order



Perfect Finish Solutions  
By sia Abrasives







Grinding

Sanding

Polishing

### 2820 siamet



### 2820 siamet

width: 100 / length: up to 1525mm

Bosch PN	sia Abrasives PN	Width mm	Length mm	Grit	Type	Pack Quantity	MOQ	Stocking Status
F03E001VX0	2503.3501.0040	100	915	40	Belt Triple-S	10	10	S
F03E001VX1	2503.3501.0060	100	915	60	Belt Triple-S	10	10	S
F03E004N4G	2503.3501.0080	100	915	80	Belt Triple-S	10	10	S
F03E001VX3	2503.3501.0100	100	915	100	Belt Triple-S	10	10	S
F03E001VX4	2503.3501.0120	100	915	120	Belt Triple-S	10	10	S
F03E001YZ1	9095.4125.0040	100	1220	40	Belt Triple-S	5	5	S
F03E001Z8G	9095.4125.0060	100	1220	60	Belt Triple-S	10	10	S
F03E001Z8J	9095.4125.0080	100	1220	80	Belt Triple-S	10	10	S
F03E0041BY	9095.4125.0120	100	1220	120	Belt Triple-S	10	10	S
F03E0039F3	9095.4125.0180	100	1220	180	Belt Triple-S	10	50	P
F03E007M10	5719.6401.0040	100	1525	40	Belt Triple-S	5	5	S
F03E0024JT	5719.6401.0060	100	1525	60	Belt Triple-S	10	10	S
F03E001Z9X	5719.6401.0080	100	1525	80	Belt Triple-S	10	10	S
F03E007M11	5719.6401.0120	100	1525	120	Belt Triple-S	10	10	S

S: Stocked  
P: Purchased  
M: Made to Order  
**Stocking Status**



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing

### 2820 siamet



### 2820 siamet

width: 150mm / length: up to 2000mm

Bosch PN	sia Abrasives PN	Width mm	Length mm	Grit	Type	Pack Quantity	MOQ	Stocking Status
F03E00413S	5097.6640.0040.01	150	1220	40	Belt Triple-S	5	5	S
F03E001Z92	5097.6640.0060.01	150	1220	60	Belt Triple-S	10	10	S
F03E001Z96	5097.6640.0080.01	150	1220	80	Belt Triple-S	10	10	S
F03E004144	5097.6640.0120.01	150	1220	120	Belt Triple-S	10	10	S
F03E0040ME	2037.3976.0060.05	150	2000	60	Belt Triple-S	10	10	S
F03E001Y61	2037.3976.0080.05	150	2000	80	Belt Triple-S	10	10	S

S: Stocked  
P: Purchased  
M: Made to Order  
**Stocking Status**



Perfect Finish Solutions  
*By sia Abrasives*





Grinding

Sanding

Polishing

6270



Bosch PN	sia Abrasives PN	Width mm	Length mm	Grade	Colour	Type	Pack Quantity	MOQ	Stocking Status
F03E0266DN	8253.3861.2921	50	915	2921   coarse	Brown	Band Triple-W	5	5	S
F03E0266DP	8253.3861.4921	50	915	4921   medium	Purple	Band Triple-W	5	5	S
F03E0266DR	8253.3861.5921	50	915	5921   fine	Green	Band Triple-W	5	5	S
F03E0266DS	4877.6604.2921	50	1220	2921   coarse	Brown	Band Triple-W	5	5	S
F03E0266DT	4877.6604.4921	50	1220	4921   medium	Purple	Band Triple-W	5	5	S
F03E0266DU	4877.6604.5921	50	1220	5921   fine	Green	Band Triple-W	5	5	S
F03E0266DW	7383.7108.4921	100	1520	4921   medium	Purple	Band Triple-W	3	3	S

S: Stocked  
P: Purchased  
M: Made to Order  
Stocking Status



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing



2511 siabite



2803 siaron y



2820 siamet



2945 siatur j



2946 siatur jj



Perfect Finish Solutions  
By sia Abrasives




**BOSCH**



Grinding

Sanding

Polishing

2511 siabite	Bosch PN	sia Abrasives PN	Width mm	Length mm	Grit	Type	Pack Quantity	MOQ	Stocking Status
	F03E0054LX	0094.8970.0060	10	330	60	Belt Triple-S	10	10	S
	F03E0054LW	0094.8970.0080	10	330	80	Belt Triple-S	10	10	S
	F03E0064BT	3922.1023.0060	12	330	60	Belt Triple-S	10	10	S
	F03E005C0T	3404.3592.0060	20	520	60	Belt Triple-S	10	10	S
	F03E005C0U	3404.3592.0080	20	520	80	Belt Triple-S	10	10	P



Perfect Finish Solutions  
By sia Abrasives








Grinding

Sanding

Polishing

2803 siaron y	Bosch PN	sia Abrasives PN	Width mm	Length mm	Grit	Type	Pack Quantity	MOQ	Stocking Status
	F03E005S2Z	6660.9824.0040	10	330	40	Belt Triple-S	5	5	S
	F03E003C3Y	6660.9824.0060	10	330	60	Belt Triple-S	10	10	S
	F03E0037ZY	6660.9824.0080	10	330	80	Belt Triple-S	10	10	S
	F03E005S32	9970.3979.0040	20	520	40	Belt Triple-S	5	5	S
	F03E002UD9	9970.3979.0060	20	520	60	Belt Triple-S	10	10	S
	F03E0043LT	9970.3979.0080	20	520	80	Belt Triple-S	10	10	S
	F03E006ZW5	9970.3979.0120	20	520	120	Belt Triple-S	10	10	S

S: Stocked  
P: Purchased  
M: Made to Order



Perfect Finish Solutions  
By sia Abrasives






Grinding

Sanding

Polishing

2820 siamet	Bosch PN	sia Abrasives PN	Width mm	Length mm	Grit	Type	Pack Quantity	MOQ	Stocking Status
	F03E0053US	7789.1625.0040	13	330	40	Belt Triple-S	5	5	S
	F03E001UR7	0265.0707.0036	13	455	36	Belt Triple-S	5	5	S
	F03E001U74	0265.0707.0040	13	455	40	Belt Triple-S	50	50	S
	F03E001U76	0265.0707.0060	13	455	60	Belt Triple-S	50	50	S
	F03E001U77	0265.0707.0080	13	455	80	Belt Triple-S	50	50	S
	F03E001U7Z	0524.1027.0120	13	455	120	Belt Triple-S	50	50	S



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing

2945 siatur j	Bosch PN	sia Abrasives PN	Width mm	Length mm	Grit	Type	Pack Quantity	MOQ	Stocking Status
	F03E004LT8	9730.3252.0060	10	330	60	Belt Triple-S	10	10	S
	F03E003V7B	9730.3252.0080	10	330	80	Belt Triple-S	10	10	S
	F03E007M16	9730.3252.0120	10	330	120	Belt Triple-S	10	10	S
	F03E001UG3	3071.9993.0060	20	520	60	Belt Triple-S	10	50	S
	F03E001UG4	3071.9993.0080	20	520	80	Belt Triple-S	10	10	S
	F03E002RM2	3071.9993.0120	20	520	120	Belt Triple-S	10	10	S



Perfect Finish Solutions  
By sia Abrasives




S: Stocked  
P: Purchased  
M: Made to Order



Grinding

Sanding

Polishing

2946 siatur jj	Bosch PN	sia Abrasives PN	Width mm	Length mm	Grit	Type	Pack Quantity	MOQ	<small>S: Stocked P: Purchased M: Made to Order</small> <b>Stocking Status</b>
	F03E007M19	9042.2149.0320	10	1680	320	Belt Triple-S	10	10	S
	F03E007PS1	8242.6652.0240	20	1680	240	Belt Triple-S	10	10	S
	F03E007PS2	8242.6652.0320	20	1680	320	Belt Triple-S	10	10	S
	F03E007PS3	8242.6652.0400	20	1680	400	Belt Triple-S	10	10	S
	F03E007M1A	2858.9963.0240	25	1680	240	Belt Triple-S	10	10	S
	F03E007M1B	2858.9963.0320	25	1680	320	Belt Triple-S	10	10	S
	F03E007M1C	2858.9963.0400	25	1680	400	Belt Triple-S	10	10	S



Perfect Finish Solutions  
By sia Abrasives






Grinding

Sanding

Polishing



2511 siabite



2820 siamet



Perfect Finish Solutions  
*By sia Abrasives*



**BOSCH**



Grinding

Sanding

Polishing

2511 siabite

Bosch PN

sia Abrasives PN

Width mm


Diameter mm

Grit

Pack Quantity

MOQ

S: Stocked  
P: Purchased  
M: Made to Order  
**Stocking Status**



F03E0263SD

1835.4341.0080

20

22

80

50

50

P

F03E0263SE

1835.4341.0120

20

22

120

50

50

P

F03E0263SF

6476.8078.0060

25

25

60

50

50

P

F03E0263SG

6476.8078.0080

25

25

80

50

50

P

F03E0263SH

6476.8078.0120

25

25

120

50

50

P

F03E0263ST

4955.1054.0036

25


51

36

50

50

P



F03E0263SU

7052.2945.0060

25

51

60

50

50

P

F03E0263SV

7052.2945.0080

25

51

80

50

50

P

F03E0263SW

7052.2945.0120

25

51

120

50

50

P

F03E0263S9

0895.0832.0060

30

15

60

50

50

P

F03E0263SA

0895.0832.0080

30

15

80

50

50

P

F03E0263SB

0895.0832.0120

30

15

120

50

50

P

F03E0263SJ

9073.5768.0036

30

30

36

50

50

P

F03E0263SK

1202.9778.0060

30

30

60

50

50

P

F03E0263SL

1202.9778.0080

30

30

80

50

50

P

F03E0263SM

1202.9778.0120

30

30

120

50

50

P

F03E0263SN

9403.0935.0036

30

45

36

50

50

P

F03E0263SP

1532.4945.0060

30


45

60

50

50

P



Perfect Finish Solutions  
By sia Abrasives



BOSCH



Grinding

Sanding

Polishing

2820 siamet

Bosch PN

sia Abrasives PN

Width mm

Diameter mm

Grit

Pack Quantity

MOQ

S: Stocked  
P: Purchased  
M: Made to Order  
**Stocking Status**

F03E02644R

6165.9712.0060

20

10

60

50

50

S

F03E02644S

6165.9712.0080

20

10

80

50

50

S

F03E02644T

6165.9712.0120

20

10

120

50

50

S

F03E02644V

0839.5568.0060

25

13

60

50

50

S

F03E02644W

0839.5568.0080

25

13

80

50

50

S

F03E02644X

0839.5568.0120

25

13

120

50

50

S

F03E026453

0975.6879.0036

25

19

36

50

50

S

F03E026455

0975.6879.0060

25

19

60

50

50

S

F03E026456

0975.6879.0080

25

19

80

50

50

S

F03E026457

0975.6879.0120

25

19

120

50

50

S

F03E02645D

1111.8190.0036

25

25

36

50

50

S

F03E02645F

1111.8190.0060

25

25

60

50

50

S

F03E02645G

1111.8190.0080

25

25

80

50

50

S

F03E02645H

1111.8190.0120

25

25

120

50

50

S

F03E02645P

1388.7513.0036

25

38

36

50

50

S

F03E02645S

1388.7513.0060

25

38

60

50

50

S

F03E02645T

1388.7513.0080

25

38

80

50

50

S

F03E02645U

1388.7513.0120

25

38

120

50

50

S

F03E026460

1665.6836.0036

25

51

36

50

50

S

F03E026462

1665.6836.0060

25

51

60

50

50

S

F03E026463

1665.6836.0080

25

51

80

50

50

S

F03E026464

1665.6836.0120

25

51

120

50

50

S



Perfect Finish Solutions  
By sia Abrasives



BOSCH



Grinding

Sanding

Polishing



2923 siamop | Coated



6120 siamop | Interleaved



6120 siamop | Nonwoven



Perfect Finish Solutions  
By sia Abrasives



**BOSCH**





Grinding

Sanding

Polishing

2923 siamop  
Cloth



Bosch PN	sia Abrasives PN	Width mm	Diameter mm	Grit	Shaft mm	Pack Quantity	MOQ	Stocking Status
F03E0071PW	0020.8274	10	20	40	6	10	10	S
F03E0071PZ	0020.8275	10	20	60	6	10	10	S
F03E0071R0	0020.8276	10	20	80	6	10	10	S
F03E0071R1	0020.8277	10	20	120	6	10	10	S
F03E0071RY	0020.8294	10	30	40	6	10	10	S
F03E0071RZ	0020.8295	10	30	60	6	10	10	S
F03E0071S0	0020.8296	10	30	80	6	10	10	S
F03E0071S1	0020.8297	10	30	120	6	10	10	S
F03E0071S3	0020.8299	15	30	40	6	10	10	S
F03E0071S4	0020.8300	15	30	60	6	10	10	S
F03E0071S5	0020.8301	15	30	80	6	10	10	S
F03E0071S6	0020.8302	15	30	120	6	10	10	S
F03E0071R3	0020.8279	20	20	40	6	10	10	S
F03E0071R4	0020.8280	20	20	60	6	10	10	S
F03E0071R8	0020.8281	20	20	80	6	10	10	S
F03E0071RC	0020.8282	20	20	120	6	10	10	S
F03E0071SE	0020.8309	20	40	40	6	10	10	S
F03E0071SG	0020.8310	20	40	60	6	10	10	S
F03E0071SK	0020.8311	20	40	80	6	10	10	S
F03E0071SL	0020.8312	20	40	120	6	10	10	S

S: Stocked  
P: Purchased  
M: Made to Order

- Ø 25x25mm
- Ø 25x50mm
- Ø 30x60mm
- Ø 30x80mm
- Ø 50x60mm
- Ø 50x80mm



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing

2923 siamop  
Cloth



Bosch PN	sia Abrasives PN	Width mm	Diameter mm	Grit	Shaft mm	Pack Quantity	MOQ	Stocking Status
F03E0071RT	0020.8289	25	25	40	6	10	10	S
F03E0071RU	0020.8290	25	25	60	6	10	10	S
F03E0071RV	0020.8291	25	25	80	6	10	10	S
F03E0071RW	0020.8292	25	25	120	6	10	10	S
F03E0071UM	0020.8324	25	50	40	6	10	10	S
F03E0071UV	0020.8325	25	50	60	6	10	10	S
F03E0071UW	0020.8326	25	50	80	6	10	10	S
F03E0071UX	0020.8327	25	50	120	6	10	10	S
F03E0071VE	0020.8344	30	60	40	6	10	10	S
F03E0071VF	0020.8345	30	60	60	6	10	10	S
F03E0071VG	0020.8346	30	60	80	6	10	10	S
F03E0071VH	0020.8347	30	60	120	6	10	10	S
F03E0071VZ	0020.8359	30	80	40	6	10	10	S
F03E0071W0	0020.8360	30	80	60	6	10	10	S
F03E0071W1	0020.8361	30	80	80	6	10	10	S
F03E0071W2	0020.8362	30	80	120	6	10	10	S
F03E0071VR	0020.8354	50	60	40	6	10	10	S
F03E0071VS	0020.8355	50	60	60	6	10	10	S
F03E0071VT	0020.8356	50	60	80	6	10	10	S
F03E0071VW	0020.8357	50	60	120	6	10	10	S
F03E0071W4	0020.8364	50	80	40	6	10	10	S
F03E0071W5	0020.8365	50	80	60	6	10	10	S
F03E0071W6	0020.8366	50	80	80	6	10	10	S
F03E0071W8	0020.8367	50	80	120	6	10	10	S

S: Stocked  
P: Purchased  
M: Made to Order

Ø 10x20mm  
Ø 10x30mm  
Ø 15x30mm  
Ø 20x20mm  
Ø 20x40mm



Perfect Finish Solutions  
By sia Abrasives



BOSCH



Grinding

Sanding

Polishing

6120 siamop Interleaved



Bosch PN	sia Abrasives PN	Width mm	Diameter mm	Grade / Grit	Shaft mm	Pack Quantity	MOQ	Stocking Status
F03E014124	6698.3223.4921	25	38	4921   medium A	6	10	10	S
F03E0141FK	6970.5845.2921	25	50	2921   coarse A	6	10	10	S
F03E0141FR	6970.5845.4921	25	50	4921   medium A	6	10	10	S
F03E004N7G	0020.0039	30	60	80	6	10	10	S
F03E004N7F	0020.0040	30	60	150	6	10	10	S
F03E004N7E	0020.0847	30	60	240	6	10	10	S
F03E0144NP	9955.6043.2921	50	50	2921   coarse A	6	10	10	S
F03E0144NT	9955.6043.4921	50	50	4921   medium A	6	10	10	S
F03E0144P0	9955.6043.6913	50	50	6913   very fine A	6	10	10	S
F03E013LF1	0541.6808.2921	50	76	2921   coarse A	6	10	10	S
F03E013LF7	0541.6808.4921	50	76	4921   medium A	6	10	10	S
F03E013NOP	1064.5831.4921	50	100	4921   medium A	6	10	10	S

S: Stocked  
P: Purchased  
M: Made to Order



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing

6120 siamop  
Nonwoven



Bosch PN	sia Abrasives PN	Width mm	Diameter mm	Grade / Grit	Shaft mm	Pack Quantity	MOQ	Stocking Status
F03E013YY3	5637.1678.2921	25	38	2921   coarse A	6	10	10	S
F03E013YZ1	5637.1678.5911	25	38	5911   fine A	6	10	10	S
F03E013YY7	5637.1678.4921	25	38	4921   medium A	6	10	10	S
F03E013YZ3	5637.1678.6913	25	38	6913   very fine A	6	10	10	S
F03E013ZN8	5909.4300.5911	25	50	5911   fine A	6	10	10	S
F03E013ZN1	5909.4300.4921	25	50	4921   medium A	6	10	10	S
F03E013ZP4	5909.4300.6913	25	50	6913   very fine A	6	10	10	S
F03E0140NR	6463.2946.4921	25	76	4921   medium A	6	10	10	S
F03E002L03	0020.0031	30	60	120	6	10	10	S
F03E002L00	0020.0032	30	60	180	6	10	10	S
F03E003E0R	0020.0033	30	60	320	6	10	10	S
F03E0143GN	8894.4498.4921	50	50	4921   medium A	6	10	10	S
F03E0143GL	8894.4498.4721	50	50	4721   medium S	6	10	10	S
F03E01443U	9448.3144.5911	50	76	5911   fine A	6	10	10	S
F03E01443M	9448.3144.4921	50	76	4921   medium A	6	10	10	S
F03E01443D	9448.3144.4721	50	76	4721   medium S	6	10	10	S
F03E014443	9448.3144.6913	50	76	6913   very fine A	6	10	10	S
F03E0144P8	9971.2167.2921	50	100	2921   coarse A	6	10	10	S
F03E0144PK	9971.2167.4921	50	100	4921   medium A	6	10	10	S
F03E0144PE	9971.2167.4721	50	100	4721   medium S	6	10	10	S

S: Stocked  
P: Purchased  
M: Made to Order  
Stocking Status



Perfect Finish Solutions  
By sia Abrasives



BOSCH



Grinding

Sanding

Polishing



1958 siapro




6120 siafleece



7240 siacarat



7940 siaair



7983 siasponge flex



Perfect Finish Solutions  
By sia Abrasives




**BOSCH**



Grinding

Sanding

Polishing

1958 siapro	Bosch PN	sia Abrasives PN	Diameter mm	Thickness mm	Grit	Disc Attachment	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E0078PT	5404.1437.1000	150	5	1000	siafast   hook and loop	5	5	S



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing



6120 siafleece | 150mm



6120 siafleece | 407mm



Perfect Finish Solutions  
*By sia Abrasives*



**BOSCH**



Grinding

Sanding

Polishing

6120 siafleece	Bosch PN	sia Abrasives PN	Diameter mm	Thickness mm	Holes	Centre hole mm	Grade	Colour	Disc Attachment	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E014K2U	7866.2539.4721	150	5	No hole		4271   medium S	Maroon	siafast   hook and loop	20	20	S
	F03E014K2Y	7866.2539.8715	150	5	No hole		8715   ultra fine speed	Grey	siafast   hook and loop	20	20	S
	F03E013Z02	5645.6768.6932	150	5	7	12	6932   very fine	Maroon	siafast   hook and loop	10	10	S
	F03E013Z05	5645.6768.8711	150	5	7	12	8711   ultra fine	Grey	siafast   hook and loop	20	20	S



Perfect Finish Solutions  
By sia Abrasives



BOSCH





Grinding

Sanding

Polishing

6120 siafleece

Bosch PN

sia Abrasives PN

Diameter mm

Thickness mm

Grade

Colour

Disc Attachment

Pack Quantity

MOQ

S: Stocked  
P: Purchased  
M: Made to Order  
**Stocking Status**

F03E013KJ3

0049.0168.6932

407

6932 | very fine

Maroon

siafast | hook and loop

15

15

S



Perfect Finish Solutions  
*By sia Abrasives*




**BOSCH**



Grinding

Sanding

Polishing

7240 siacarat	Bosch PN	sia Abrasives PN	Diameter mm	Thickness mm	Grit	Disc Attachment	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status	
	F03E007430	9967.9911.0500	150	5	500	siafast   hook and loop	5	5	S	
	F03E007431	9967.9911.1000	150	5	1000	siafast   hook and loop	5	5	S	
	F03E007432	9967.9911.2000	150	5	2000	siafast   hook and loop	5	5	S	
	F03E007433	9967.9911.3000	150	5	3000	siafast   hook and loop	5	5	S	



Perfect Finish Solutions  
By sia Abrasives







Grinding

Sanding

Polishing

7940 siaair	Bosch PN	sia Abrasives PN	Diameter mm	Thickness mm	Grit	Disc Attachment	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E001CH8	3647.2462.1000	80	5	1000	siafast   hook and loop	10	10	S
	F03E003BW3	3647.2462.1500	80	5	1500	siafast   hook and loop	10	10	S
	F03E001CH9	3647.2462.2000	80	5	2000	siafast   hook and loop	10	10	S
	F03E003EF7	3647.2462.3000	80	5	3000	siafast   hook and loop	10	10	S
	F03E003EF8	3647.2462.4000	80	5	4000	siafast   hook and loop	10	10	S
	F03E003EB0	5163.3687.0240	150	5	240	siafast   hook and loop	10	10	S
	F03E004N29	5163.3687.0360	150	5	360	siafast   hook and loop	10	10	S
	F03E003EB1	5163.3687.0500	150	5	500	siafast   hook and loop	10	10	S
	F03E004N2A	5163.3687.0600	150	5	600	siafast   hook and loop	10	10	S
	F03E004N2B	5163.3687.0800	150	5	800	siafast   hook and loop	10	10	S
	F03E004N2C	5163.3687.1000	150	5	1000	siafast   hook and loop	10	10	S
	F03E004N2D	5163.3687.1500	150	5	1500	siafast   hook and loop	10	10	S
	F03E004N2E	5163.3687.2000	150	5	2000	siafast   hook and loop	10	10	S
	F03E004N2F	5163.3687.3000	150	5	3000	siafast   hook and loop	10	10	S
	F03E003EB2	5163.3687.4000	150	5	4000	siafast   hook and loop	10	10	S



Perfect Finish Solutions  
By sia Abrasives







Grinding

Sanding

Polishing

7983 siasponge flex	Bosch PN	sia Abrasives PN	Diameter mm	Thickness mm	Holes	Centre hole mm	Grade	Colour	Disc Attachment	Pack Quantity	MOQ	Stocking Status
	F03E00R8F3	0070.1235	150	13	15	18	medium	Orange	siafast   hook and loop	10	10	S
	F03E00R8F1	0070.1234	150	13	15	18	fine	Yellow	siafast   hook and loop	10	10	S
	F03E00R91C	0070.1402	150	13	15	18	super fine	Green	siafast   hook and loop	10	10	S
	F03E00R8GN	0070.1252	150	13	15	18	ultra fine	Blue	siafast   hook and loop	10	10	S

S: Stocked  
P: Purchased  
M: Made to Order  
**Stocking Status**



**Perfect Finish Solutions**  
*By sia Abrasives*






Grinding

Sanding


Polishing



Nonwoven Rolls & Hand Pads



Sponge Pads & Blocks



siasoft Rolls



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing



6120 siafleece



6120 siafleece



6711 siafleece flex



Perfect Finish Solutions  
By sia Abrasives



**BOSCH**



Grinding

Sanding

Polishing

6120 siafleece	Bosch PN	sia Abrasives PN	Width mm	Length mm	Grade	Colour	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E014K3V	3144.5052.6923	115	10000	6923   general purpose	Green	1	1	S
	F03E014K3N	3144.5052.4721	115	10000	4721   medium s	Dark grey	1	1	S
	F03E014K3W	3144.5052.6932	115	10000	6932   very fine A XS	Maroon	1	1	S
	F03E013SE9	3144.5052.8711	115	10000	8711   ultra fine	Grey	1	1	S
	F03E014K3X	3144.5052.8712	115	10000	8712   ultra fine S XS	Grey	1	1	S



Perfect Finish Solutions  
By sia Abrasives










BOSCH



Grinding

Sanding

Polishing

6120 siafleece	Bosch PN	sia Abrasives PN	Width mm	Length mm	Grade	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E014K31	4132.9840.2922	152	229	2922   extra cut A	20	20	S
	F03E014KC4	4132.9840.2721	152	229	2721   extra cut S	20	20	S
	F03E014K36	4132.9840.6923	152	229	6923   general purpose	20	20	S
	F03E014K32	4132.9840.4721	152	229	4721   medium S	20	20	S
	F03E014K37	4132.9840.6932	152	229	6932   very fine A XS	20	20	S
	F03E014K38	4132.9840.8712	152	229	8712   ultra fine S XS	20	20	S
	F03E014K30	4132.9840.0011	152	229	0011   cleaning	20	20	S



Perfect Finish Solutions  
By sia Abrasives







Grinding

Sanding

Polishing

6711 siafleece flex	Bosch PN	sia Abrasives PN	Width mm	Length mm	Grade	Colour	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E013MG8	0948.3321.6921	115	230	6912   very fine	Maroon	25	25	S
	F03E013MG9	0948.3321.8711	115	230	8711   ultra fine	Grey	25	25	S



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing



1748 sialac siasoft



2951 siatur h siasoft




7979 siasponge flat




7990 siasponge  
block hard



1950 siaspeed siasoft



7940 siaair



7983 siasponge flex



9215 Flat Pad



Perfect Finish Solutions  
By sia Abrasives



**BOSCH**
















Grinding

Sanding

Polishing

7979 siasponge flat	Bosch PN	sia Abrasives PN	Width mm	Length mm	Thickness mm	Grade	Colour	Pack Quantity	MOQ	Stocking Status
	F03E00RC5Y	0070.1603	115	140	5	medium	Orange	20	20	S
	F03E00RC5X	0070.1602	115	140	5	fine	Yellow	20	20	S
	F03E00RC60	0070.1605	115	140	5	super fine	Green	20	20	S
	F03E00RC61	0070.1606	115	140	5	ultra fine	Blue	20	20	S
	F03E00RC5Z	0070.1604	115	140	5	micro fine	Purple	20	20	S

S: Stocked  
P: Purchased  
M: Made to Order



Perfect Finish Solutions  
By sia Abrasives








Grinding

Sanding

Polishing

7979 siasponge flat

	Bosch PN	sia Abrasives PN	Width mm	Length mm	Thickness mm	Grade	Colour	Pack Quantity	MOQ	Stocking Status
	F03E00R8G8	0070.1244	98	120	13	medium	Orange	10	10	S
	F03E00R8GF	0070.1247	98	120	13	fine	Yellow	10	10	S
	F03E00R8ES	0070.1232	98	120	13	super fine	Green	10	10	S
	F03E00R8G6	0070.1243	98	120	13	ultra fine	Blue	10	10	S

S: Stocked  
P: Purchased  
M: Made to Order  
**Stocking Status**



Perfect Finish Solutions  
By sia Abrasives







Grinding

Sanding

Polishing



7990 siasponge block hard | combination



7990 siasponge block hard | standard



Perfect Finish Solutions  
By sia Abrasives



**BOSCH**



Grinding

Sanding

Polishing

7990 siasponge block  
hard | combination

	Bosch PN	sia Abrasives PN	Width mm	Length mm	Thickness mm	Grade	Colour	Pack Quantity	MOQ	Stocking Status
	F03E00R8GX	0070.1255	69	98	26	medium	Orange	10	10	S
	F03E00R8EP	0070.1230	69	98	26	fine	Yellow	10	10	S
	F03E00R8VC	0070.1351	69	98	26	super fine	Green	10	10	S

S: Stocked  
P: Purchased  
M: Made to Order  
**Stocking Status**



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing

7990 siasponge block hard   standard	Bosch PN	sia Abrasives PN	Width mm	Length mm	Thickness mm	Grade	Colour	Pack Quantity	MOQ	Stocking Status
	F03E00R8GZ	0070.1256	69	98	26	coarse	Red	10	10	S
	F03E00R8G5	0070.1242	69	98	26	medium	Orange	10	10	S
	F03E00R8EU	0070.1233	69	98	26	fine	Yellow	10	10	S
	F03E00R8G2	0070.1241	69	98	26	super fine	Green	10	10	S

S: Stocked  
P: Purchased  
M: Made to Order  
**Stocking Status**



**Perfect Finish Solutions**  
*By sia Abrasives*







Grinding

Sanding

Polishing



1948 siflex siasoft



1950 siaspeed siasoft



Perfect Finish Solutions  
By sia Abrasives



BOSCH



Grinding

Sanding

Polishing

1948 siaflex siasoft	Bosch PN	sia Abrasives PN	Width mm	Length mm	Perforation mm	Thickness mm	Grit	Colour	Pack Quantity	MOQ	Stocking Status
	F03E006S9E	2189.9476.0120	115	25000	125	5	120	Blue	1	1	S
	F03E00614B	2189.9476.0150	115	25000	125	5	150	Blue	1	1	S
	F03E00614C	2189.9476.0180	115	25000	125	5	180	Blue	1	1	S
	F03E00614E	2189.9476.0240	115	25000	125	5	240	Blue	1	1	S
	F03E00614G	2189.9476.0320	115	25000	125	5	320	Blue	1	1	S
	F03E00614H	2189.9476.0400	115	25000	125	5	400	Blue	1	1	S
	F03E00614J	2189.9476.0500	115	25000	125	5	500	Blue	1	1	S
	F03E00614K	2189.9476.0600	115	25000	125	5	600	Blue	1	1	S
	F03E00614L	2189.9476.0800	115	25000	125	5	800	Blue	1	1	S



Perfect Finish Solutions  
By sia Abrasives







Grinding


Sanding

Polishing

Workshop




Strips



Sheets (dry)



Rolls & Economy Rolls



Full sheets (wet)



Half sheets (wet)



Delta & Polygon



Perfect Finish Solutions  
By sia Abrasives








Grinding

Sanding


Polishing



1948 siaflex



1950 siaspeed



1958 siapro



1960 siarexx cut



7900 sianet



Perfect Finish Solutions  
By sia Abrasives





**BOSCH**



Grinding

Sanding

Polishing

1948 siaflex	Bosch PN	sia Abrasives PN	Width mm	Length mm	Grit	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E007LX4	0602.4120.0040	70	460	40	100	100	S
	F03E007LX5	0602.4120.0060	70	460	60	100	100	S
	F03E007LX6	0602.4120.0080	70	460	80	100	100	S
	F03E007LX7	0602.4120.0120	70	460	120	100	100	S
	F03E007LX8	0602.4120.0180	70	460	180	100	100	S
	F03E007LX9	0602.4120.0240	70	460	240	100	100	S
	F03E0063ZA	8066.7864.0040	115	280	40	100	100	S
	F03E0063ZC	8066.7864.0080	115	280	80	100	100	S
	F03E0063ZE	8066.7864.0120	115	280	120	100	100	S
	F03E02D8FA	8066.7864.0040.02	115	280	40	10	10	S
	F03E02D8FB	8066.7864.0080.02	115	280	80	10	10	S
	F03E02D8FC	8066.7864.0120.02	115	280	120	10	10	S



Perfect Finish Solutions  
By sia Abrasives






Grinding

Sanding

Polishing



1950 siaspeed | 70 x 125mm



1950 siaspeed | 70 x 198mm




1950 siaspeed | 70 x 400mm perforated



1950 siaspeed | 70 x 420mm



1950 siaspeed | 81 x 153mm



1950 siaspeed | 115 x 230mm



Perfect Finish Solutions  
By sia Abrasives







Grinding

Sanding

Polishing

1950 siaspeed	Bosch PN	sia Abrasives PN	Width mm	Length mm	Holes	Grit	Strip Attachment	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E003E53	6783.9190.0080	70	125	No hole	80	siafast   hook and loop	100	100	S
	F03E003E54	6783.9190.0100	70	125	No hole	100	siafast   hook and loop	100	100	S
	F03E003E55	6783.9190.0120	70	125	No hole	120	siafast   hook and loop	100	100	S
	F03E003E56	6783.9190.0150	70	125	No hole	150	siafast   hook and loop	100	100	S
	F03E003E57	6783.9190.0180	70	125	No hole	180	siafast   hook and loop	100	100	S
	F03E003E59	6783.9190.0240	70	125	No hole	240	siafast   hook and loop	100	100	S
	F03E003E5B	6783.9190.0320	70	125	No hole	320	siafast   hook and loop	100	100	S
	F03E0055SZ	9928.4817.0040	70	125	29	40	siafast   hook and loop	50	50	S
	F03E0055T9	9928.4817.0080	70	125	29	80	siafast   hook and loop	100	100	S
	F03E0055TC	9928.4817.0120	70	125	29	120	siafast   hook and loop	100	100	S
	F03E0055TD	9928.4817.0150	70	125	29	150	siafast   hook and loop	100	600	P
	F03E0055TE	9928.4817.0180	70	125	29	180	siafast   hook and loop	100	100	S
	F03E0055TG	9928.4817.0240	70	125	29	240	siafast   hook and loop	100	100	S
	F03E0055TJ	9928.4817.0320	70	125	29	320	siafast   hook and loop	100	100	S
	F03E0055TL	9928.4817.0400	70	125	29	400	siafast   hook and loop	100	600	P



Perfect Finish Solutions  
By sia Abrasives







Grinding

Sanding

Polishing

1950 siaspeed	Bosch PN	sia Abrasives PN	Width mm	Length mm	Perforated mm	Holes	Grit	Strip Attachment	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E0074X5	9347.4354.0040	70	400	200	66	40	siafast   hook and loop	50	50	S
	F03E0074X6	9347.4354.0060	70	400	200	66	60	siafast   hook and loop	50	50	S
	F03E0074X7	9347.4354.0080	70	400	200	66	80	siafast   hook and loop	50	50	S
	F03E0074X9	9347.4354.0120	70	400	200	66	120	siafast   hook and loop	50	50	S
	F03E0074XA	9347.4354.0150	70	400	200	66	150	siafast   hook and loop	50	50	S
	F03E0074XB	9347.4354.0180	70	400	200	66	180	siafast   hook and loop	50	50	S
	F03E0074XD	9347.4354.0240	70	400	200	66	240	siafast   hook and loop	50	50	S
	F03E0074XF	9347.4354.0320	70	400	200	66	320	siafast   hook and loop	50	50	S
	F03E0074XH	9347.4354.0400	70	400	200	66	400	siafast   hook and loop	50	50	S



Perfect Finish Solutions  
By sia Abrasives











Grinding

Sanding

Polishing

1950 siaspeed	Bosch PN	sia Abrasives PN	Width mm	Length mm	Holes	Grit	Strip Attachment	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E003E5F	0465.4240.0080	115	230	No hole	80	siafast   hook and loop	100	100	S
	F03E003E5H	0465.4240.0120	115	230	No hole	120	siafast   hook and loop	100	100	S
	F03E003E5J	0465.4240.0150	115	230	No hole	150	siafast   hook and loop	100	100	S
	F03E003E5K	0465.4240.0180	115	230	No hole	180	siafast   hook and loop	100	100	S
	F03E003E5M	0465.4240.0240	115	230	No hole	240	siafast   hook and loop	100	100	S
	F03E001BR1	0465.4240.0320	115	230	No hole	320	siafast   hook and loop	100	100	S
	F03E001BR3	0465.4240.0400	115	230	No hole	400	siafast   hook and loop	100	100	S
	F03E0055T6	4366.8648.0040	115	230	49	40	siafast   hook and loop	50	50	S
	F03E0055VN	4366.8648.0060	115	230	49	60	siafast   hook and loop	50	50	S
	F03E0055VP	4366.8648.0080	115	230	49	80	siafast   hook and loop	100	100	S
	F03E0055VR	4366.8648.0100	115	230	49	100	siafast   hook and loop	100	100	S
	F03E0055VS	4366.8648.0120	115	230	49	120	siafast   hook and loop	100	100	S
	F03E0055VT	4366.8648.0150	115	230	49	150	siafast   hook and loop	100	100	S
	F03E0055VU	4366.8648.0180	115	230	49	180	siafast   hook and loop	100	100	S
	F03E0055VW	4366.8648.0240	115	230	49	240	siafast   hook and loop	100	100	S
	F03E0055VY	4366.8648.0320	115	230	49	320	siafast   hook and loop	100	100	S
	F03E0055W0	4366.8648.0400	115	230	49	400	siafast   hook and loop	100	100	S



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing

1950 siaspeed	Bosch PN	sia Abrasives PN	Width mm	Length mm	Perforated mm	Holes	Grit	Strip Attachment	Pack Quantity	MOQ	Stocking Status	
	F03E0078EP	9515.8032.0100	70	400	200	66	100	siafast   hook and loop	50	50	S	
	F03E0078ER	9515.8032.0200	70	400	200	66	200	siafast   hook and loop	50	50	S	
	F03E0078ES	9515.8032.0300	70	400	200	66	300	siafast   hook and loop	50	50	S	



Perfect Finish Solutions  
By sia Abrasives








Grinding

Sanding

Polishing

1960 siarexx	Bosch PN	sia Abrasives PN	Width mm	Length mm	Holes	Grit	Strip Attachment	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E001B23	6999.7726.0100	70	125	No hole	100	siafast   hook and loop	100	100	S
	F03E004N0Y	6999.7726.0120	70	125	No hole	120	siafast   hook and loop	100	600	P
	F03E004N0Z	6999.7726.0180	70	125	No hole	180	siafast   hook and loop	100	100	S
	F03E001B28	6999.7726.0240	70	125	No hole	240	siafast   hook and loop	100	600	P
	F03E001B2A	6999.7726.0320	70	125	No hole	320	siafast   hook and loop	100	100	S
	F03E001B2B	6999.7726.0400	70	125	No hole	400	siafast   hook and loop	100	600	P
	F03E0062Z6	0563.7030.0080	93	180	8	80	siafast   hook and loop	100	100	S
	F03E0062Z9	0563.7030.0100	93	180	8	100	siafast   hook and loop	100	100	S
	F03E0062ZA	0563.7030.0120	93	180	8	120	siafast   hook and loop	100	100	S
	F03E0062ZB	0563.7030.0150	93	180	8	150	siafast   hook and loop	100	100	S
	F03E0062ZC	0563.7030.0180	93	180	8	180	siafast   hook and loop	100	100	S
	F03E0062ZE	0563.7030.0240	93	180	8	240	siafast   hook and loop	100	100	S
	F03E0062ZG	0563.7030.0320	93	180	8	320	siafast   hook and loop	100	100	S
	F03E0062ZH	0563.7030.0400	93	180	8	400	siafast   hook and loop	100	100	S
	F03E001B2U	1423.2879.0080	95	190	No hole	80	siafast   hook and loop	100	100	S
	F03E001B2V	1423.2879.0100	95	190	No hole	100	siafast   hook and loop	100	100	S
	F03E001B2W	1423.2879.0120	95	190	No hole	120	siafast   hook and loop	100	100	S
	F03E001B2Z	1423.2879.0180	95	190	No hole	180	siafast   hook and loop	100	100	S
	F03E001B3S	1423.2879.0240	95	190	No hole	240	siafast   hook and loop	100	100	S
	F03E001B7L	1423.2879.0320	95	190	No hole	320	siafast   hook and loop	100	100	S



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing



7900 sianet | 70x125mm



7900 sianet | 70x198mm



7900 sianet | 70x420mm



7900 sianet | 115x230mm



Perfect Finish Solutions  
*By sia Abrasives*







Grinding

Sanding

Polishing

7900 sianet

Bosch PN

sia Abrasives PN

Width mm

Length mm

Holes

Grit

Strip Attachment

Pack Quantity

MOQ

S: Stocked  
P: Purchased  
M: Made to Order  
**Stocking Status**

F03E00688J	7443.0965.0080	70	198	Full surface extraction	80	siafast   hook and loop	50	50	S
F03E00688K	7443.0965.0100	70	198	Full surface extraction	100	siafast   hook and loop	50	500	P
F03E00688L	7443.0965.0120	70	198	Full surface extraction	120	siafast   hook and loop	50	50	S
F03E00688M	7443.0965.0150	70	198	Full surface extraction	150	siafast   hook and loop	50	500	P
F03E00688N	7443.0965.0180	70	198	Full surface extraction	180	siafast   hook and loop	50	50	S
F03E00688P	7443.0965.0220	70	198	Full surface extraction	220	siafast   hook and loop	50	500	P
F03E00688R	7443.0965.0240	70	198	Full surface extraction	240	siafast   hook and loop	50	50	S
F03E00688S	7443.0965.0320	70	198	Full surface extraction	320	siafast   hook and loop	50	50	S
F03E00688T	7443.0965.0400	70	198	Full surface extraction	400	siafast   hook and loop	500	500	P



Perfect Finish Solutions  
By sia Abrasives












Grinding

Sanding

Polishing




1960 siarexx 93x93mm



1960 siarexx 95x95mm



1960 siarexx 100x147mm



7900 sianet | 100x147mm



Perfect Finish Solutions  
By sia Abrasives



**BOSCH**



Grinding

Sanding

Polishing

7900 sianet	Bosch PN	sia Abrasives PN	Width mm	Length mm	Holes	Grit	Strip Attachment	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E0035RG	5712.4074.0040	93	93	6	40	siafast   hook and loop	50	50	S
	F03E0035RH	5712.4074.0060	93	93	6	60	siafast   hook and loop	50	50	S
	F03E0035RJ	5712.4074.0080	93	93	6	80	siafast   hook and loop	100	100	S
	F03E0035RK	5712.4074.0120	93	93	6	120	siafast   hook and loop	100	100	S
	F03E0035RM	5712.4074.0180	93	93	6	180	siafast   hook and loop	100	100	S
	F03E0035RP	5712.4074.0240	93	93	6	240	siafast   hook and loop	100	100	S
	F03E003651	3429.9839.0040	95	95	6	40	siafast   hook and loop	50	50	S
	F03E003654	3429.9839.0080	95	95	6	80	siafast   hook and loop	100	100	S
	F03E003656	3429.9839.0120	95	95	6	120	siafast   hook and loop	100	100	S
	F03E001H47	6318.5062.0080	100	147	7	80	siafast   hook and loop	100	100	S
	F03E001H49	6318.5062.0120	100	147	7	120	siafast   hook and loop	100	100	S
	F03E001H4A	6318.5062.0150	100	147	7	150	siafast   hook and loop	100	100	S
	F03E001H4B	6318.5062.0180	100	147	7	180	siafast   hook and loop	100	100	S
	F03E001H4D	6318.5062.0240	100	147	7	240	siafast   hook and loop	100	100	S
	F03E001H4F	6318.5062.0320	100	147	7	320	siafast   hook and loop	100	100	S



Perfect Finish Solutions  
By sia Abrasives



BOSCH



Grinding

Sanding

Polishing

7900 sianet

Bosch PN

sia Abrasives PN

Width mm

Length mm

Holes

Grit

Strip Attachment

Pack Quantity

MOQ

S: Stocked  
P: Purchased  
M: Made to Order  
**Stocking Status**

F03E00679N

0998.5363.0080

100

147

Full surface extraction

80

siafast | hook and loop

50

50

S

F03E00679R

0998.5363.0120

100

147

Full surface extraction

120

siafast | hook and loop

50

50

S

F03E00679T

0998.5363.0180

100

147

Full surface extraction

180

siafast | hook and loop

50

50

S

F03E00679V

0998.5363.0240

100

147

Full surface extraction

240

siafast | hook and loop

50

50

S

F03E00679W

0998.5363.0320

100

147

Full surface extraction


320

siafast | hook and loop

50

50

S



Perfect Finish Solutions  
By sia Abrasives




BOSCH




Grinding

Sanding

Polishing



1948 siaflex



1960 siarexx



Perfect Finish Solutions  
*By sia Abrasives*



**BOSCH**




Grinding

Sanding

Polishing

1948 siaflex



Bosch PN	sia Abrasives PN	Width mm	Length mm	Grit	Pack Quantity	MOQ	Stocking Status
F03E0060PN	3855.8589.0040	230	280	40	25	25	P
F03E0060PP	3855.8589.0060	230	280	60	50	50	S
F03E0060PR	3855.8589.0080	230	280	80	50	50	S
F03E0060PS	3855.8589.0100	230	280	100	50	50	S
F03E0060PT	3855.8589.0120	230	280	120	50	50	S
F03E0060PU	3855.8589.0150	230	280	150	50	50	S
F03E0060PV	3855.8589.0180	230	280	180	50	50	S
F03E0060PW	3855.8589.0220	230	280	220	50	50	S
F03E0060PX	3855.8589.0240	230	280	240	50	50	S
F03E0060PZ	3855.8589.0320	230	280	320	50	50	S
F03E0060R1	3855.8589.0400	230	280	400	50	50	S
F03E0060R2	3855.8589.0500	230	280	500	50	50	S
F03E0060R3	3855.8589.0600	230	280	600	50	50	S
F03E0060R4	3855.8589.0800	230	280	800	50	50	S

S: Stocked  
P: Purchased  
M: Made to Order



Perfect Finish Solutions  
By sia Abrasives







Grinding

Sanding

Polishing



1713 siawat 230 x 280mm



1913 siawat 230 x 280mm



Perfect Finish Solutions  
*By sia Abrasives*



**BOSCH**



Grinding

Sanding

Polishing

1713 siawat



Bosch PN	sia Abrasives PN	Width mm	Length mm	Grit	Pack Quantity	MOQ	Stocking Status
F03E006FP6	8729.6054.0080	230	280	80	50	250	S
F03E006FP7	8729.6054.0100	230	280	100	50	250	P
F03E006FP8	8729.6054.0120	230	280	120	50	50	S
F03E006FP9	8729.6054.0150	230	280	150	50	250	S
F03E006FR0	8729.6054.0180	230	280	180	50	50	S
F03E006FR1	8729.6054.0220	230	280	220	50	500	P
F03E006FR2	8729.6054.0240	230	280	240	50	50	S
F03E006FR3	8729.6054.0280	230	280	280	50	500	P
F03E006FR4	8729.6054.0320	230	280	320	50	50	S
F03E006FR5	8729.6054.0400	230	280	400	50	50	S
F03E006FR6	8729.6054.0500	230	280	500	50	500	P
F03E006FR7	8729.6054.0600	230	280	600	50	50	S
F03E006FR8	8729.6054.0800	230	280	800	50	50	S
F03E006FR9	8729.6054.1000	230	280	1000	50	50	S
F03E006FS0	8729.6054.1200	230	280	1200	50	50	S
F03E006FS1	8729.6054.1500	230	280	1500	50	50	S
F03E006FS2	8729.6054.2000	230	280	2000	50	50	S
F03E006FS3	8729.6054.2500	230	280	2500	50	50	S

S: Stocked  
P: Purchased  
M: Made to Order  
**Stocking Status**



Perfect Finish Solutions  
By sia Abrasives



**BOSCH**





Grinding

Sanding

Polishing

1913 siawat



Bosch PN	sia Abrasives PN	Width mm	Length mm	Grit	Pack Quantity	MOQ	Stocking Status
F03E001AD1	3100.3713.0080	230	280	80	50	50	S
F03E001AD3	3100.3713.0120	230	280	120	50	50	S
F03E001AD6	3100.3713.0180	230	280	180	50	50	S
F03E003DK3	3100.3713.0240	230	280	240	50	50	S
F03E003DK5	3100.3713.0320	230	280	320	50	50	S
F03E003DK7	3100.3713.0400	230	280	400	50	50	S
F03E003DK9	3100.3713.0600	230	280	600	50	50	S
F03E003E26	3100.3713.0800	230	280	800	50	50	S
F03E003E27	3100.3713.1000	230	280	1000	50	50	S
F03E003E28	3100.3713.1200	230	280	1200	50	50	S
F03E003E29	3100.3713.1500	230	280	1500	50	50	S
F03E003E2A	3100.3713.2000	230	280	2000	50	50	S
F03E003E2B	3100.3713.2500	230	280	2500	50	50	S

S: Stocked  
P: Purchased  
M: Made to Order



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing



1713 siawat – 140 x 230mm



1913 siawat – 140 x 230mm



Perfect Finish Solutions  
*By sia Abrasives*



**BOSCH**





Grinding

Sanding

Polishing

1913 siawat

Bosch PN

sia Abrasives PN

Width mm

Length mm

Grit

Pack Quantity

MOQ

S: Stocked  
P: Purchased  
M: Made to Order  
**Stocking Status**

F03E003HH1

9219.5517.1500

140

230

1500

50

50

S

F03E003HH2

9219.5517.2000

140

230

2000

50

50

S

F03E003HH3

9219.5517.2500

140

230

2500

50

50

S



Perfect Finish Solutions  
By sia Abrasives



**BOSCH**



Grinding

Sanding

Polishing



Paper

1749 siaral f



Paper

siafast

1948 siaflex



siafast

1950 siaspeed



Paper

1960 siarexx



Cloth

2812 siaral x




Cloth

2915 siarol



Cloth

2915 siarol  
Economy Roll



Perfect Finish Solutions  
By sia Abrasives






Grinding

Sanding

Polishing



Cloth

2920 siawood x



Cloth

2936 siatur jj



Cloth

2946 siatur jj



Mesh

siafast

7900 sianet



Perfect Finish Solutions  
By sia Abrasives



BOSCH



Grinding

Sanding

Polishing

1749 siaral f

Bosch PN	sia Abrasives PN	Width mm	Length mm	Grit	Pack Quantity	MOQ	Stocking Status
F03E0083HU	7626.1883.0040	203	50000	40	1	1	S
F03E0083HY	7626.1883.0060	203	50000	60	1	1	S
F03E0083J0	7626.1883.0080	203	50000	80	1	1	S
F03E0083J2	7626.1883.0100	203	50000	100	1	1	S
F03E0083J4	7626.1883.0120	203	50000	120	1	1	S
F03E0083JL	0558.1017.0040	254	50000	40	1	1	S
F03E0083JX	0558.1017.0060	254	50000	60	1	1	S
F03E0083JR	0558.1017.0080	254	50000	80	1	1	S
F03E0083JU	0558.1017.0120	254	50000	120	1	1	S
F03E0083J5	3457.8499.0040	305	50000	40	1	1	S
F03E0083JG	3457.8499.0060	305	50000	60	1	1	S
F03E0083YC	3457.8499.0080	305	50000	80	1	1	S
F03E0083YD	3457.8499.0100	305	50000	100	1	1	S
F03E0083YE	3457.8499.0120	305	50000	120	1	1	S
F03E0083JV	5430.1410.0080	405	50000	80	1	1	S
F03E0083JJ	5430.1410.0100	405	50000	100	1	1	S



S: Stocked  
P: Purchased  
M: Made to Order



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing



Paper

1948 siaflex | 70mm x 50m



Paper

siafast

1948 siaflex | 70mm x 50m



Paper

1948 siaflex | 115mm x 10m



Paper

1948 siaflex | 115mm x 50m



Paper

siafast

1948 siaflex | 115mm x 50m



Perfect Finish Solutions  
By sia Abrasives








Grinding

Sanding

Polishing

1948 siaflex	Bosch PN	sia Abrasives PN	Width mm	Length mm	Grit	Pack Quantity	MOQ	<small>S: Stocked P: Purchased M: Made to Order</small> <b>Stocking Status</b>
	F03E0063ER	1653.4898.0040	70	50000	40	1	1	S
	F03E0063ES	1653.4898.0060	70	50000	60	1	1	S
	F03E0063ET	1653.4898.0080	70	50000	80	1	1	S
	F03E0063EV	1653.4898.0120	70	50000	120	1	1	S
	F03E0063EX	1653.4898.0180	70	50000	180	1	1	S
	F03E0063EZ	1653.4898.0240	70	50000	240	1	1	S
	F03E0063F1	1653.4898.0320	70	50000	320	1	1	S



Perfect Finish Solutions  
By sia Abrasives









Grinding

Sanding

Polishing

1948 siaflex



Bosch PN	sia Abrasives PN	Width mm	Length mm	Grit	Pack Quantity	MOQ	Stocking Status
F03E0061GR	3017.7881.0040	115	50000	40	1	1	S
F03E0061GS	3017.7881.0060	115	50000	60	1	1	S
F03E0061GT	3017.7881.0080	115	50000	80	1	1	S
F03E0061GU	3017.7881.0100	115	50000	100	1	1	S
F03E0061GV	3017.7881.0120	115	50000	120	1	1	S
F03E0061GW	3017.7881.0150	115	50000	150	1	1	S
F03E0061GX	3017.7881.0180	115	50000	180	1	1	S
F03E0061GZ	3017.7881.0240	115	50000	240	1	1	S
F03E0061H1	3017.7881.0320	115	50000	320	1	1	S
F03E0061H2	3017.7881.0400	115	50000	400	1	1	S

S: Stocked  
P: Purchased  
M: Made to Order



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing

1948 siaflex



Bosch PN	sia Abrasives PN	Width mm	Length mm	Grit	Attachment	Pack Quantity	MOQ	Stocking Status
F03E0061SB	6435.0703.0040	115	50000	40	siafast   hook and loop	1	8	P
F03E0061SC	6435.0703.0060	115	50000	60	siafast   hook and loop	1	8	P
F03E0061SD	6435.0703.0080	115	50000	80	siafast   hook and loop	1	1	S
F03E0061SF	6435.0703.0120	115	50000	120	siafast   hook and loop	1	1	S
F03E0061SG	6435.0703.0150	115	50000	150	siafast   hook and loop	1	8	P
F03E0061SH	6435.0703.0180	115	50000	180	siafast   hook and loop	1	1	S
F03E0061SJ	6435.0703.0240	115	50000	240	siafast   hook and loop	1	1	S
F03E0061SK	6435.0703.0320	115	50000	320	siafast   hook and loop	1	1	S

S: Stocked  
P: Purchased  
M: Made to Order  
**Stocking Status**



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing



Paper

siafast

1950 siaspeed | 70mm x 50m

Paper

siafast

1950 siaspeed | 115mm x 5m

Paper

siafast

1950 siaspeed | 115mm x 50m



Perfect Finish Solutions  
By sia Abrasives



**BOSCH**



Grinding

Sanding

Polishing



1950 siaspeed	Bosch PN	sia Abrasives PN	Width mm	Length mm	Grit	Attachment	Pack Quantity	MOQ	Stocking Status
	F03E006H5D	5096.6824.0040	70	50000	40	siafast   hook and loop	1	1	S
	F03E004S4P	5096.6824.0080	70	50000	80	siafast   hook and loop	1	1	S
	F03E004S4R	5096.6824.0120	70	50000	120	siafast   hook and loop	1	1	S
	F03E004S4S	5096.6824.0150	70	50000	150	siafast   hook and loop	1	1	S
	F03E004S4T	5096.6824.0180	70	50000	180	siafast   hook and loop	1	1	S
	F03E004S4U	5096.6824.0240	70	50000	240	siafast   hook and loop	1	1	S
	F03E004S4V	5096.6824.0320	70	50000	320	siafast   hook and loop	1	1	S
	F03E004S4W	5096.6824.0400	70	50000	400	siafast   hook and loop	1	1	S
	F03E007LW0	5096.6824.0600	70	50000	600	siafast   hook and loop	1	1	S

S: Stocked  
P: Purchased  
M: Made to Order  
**Stocking Status**



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing

1950 siaspeed



Bosch PN	sia Abrasives PN	Width mm	Length mm	Grit	Attachment	Pack Quantity	MOQ	Stocking Status
F03E02D8PZ	0358.7216.0040	115	5000	40	siafast   hook and loop	1	1	S
F03E02D8MT	0358.7216.0060	115	5000	60	siafast   hook and loop	1	1	S
F03E02D8NX	0358.7216.0080	115	5000	80	siafast   hook and loop	1	1	S
F03E02D8P7	0358.7216.0100	115	5000	100	siafast   hook and loop	1	1	S
F03E02D8N8	0358.7216.0120	115	5000	120	siafast   hook and loop	1	1	S
F03E02D8P8	0358.7216.0150	115	5000	150	siafast   hook and loop	1	1	S
F03E02D8N9	0358.7216.0180	115	5000	180	siafast   hook and loop	1	1	S
F03E02D8N3	0358.7216.0240	115	5000	240	siafast   hook and loop	1	1	S
F03E02D8MU	0358.7216.0320	115	5000	320	siafast   hook and loop	1	1	S
F03E02D8UF	0358.7216.0400	115	5000	400	siafast   hook and loop	1	1	S
F03E02D8VK	0358.7216.0500	115	5000	500	siafast   hook and loop	1	1	S
F03E02D94T	0358.7216.0600	115	5000	600	siafast   hook and loop	1	1	S

S: Stocked  
P: Purchased  
M: Made to Order  
**Stocking Status**



Perfect Finish Solutions  
By sia Abrasives









Grinding

Sanding

Polishing



**1960 siarexx**

100mm x 1m  
100mm x 10m  
100mm x 50m

Paper



**1960 siarexx**

115mm x 1m  
115mm x 5m  
115mm x 10m

Paper



**1960 siarexx**

115mm x 25m  
115mm x 25m | siafast  
115mm x 50m

Paper

siafast



**Perfect Finish Solutions**  
By sia Abrasives






Grinding

Sanding

Polishing

1960 siarexx	Bosch PN	sia Abrasives PN	Width mm	Length mm	Grit	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
 	F03E02D4HF	6563.6725.0080	100	1000	80	15	15	S
	F03E02D4HG	6563.6725.0120	100	1000	120	15	15	S
	F03E02D4HH	6563.6725.0180	100	1000	180	15	15	S
	F03E02D13Z	1825.0362.0080	100	10000	80	1	1	S
	F03E02D140	1825.0362.0120	100	10000	120	1	1	S
	F03E02D141	1825.0362.0180	100	10000	180	1	1	S
	F03E0018BF	9464.3461.0080.09	100	50000	80	1	1	S
	F03E0018BH	9464.3461.0120.09	100	50000	120	1	1	S
	F03E0018BK	9464.3461.0180.09	100	50000	180	1	1	S



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing

1960 siarexx



Bosch PN	sia Abrasives PN	Width mm	Length mm	Grit	Pack Quantity	MOQ	Stocking Status
F03E02D001	0380.4072.0060	115	1000	60	15	15	S
F03E02D002	0380.4072.0080	115	1000	80	15	15	S
F03E02D004	0380.4072.0120	115	1000	120	15	15	S
F03E02D006	0380.4072.0180	115	1000	180	15	15	S
F03E02D008	0380.4072.0240	115	1000	240	15	15	S
F03E007LB5	0906.6878.0040	115	5000	40	1	1	S
F03E007LB6	0906.6878.0060	115	5000	60	1	1	S
F03E007LB7	0906.6878.0080	115	5000	80	1	1	S
F03E007LB8	0906.6878.0120	115	5000	120	1	1	S
F03E007LB9	0906.6878.0150	115	5000	150	1	1	S
F03E007LC0	0906.6878.0180	115	5000	180	1	1	S
F03E007LC1	0906.6878.0240	115	5000	240	1	1	S
F03E02D8NA	5609.6057.0040	115	10000	40	1	1	S
F03E02D3SD	5609.6057.0060	115	10000	60	1	1	S
F03E02D3SE	5609.6057.0080	115	10000	80	1	1	S
F03E02D3SG	5609.6057.0120	115	10000	120	1	1	S
F03E02D3SK	5609.6057.0180	115	10000	180	1	1	S
F03E02D3SM	5609.6057.0240	115	10000	240	1	1	S
F03E02D3SN	5609.6057.0320	115	10000	320	1	1	S

S: Stocked  
P: Purchased  
M: Made to Order  
**Stocking Status**



Perfect Finish Solutions  
By sia Abrasives






Grinding

Sanding

Polishing

### 1960 siarexx



Bosch PN	sia Abrasives PN	Width mm	Length mm	Grit	Attachment	Pack Quantity	MOQ	Stocking Status
F03E0018CV	0998.5000.0060	115	25000	60		1	1	S
F03E0018CW	0998.5000.0080	115	25000	80		1	1	S
F03E0018CY	0998.5000.0120	115	25000	120		1	1	S
F03E0018D0	0998.5000.0180	115	25000	180		1	1	S
F03E0018D3	0998.5000.0240	115	25000	240		1	1	S
F03E004S2Z	4415.8289.0040	115	25000	40	siafast   hook and loop	1	8	P
F03E004S30	4415.8289.0060	115	25000	60	siafast   hook and loop	1	8	P
F03E004S2Y	4415.8289.0080	115	25000	80	siafast   hook and loop	1	8	P
F03E004S32	4415.8289.0120	115	25000	120	siafast   hook and loop	1	1	S
F03E0018BV	3281.1275.0040	115	50000	40		1	1	S
F03E0018BW	3281.1275.0060	115	50000	60		1	1	S
F03E0018BX	3281.1275.0080	115	50000	80		1	1	S
F03E0018BY	3281.1275.0100	115	50000	100		1	1	S
F03E0018BZ	3281.1275.0120	115	50000	120		1	1	S
F03E0018C0	3281.1275.0150	115	50000	150		1	1	S
F03E0018C1	3281.1275.0180	115	50000	180		1	1	S
F03E0018C3	3281.1275.0240	115	50000	240		1	1	S
F03E0018C5	3281.1275.0320	115	50000	320		1	1	S

S: Stocked  
P: Purchased  
M: Made to Order  
**Stocking Status**



**Perfect Finish Solutions**  
*By sia Abrasives*





Grinding

Sanding

Polishing

1815 siaral x

Bosch PN	sia Abrasives PN	Width mm	Length mm	Grit	Pack Quantity	MOQ	Stocking Status
F03E007LP8	8391.4976.0024	203	25000	24	1	1	S
F03E007LT2	8391.4976.0036	203	25000	36	1	1	S
F03E007LP9	8391.4976.0040	203	25000	40	1	1	S
F03E007LR0	8391.4976.0060	203	25000	60	1	1	S
F03E007LR1	8391.4976.0080	203	25000	80	1	1	S
F03E007LT1	4223.2059.0024	305	25000	24	1	1	S
F03E007LR2	4223.2059.0036	305	25000	36	1	1	S
F03E007LR3	4223.2059.0040	305	25000	40	1	1	S
F03E007LR4	4223.2059.0060	305	25000	60	1	1	S
F03E007LR5	4223.2059.0080	305	25000	80	1	1	S
F03E007LR6	4223.2059.0100	305	25000	100	1	1	S



S: Stocked  
P: Purchased  
M: Made to Order



Perfect Finish Solutions  
By sia Abrasives







Grinding

Sanding

Polishing

2915 siarol | Economy Roll



Bosch PN	sia Abrasives PN	Width mm	Length mm	Grit	Pack Quantity	MOQ	Stocking Status
F03E0019XY	0430.8219.0040	25	50000	40	1	1	S
F03E0019XZ	0430.8219.0060	25	50000	60	1	1	S
F03E0019Y0	0430.8219.0080	25	50000	80	1	1	S
F03E0019Y2	0430.8219.0120	25	50000	120	1	1	S
F03E0019Y4	0430.8219.0180	25	50000	180	1	1	S
F03E0019Y6	0430.8219.0240	25	50000	240	1	1	S
F03E0019Y8	0430.8219.0320	25	50000	320	1	1	S
F03E0019Z1	3415.8417.0040	50	50000	40	1	1	S
F03E004N0N	3415.8417.0060	50	50000	60	1	1	S
F03E0019Z3	3415.8417.0080	50	50000	80	1	1	S
F03E0019Z5	3415.8417.0120	50	50000	120	1	1	S
F03E0019Z7	3415.8417.0180	50	50000	180	1	1	S
F03E0019Z9	3415.8417.0240	50	50000	240	1	1	S
F03E0019ZB	3415.8417.0320	50	50000	320	1	1	S

S: Stocked  
P: Purchased  
M: Made to Order



Perfect Finish Solutions  
By sia Abrasives








Grinding

Sanding

Polishing

2920 siawood x



Bosch PN	sia Abrasives PN	Width mm	Length mm	Grit	Pack Quantity	MOQ	Stocking Status
F03E007PM5	5025.7053.0040	75	25000	40	1	1	S
F03E007M3E	5025.7053.0060	75	25000	60	1	1	S
F03E007M3F	5025.7053.0080	75	25000	80	1	1	S
F03E007M3G	5025.7053.0100	75	25000	100	1	1	S
F03E007M3H	5025.7053.0120	75	25000	120	1	1	S
F03E007M3J	5025.7053.0180	75	25000	180	1	1	S
F03E007PS0	8010.7251.0040	100	25000	40	1	1	S
F03E007PS4	8010.7251.0060	100	25000	60	1	1	S
F03E007PS5	8010.7251.0080	100	25000	80	1	1	S
F03E007PS6	8010.7251.0100	100	25000	100	1	1	S
F03E007PS7	8010.7251.0120	100	25000	120	1	1	S
F03E007PS8	8010.7251.0180	100	25000	180	1	1	S
F03E007M3M	0325.5645.0040	100	50000	40	1	1	S

S: Stocked  
P: Purchased  
M: Made to Order  
**Stocking Status**



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing

2936 siatur jj



Bosch PN	sia Abrasives PN	Width mm	Length mm	Grit	Pack Quantity	MOQ	Stocking Status
F03E02DC0V	4527.8291.0080	100	5000	80	1	1	S
F03E02DC0W	4527.8291.0100	100	5000	100	1	1	S
F03E02DC0X	4527.8291.0120	100	5000	120	1	1	S
F03E02DC0Y	4527.8291.0180	100	5000	180	1	1	S
F03E0018DM	0662.2534.0080	100	50000	80	1	1	S
F03E0018DN	0662.2534.0100	100	50000	100	1	1	S
F03E0018DP	0662.2534.0120	100	50000	120	1	1	S
F03E0018DS	0662.2534.0180	100	50000	180	1	1	S
F03E006P2T	6632.2930.0120	150	50000	120	1	1	S
F03E007ED5	6632.2930.0150	150	50000	150	1	1	S

S: Stocked  
P: Purchased  
M: Made to Order



Perfect Finish Solutions  
By sia Abrasives







Grinding

Sanding

Polishing



7900 sianet | 70mm x 10m

Mesh

siafast



7900 sianet | 115mm x 10m

Mesh

siafast



Perfect Finish Solutions  
By sia Abrasives



**BOSCH**







Grinding

Sanding

Polishing

F03E0051N5  
0020.6695



**Flexible 41-hole hand block | 70 x 198mm**  
siafast hook and loop system

F03E00566Z  
0020.7045



**Flexible 68-hole hand block | 70 x 400mm**  
siafast hook and loop system

F03E004K0S  
0020.6518



**Flexible 49-hole hand block | 115 x 230mm**  
siafast hook and loop system

F03E004K0H  
0020.6514




**Hand sanding block 29-hole | 70 x 125mm**  
siafast hook and loop system

F03E004F2Y  
0020.3925



**Extraction hose 4000mm | Ø 25mm**  
Diameter small 21mm



**Perfect Finish Solutions**  
By sia Abrasives





Grinding

Sanding

Polishing

F03E004K0N  
0020.6515



**Hand sanding block 41-hole | 70 x 198mm**  
siafast hook and loop system

F03E004K0P  
0020.6516



**Hand sanding block 68-hole | 70 x 400mm**  
siafast hook and loop system

F03E004K0R  
0020.6517




**Hand sanding block 49-hole | 115 x 230mm**  
siafast hook and loop system

F03E004N6X  
0020.0095




**Cork hand sanding block | 70 x 125 mm**  
Height 40mm | siafast hook and loop system

F03E002887  
0020.0342



**Hand sanding block | double-sided | 70 x 125mm**  
Height 38mm – siafast hook and loop system  
medium hard (blue) - extra soft (white)



**Perfect Finish Solutions**  
By sia Abrasives



**BOSCH**





Grinding

Sanding

Polishing

F03E002L8H  
0020.2302



### Black powder guide coat set

Sanding-off black guide coat ensures an evenly sanded surface

Scope of supply:

- Guide coat hand sanding block
- Foam sponge
- 2 cartridges of 30 g each

F03E002L8G  
0020.2301



### Black powder guide coat cartridge X 6

Refills for black powder guide coat set

Scope of supply:

- 6 cartridges of 30 g each

F03E00657F  
0020.0364



### Hand sanding pad with strap | 145mm

siafast hook and loop system



Perfect Finish Solutions  
By sia Abrasives



**BOSCH**



Grinding

Sanding

Polishing



Polisher Accessories



Denibbing Blocks



Denibbing Discs



Blending Discs 80mm



siachrome Polishing Liquids



Polishing Accessories



Perfect Finish Solutions  
By sia Abrasives




BOSCH




Grinding

Sanding

Polishing



Backing Pads for Polishing



Polishing Pads



Perfect Finish Solutions  
*By sia Abrasives*





Grinding

Sanding

Polishing

Backing Pads   Polishing	Bosch PN	sia Abrasives PN	Diameter mm	Thread / Connection	Hardness	Pack Quantity	MOQ	Stocking Status
	F03E0067L1	0020.4899	75	M14	Soft	1	1	S
	F03E0067L3	0020.6669	125	M14	Soft	1	1	S
	F03E0067KK	0020.1907	150	M14	Soft	1	1	S

S: Stocked  
P: Purchased  
M: Made to Order



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing



Polishing Disc 85mm




Polishing Disc 135mm



Polishing Disc 145mm



Polishing Disc 170mm



Polishing Disc 203mm



Perfect Finish Solutions  
*By sia Abrasives*



**BOSCH**



Grinding

Sanding

Polishing

Polishing Discs	Bosch PN	sia Abrasives PN	Diameter mm	Hardness	Application	Disc Attachment	Pack Quantity	MOQ	Stocking Status
	F03E00657J	0020.6675	85	Soft foam	siachrome FINISH and PEARL	siafast   hook and loop	4	4	S
	F03E00657G	0020.6672	85	Hard foam	siachrome CUT	siafast   hook and loop	4	4	S
	F03E007G1H	0020.9404	85	Extra hard foam	siachrome CUT	siafast   hook and loop	4	4	S



Perfect Finish Solutions  
By sia Abrasives



S: Stocked  
P: Purchased  
M: Made to Order



Grinding

Sanding

Polishing

Polishing Discs	Bosch PN	sia Abrasives PN	Diameter mm	Hardness	Application	Disc Attachment	Pack Quantity	MOQ	Stocking Status
	F03E00657K	0020.6676	145	Soft	siachrome FINISH and PEARL	siafast   hook and loop	2	2	S
	F03E00657F	0020.6671	145	Hard	siachrome CUT	siafast   hook and loop	2	2	S
	F03E007G1J	0020.9405	145	Hard	siachrome CUT	siafast   hook and loop	2	2	S



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing

Polishing Discs	Bosch PN	sia Abrasives PN	Diameter mm	Hardness	Application	Disc Attachment	Pack Quantity	MOQ	Stocking Status
	F03E002L5G	0020.0262	170	Soft	siachrome FINISH and PEARL	siafast   hook and loop	1	1	S
	F03E002L5E	0020.2018	170	Hard	siachrome CUT	siafast   hook and loop	1	1	S
	F03E002L5K	0020.0265	170	Hard	siachrome CUT	siafast   hook and loop	1	1	S



Perfect Finish Solutions  
By sia Abrasives







Grinding

Sanding

Polishing

Polishing Discs	Bosch PN	sia Abrasives PN	Diameter mm	Hardness	Application	Disc Attachment	Pack Quantity	MOQ	Stocking Status
	F03E005N2U	0020.7383	203	Soft	siachrome FINISH and PEARL	siafast   hook and loop	2	2	S
	F03E005N2V	0020.7384	203	Hard	siachrome CUT	siafast   hook and loop	2	2	S
	F03E004ZV2	0020.6674	135	Hard	siachrome CUT	siafast   hook and loop	2	2	S

S: Stocked  
P: Purchased  
M: Made to Order  
**Stocking Status**



**Perfect Finish Solutions**  
*By sia Abrasives*



**BOSCH**



Grinding

Sanding

Polishing

F03E0067KU  
0020.3285



**finiblock siafast**

- Ø 30mm
- Ergonomic 2-sided block for precision denibbing
- Dual-sided backing for use with sia 37mm daisy discs
- One softer side of for fresh and softer coating, one harder side for harder coatings

F03E0067KV  
0020.3286



**finiblock PSA**

- Ø 30mm
- Ergonomic 2-sided block for precision denibbing
- Dual-sided backing for use with sia 37mm daisy discs
- One softer side of for fresh and softer coating, one harder side for harder coatings



**Perfect Finish Solutions**  
By sia Abrasives





Grinding

Sanding

Polishing



CUT



FINISH



PEARL



PLATINUM



MAGIC



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing

F03E002F21  
0020.3185



Yellow

F03E005556  
0020.6670



Black

F03E004ZU5  
0020.6668



Puck



Perfect Finish Solutions  
*By sia Abrasives*




**BOSCH**



Grinding

Sanding

Polishing



1913 siawat	Bosch PN	sia Abrasives PN	Diameter mm	Grit	Disc Attachment	Pack Quantity	MOQ	S: Stocked P: Purchased M: Made to Order Stocking Status
	F03E003JL8	4269.7970.1500	37	1500	siafast   hook and loop	100	100	S
	F03E003JL9	4269.7970.2000	37	2000	siafast   hook and loop	100	100	S
	F03E003JM0	4269.7970.2500	35	2500	siafast   hook and loop	100	100	S



Perfect Finish Solutions  
By sia Abrasives





Grinding

Sanding

Polishing



7940 siaair - 80mm



Perfect Finish Solutions  
*By sia Abrasives*



**BOSCH**



## Grinding

[1713 siawat](#)  
[1749 siaral f](#)  
[1815 siatop](#)  
[1913 siawat](#)  
[1944 siaone](#)  
[1948 siaflex](#)  
[1950 siaspeed](#)  
[1950 siaspeed ultrafine grit](#)  
[1958 siapro](#)  
[1960 siarexx](#)  
[2511 siabite](#)  
[2511/2515 siashark](#)  
[2582 siaramic](#)  
[2790 sianet](#)  
[2800 siaron](#)  
[2803 siaron y](#)  
[2812 siaral x](#)  
[2820 siamet](#)

## Sanding

[2824 siaflap](#)  
[2915 siarol](#)  
[2920 siawood x](#)  
[2923 sialoX \(siamop\)](#)  
[2936 siatur jj](#)  
[2945 siatur j](#)  
[2946 siatur jj](#)  
[2951 siatur h](#)  
[4560 siabite](#)  
[4570 siabite X](#)  
[4581 siaramic](#)  
[4582 siaramic](#)  
[4815 siacut](#)  
[4819 siaron 8](#)  
[4961 sialoX](#)  
[6120 siafleece](#)  
[6120 siafleece \(siamop\)](#)  
[6270 siamet SCM LS](#)

## Polishing

[6300 siastrip](#)  
[6711 siafleece](#)  
[6924 siamet HD](#)  
[7240 siacarat](#)  
[7241 siacarbon](#)  
[7500 sianet](#)  
[7900 sianet](#)  
[7940 siaair](#)  
[7979 siasponge flat](#)  
[7983 siasponge flex](#)  
[7990 siasponge block hard](#)  
[8913 siacut](#)  
[8933 siagrind](#)  
[9089 Conversion Discs](#)  
[9215 Flat Pad](#)  
[siachrome](#)



**Perfect Finish Solutions**  
*By sia Abrasives*







Grinding

Sanding

Polishing

Products ▶



# 1713 siawat

for the highest-performance wet sanding



The 1713 siawat silicon carbide series makes all the difference when it comes to sanding coatings, impurities or unevenness in edge zones and when fine sanding primer fillers, glass, composite materials and stone.

- ▶ High performance for stock removal with good finish
- ▶ Long lifetime
- ▶ Powerful silicon carbide grit for use on hard materials
- ▶ Highly adaptable to contours and shapes
- ▶ Can be used wet or dry



Grit type:	Silicon carbide	P080 – P2500
Grit range:	80-2500	
Backing:	c-wt paper	P080 – P2500
Coating:	Electrostatic	P080 – P2500
Bonding:	Resin over resin	

### Applications

- Sanding off coatings and impurities
- Sanding out unevenness at the edges of repaired surfaces
- Flattening bodyfiller and primer filler
- Fine sanding primer filler, glass, composite materials and stone
- Keying old and new lacquers
- Removing paint runs

### Materials

Colour; Primer filler; Primer coat; Epoxy primer coat; Plastics; Old lacquer; Paints; Putty; Aluminium

### Technology

Plain; siafast



**Back to Data Sheets**  
By sia Abrasives






Grinding

Sanding

Polishing

Products ▶



# 1748 sialac

perfect preparation for perfect finishes



As a specialist product for preparation for polishing and lacquering, 1748 sialac has a number of outstanding properties which, combined, produce perfect results – whether it's keying primer coats and bodyfiller or intermediate and final sanding of lacquers.

- ▶ Excellent surface quality in lacquering applications
- ▶ Low clogging
- ▶ For manual or machine use
- ▶ Best adaptability in the siasoft version
- ▶ No slipping of fingers thanks to foam back



Grit type:	Silicon carbide
Grit:	320
Backing:	Foam (open structure)
Coating:	Electrostatic
Bonding:	Resin over resin
Special coating:	Stearate

### Applications

- Keying of wood and plastics
- Keying conventional old and new varnishes, primer filler and paints
- Fine sanding primer filler in hard-to-reach areas
- Producing a matt finish on varnishes
- Flattening bodyfiller and primer filler
- Intermediate sanding of varnishes

### Materials

Colour; Primer filler; Primer coat; Plastics; Old lacquer; Composite



**Back to Data Sheets**  
By sia Abrasives



**BOSCH**






Grinding

Sanding

Polishing

Products ▶




# 1749 siaral f

the number 1 for sanding of MDF, HDF and chipboard



A specialist abrasive for keying MDF, HDF and chipboard, 1749 siaral f not only has a long lifetime, it also produces a high-quality surface finish.

- ▶ Long life when sanding MDF boards and HDF boards and chipboard
- ▶ Perfect surfaces thanks to TopTec
- ▶ Dust-free process: Antistatic construction minimises dust build-up on belt, work piece and machinery
- ▶ Best surface quality
- ▶ Very good finish on solid wood and veneer



Grit type: Silicon carbide  
 Grit range: 40-150; 220; 320-400  
 Backing: f-wt paper  
 Coating: Closed  
 Bonding: Resin over resin  
 Equipment: TopTec

### Applications


- Keying of edges and surfaces on MDF board, HDF board and chipboard
- Calibrating
- Final sanding as preparation for painting
- Final sanding on transom and high-quality veneers
- Intermediate sanding of varnishes

### Materials

Chipboard; MDF board; Softwood; Hardwood; Plastics; Putty; Primer filler; PU lacquer; Polyester lacquer; UV lacquer; Stone; Mineral fibreboard

### Technology

siafast; TopTec



Back to Data Sheets  
By sia Abrasives



BOSCH





Grinding

Sanding

Polishing

Products ▶



# 1815 siatop

For fast and cost-effective surface treatment of steel and non-ferrous metals



1815 siatop impresses with its high removal rate, long lifetime and very good finish in a wide range of disc and belt applications.

- ▶ Versatile all-round product with an attractive range of options
- ▶ Outstanding performance in dry sanding applications
- ▶ Fast and rugged stock removal with regular surface quality
- ▶ Cost reduction thanks to long lifetime
- ▶ Minimal effort required for high stock removal
- ▶ Excellent surface quality



Grit type:	Zirconia alumina	
Grit range:	24; 36-40; 60-150	
Backing:	Fibre	24-40
	f-wt paper	40-P400
Coating:	Closed	
Bonding:	Resin over resin	
Special coating:	Cooling top coat	

### Applications

- Removal of paint
- Removal of rust
- Weld preparation
- Removing discolouration
- Sanding down
- Deburring
- Surface finishing
- Smoothing and blending of flaws
- Structuring and final sanding



### Materials

Unalloyed / low-alloy steel; Non-ferrous metal; High alloyed steel

### Technology

siafast



**Back to Data Sheets**  
By sia Abrasives



**BOSCH**







Grinding

Sanding

Polishing

Products ▶



# 1913 siawat

the first choice for first-class wet sanding results



As a leading wet use abrasive, the 1913 siawat aluminium oxide series has been producing outstanding results for years thanks to such outstanding properties as high stock removal rates, optimal water resistance, long life and flexibility.

- ▶ Very high removal rate
- ▶ Extremely long lifetime
- ▶ Highly water resistant
- ▶ Highly adaptable to contours and shapes
- ▶ Can be used wet or dry
- ▶ The market-leading wet abrasive for years



Grit type:	Aluminium oxide	P060 – P1200
	Silicon carbide	P1500 – P2500
Grit range:	80; 120; 180; 240; 320; 400; 600-2500	
Backing:	c-wt paper	P800 – P2500
	d-wt paper	P060 – P600
Coating:	Closed	
Bonding:	Resin over resin	

### Applications


- Sanding off coatings and impurities
- Sanding out unevenness at the edges of repaired surfaces
- Flattening bodyfiller and primer filler
- Fine sanding primer filler
- Keying old and new lacquers
- Removal of paint runs, orange-peel effect and dust inclusions

### Materials

Colour; Primer filler; Primer coat; Epoxy primer coat; Old lacquer; Paints; Putty; Plastics

### Technology

siafast



**Back to Data Sheets**  
By sia Abrasives







Grinding

Sanding

Polishing

Products ▶




# 1944 siaone

the one with cut



The quality with aggressive cut and optimum lifetime. For price conscious users for working with various materials, for example: bodyfiller, primer filler, varnish, paint and wood.

- ▶ Aggressive initial sanding thanks to optimised sanding grain
- ▶ Process stability thanks to uniform scratch depths in all grits
- ▶ Excellent price/performance ratio



Grit type:	Aluminium oxide	P040 – P500
Grit range:	40; 60-240; 320; 400-500	
Backing:	c-wt paper b-wt paper	P040 – P100 P120 – P500
Coating:	Electrostatic	
Bonding:	Resin over resin	
Special coating:	Stearate	P220 – P500

### Applications

- Sanding off coatings and impurities
- Sanding out unevenness at the edges of repaired surfaces
- Flattening bodyfiller and primer filler
- Fine sanding primer filler
- Keying old and new lacquers

### Materials

Colour; Primer filler; Putty; Paints; Old lacquer; Primer coat; Epoxy primer coat; Cathodic dip primer coat; Plastics; Acrylic glass; Gelcoat polyester; Glass-fibre reinforced plastic (GRP); Composite



### Technology

siafast



Back to Data Sheets  
By sia Abrasives



BOSCH








Grinding

Sanding

Polishing

Products ▶




# 1948 siaflex

flexible and versatile



As an all-round series for wet and dry sanding, 1948 siaflex produces outstanding results in all available grits and in a variety of automotive applications.

- ▶ High performance for stock removal with good finish
- ▶ Highly flexible and adaptable to contours
- ▶ Minimal clogging thanks to open coating in 220 - 600 grit range
- ▶ Long lifetime
- ▶ Suitable for general use in dry and wet sanding applications
- ▶ Versatile all-round product with an attractive range of options



Grit type:	Blue-fired/white aluminium oxide	
Grit range:	40; 60-320; 400-1500	
Backing:	Fibre-reinforced latex paper	
Coating:	Electrostatic	P040 – P180
	Electrostatic open	P220 – P600
	Electrostatic	P800
Bonding:	Resin over resin	
Special coating:	Stearate	P180 – P800

### Applications

- Sanding off coatings and impurities
- Sanding out unevenness at the edges of repaired surfaces
- Flattening bodyfiller and primer filler
- Fine sanding primer filler
- Keying old and new lacquers
- Removing orange peel effect and dust inclusions

### Materials

Colour; Primer filler; Putty; Paints; Old lacquer; Primer coat; Epoxy primer coat; Cathodic dip primer coat; Plastics; Acrylic glass; Gelcoat polyester; Glass-fibre reinforced plastic (GRP); Composite; Aluminium; Steel

### Technology

Open coating; siafast; siasoft



**Back to Data Sheets**  
By sia Abrasives








Grinding

Sanding

Polishing

Products ▶




# 1950 siaspeed

for a perfect finish at full speed



The versatile all-round product 1950 siaspeed is specially designed for high stock removal rates, perfect surface quality and long life in applications such as the surface treatment of body filler, primer filler, lacquers and paints.

- ▶ Very high abrasive performance with a good finish
- ▶ Performance-enhancing grit mix with ceramic corundum in 40 - 80 grit range
- ▶ Minimal clogging thanks to open coating in 220 - 600 grit range
- ▶ Extremely long lifetime
- ▶ Lower abrasive consumption
- ▶ Versatile all-round product with an attractive range of options



Grit type:	Mixed grit with ceramic content	40 – 80
	Semi-friable aluminium oxide / blue fired	P100 – P600
Grit range:	40; 60-180; 240; 320; 400-600	
Backing:	Paper	
Coating:	Electrostatic	40 – P180
	Electrostatic open	P220 – P600
Bonding:	Resin over resin	
Special coating:	Stearate	from 80

### Applications

- Sanding off coatings and impurities
- Sanding out unevenness at the edges of repaired surfaces
- Flattening bodyfiller and composite materials
- Fine sanding primer filler
- Keying old and new lacquers

### Materials

Colour; Primer filler; Putty; Paints; Old lacquer; Primer coat; Epoxy primer coat; Cathodic dip primer coat; Plastics; Acrylic glass; Gelcoat polyester; Glass-fibre reinforced plastic (GRP)



### Technology

Open coating; siafast; siasoft



Back to Data Sheets  
By sia Abrasives



**BOSCH**






Grinding

Sanding

Polishing

Products ▶



# 1950 siaspeed ultrafine grit

for a perfect finish at full speed



Whether you are scuffing old or new lacquer, blending, or removing dust inclusions and orange-peel effect – 1950 siaspeed ultrafine grit handles all demanding surfaces with its fine grit range.

- ▶ Very high abrasive performance with good finish
- ▶ Minimal clogging thanks to new stearate coating concept
- ▶ Extremely long lifetime
- ▶ Film backing allows precise and uniform scratch depths
- ▶ Can be used moist or dry



Grit type:	Aluminium oxide	P800 – P1500
Grit range:	800-1500	
Backing:	Film	
Coating:	Special process	
Bonding:	Resin over resin	
Special coating:	Stearate	

### Applications

- Producing a matt finish on old and new lacquers for blending
- Removing orange peel effect and dust inclusions
- Keying old and new lacquers
- Preparation for polishing on high-gloss surfaces
- Intermediate sanding of varnishes

### Materials

Paints; Colour; Acrylic glass; Gelcoat polyester; Plastics

### Technology

siafast; siasoft



**Back to Data Sheets**  
By sia Abrasives



**BOSCH**






Grinding

Sanding

Polishing

Products ▶




# 1958 siapro

for automotive body painters. for you. the PRO.



The compact and easy-to-understand range allows the PRO to save time and get a safe process result.

- ▶ PROficiency. 100% safe process result. Perfect result through refined and easy-to-understand grit sequence.
- ▶ PROfit. 70% less articles to buy. Less inventory and easier ordering process with just 9 articles.
- ▶ PROductivity. 20% time saving. Work faster through one process step less and optimised grit quality.



Grit type:	Mixed grit with ceramic content	100
	Semi-friable aluminium oxide / blue fired	200; 300; 400
	Aluminium oxide	800
	Diamond	1000
Grit range:	100-1000	
Backing:	Paper	100; 200; 300; 400
	Film	800
	Knitted fabric w. foam backing	1000
Coating:	Electrostatic	100; 200
	Electrostatic open	300; 400
	Special process:	800; 1000
Bonding:	Resin over resin	

### Applications

- Levelling / Stripping
- Fine sanding
- Body filler levelling
- Body filler fine sanding
- Body filler finishing / Keying outlet area
- Primer filler levelling
- Primer filler finishing
- Scuffing

### Materials


Paints; Putty; Primer filler

### Technology

S-Performance; siafast



## for you. the PRO.



siapro – for automotive body painters



**Back to Data Sheets**  
By sia Abrasives









Grinding

Sanding

Polishing

Products ▶



# 1960 siarexx

the benchmark on wood, lacquers and paints



1960 siarexx is a universal all-round product for manual and portable machine sanding and delivers impressive results in wood and lacquer applications.

- ▶ Universal all-round product for wood and lacquer
- ▶ High level of flexibility guarantees trouble-free sanding of corners and edges
- ▶ Low clogging
- ▶ Good finish properties



Grit type:	Aluminium oxide	
Grit range:	40; 60-180; 240; 320; 400	
Backing:	c-wt paper	P040 – P240
	b-wt paper	P280 – P600
Coating:	Electrostatic open	
Bonding:	Resin over resin	
Special coating:	Stearate	P080 – P600

### Applications

- Sanding off rusted parts
- Sanding off old varnish, paints and stains
- Sanding off old paint and varnish
- Sanding off raised wooden fibres
- Sanding floorboards
- Sanding wooden terraces and pool surrounds
- Sanding off brittle or poorly adhesive paints
- Keying or sanding surfaces
- Keying smoothed surfaces
- Keying surfaces for better paint adhesion
- Fine sanding of surfaces
- Flattening uneven areas
- Flattening lightweight construction walls



### Materials

Softwood; Hardwood; Resinous wood; Water-based varnish; Polyester lacquer; PU lacquer; NC lacquer; UV lacquer; Acrylic lacquer; Solid surface material; Old paint; Old lacquer; Primer filler; Primer coat; Putty; Plastics; Mineral fibreboard; Plaster; Dry wall lining boards

### Technology

Open coating; S Performance; siafast; siaSoft



**Back to Data Sheets**  
By sia Abrasives



**BOSCH**



Grinding


Sanding

Polishing


Products ▶




Tongued - Mini



Narrow-Edge-Long



Portable / Floor



# 2511 siabite

the performance specialist for power file sanders



2511 siabite abrasive belts are designed especially for power file sanders and provide maximum efficiency on high-alloy steel and other hard to grind metals thanks to the self-sharpening effect of the ceramic grit.

- ▶ Less machine interruptions thanks to long lifetime
- ▶ Minimal effort required thanks to highly aggressive abrasive grit
- ▶ Reduced heat cutting thanks to active additive with cooling effect
- ▶ More efficiency thanks to the highest performance
- ▶ Improved flexibility for power files thanks to special flexing



Grit type: Ceramic aluminium oxide  
 Grit range: 36; 60-120  
 Backing: x-wt cloth  
 Coating: Closed  
 Bonding: Resin over resin  
 Special coating: Cooling top coat

### Applications

- Weld preparation
- Sanding down
- Deburring
- Smoothing and blending of flaws
- Removing discolouration
- Surface finishing
- Structuring and final sanding

### Materials

High alloyed steel

### Technology

siafast



**Back to Data Sheets**  
By sia Abrasives



**BOSCH**




Grinding

Sanding

Polishing

Products ▶



# 2511/2515 siashark

the ceramic belt with an appetite for high stock removal and an even scratch pattern




The hungry ceramic grit belt with razor sharp teeth for exceptional stock removal, yet leaving an even scratch pattern.

siashark - the one that bites!



- ▶ Fast and aggressive cut
- ▶ Extreme stock removal rate
- ▶ Even scratch pattern
- ▶ Longest lifetime



## 2511

Grit type: Ceramic aluminium oxide  
 Grit range: 100  
 Backing: x-wt cloth  
 Coating: Closed  
 Bonding: Resin over resin  
 Special coating: Cooling top coat

## Applications

- Structuring and final sanding
- Flush sanding of protrusions on cross-grained wood
- Surface finishing

## 2515

Grit type: Ceramic aluminium oxide  
 Grit range: 40-80  
 Backing: y-wt cloth, cotton  
 Coating: Closed  
 Bonding: Resin over resin  
 Special coating: Cooling top coat



Back to Data Sheets  
By sia Abrasives



BOSCH



Grinding

Sanding

Polishing

Products ▶



# 2582 siaramic

the ceramic abrasive belt for maximum performance on stainless steel and other metals



Thanks to the triangular shape of the ceramic grain, the strong polyester backing and the cooling agent, the 2582 siaramic abrasive belt offers the highest removal rate and longest lifetime on stainless steel and other metals.

- ▶ High removal rate thanks to ceramic grit
- ▶ Long lifetime
- ▶ Aggressive initial sanding thanks to optimised sanding grain
- ▶ Increased efficiency due to measurable time-saving
- ▶ Active additives with a cooling effect greatly reduce discolouration
- ▶ Fast and rugged stock removal with regular surface quality
- ▶ Uniform cutting performance
- ▶ Minimal effort required thanks to highly aggressive abrasive grit



Grit type: Shaped ceramic  
 Grit range: 36, 60, 80, 120  
 Backing: X-Polyester for grit 120  
 Y-Polyester for grits 36 – 80  
 Coating: Electrostatic  
 Bonding: Resin over resin  
 Special coating: Cooling top coat

### Applications


- Weld preparation
- Sanding down
- Deburring
- Smoothing and blending of flaws

### Materials

Stainless steel (INOX); Unalloyed / low-alloy steel; Aluminium; Non-ferrous metal

### Technology

Moulded grit; siaramic



**Back to Data Sheets**  
By sia Abrasives



**BOSCH**




Grinding

Sanding

Polishing

Products ▶




# 2790 sianet

precision machine sanding



For keying solid wood, intermediate lacquer sanding, painting preparation and parquet sanding – 2790 sianet impresses with its low clogging and very fine finish and excellent surface quality in lacquering applications.

- ▶ Low clogging
- ▶ Longest lifetime
- ▶ Machine sanding / intermediate sanding of the lacquer on surfaces
- ▶ Very fine finish
- ▶ Excellent surface quality in lacquering applications



Grit type: Silicon carbide  
 Grit range: 60-220  
 Backing: Mesh  
 Coating: Mechanical  
 Bonding: Resin over resin  
 Coating: 2-page

### Applications

- Sanding off raised wooden fibres

### Materials

PU lacquer; UV lacquer; Water-based varnish;  
Hardwood; Softwood; Resinous wood; Dry wall lining boards



**Back to Data Sheets**  
By sia Abrasives



**BOSCH**




Grinding

Sanding

Polishing

Products ▶




# 2800 siaron

the all-rounder for coarse to fine sanding applications



The all-purpose 2800 siaron offers a wide range of uses in wet sanding and is equally effective in the surface treatment of unalloyed and alloyed steels as well as non-ferrous metals and in various other applications, thanks to high stock removal rates, long life and excellent surface finishing results.

- ▶ Backing with very high stability and rigidity
- ▶ Wide range of applications
- ▶ Can be used wet or dry



Grit type: Zirconia alumina  
 Grit range: 24; 36-40; 60-120  
 Backing: y-wt cloth  
 Coating: Closed  
 Bonding: Resin over resin

### Applications

- Removing discolouration
- Sanding down
- Surface finishing
- Deburring
- Smoothing and blending of flaws
- Structuring and final sanding

### Materials

Unalloyed / low-alloy steel; High alloyed steel; Non-ferrous metal



**Back to Data Sheets**  
By sia Abrasives



**BOSCH**





Grinding

Sanding

Polishing

Products ▶



# 2803 siaron y

the top performer in industrial belt sanding



The special 2803 siaron y series is designed for high-alloy steels and other hard to grind metals, it comes into its own in applications such as the industrial surface treatment of weld seams and transitions as well as the removal of mill scale – thanks to a combination of high stock removal rates, low surface pressure and extremely long life.

- ▶ Active additives with a cooling effect greatly reduce discolouration
- ▶ Excellent performance and lifetime
- ▶ Very high cut with low pressure



Grit type: Zirconia alumina  
 Grit range: 40; 60-80; 120  
 Backing: y-wt cloth  
 Coating: Closed  
 Bonding: Resin over resin  
 Special coating: Cooling top coat

### Applications

- Weld preparation
- Removing discolouration
- Sanding down
- Surface finishing
- Deburring
- Smoothing and blending of flaws

### Materials

High alloyed steel



**Back to Data Sheets**  
By sia Abrasives



**BOSCH**






Grinding

Sanding

Polishing

Products ▶




# 2812 siaral x

the professional abrasive for edges, seams, solid wood and parquet flooring



As a specialist product for the surface treatment of hardwood, glued solid wood panels as well as for parquet flooring and plywood production, 2812 siaral x with its robust cloth backing and application-oriented belt joints produces top-quality results in belt sanding applications.

- ▶ Suitable for long periods of use thanks to very robust backing and optimised grit spreading technology
- ▶ Extremely high performance when preparing hardwood with coarser grit sizes
- ▶ Application-optimised belt joint



Grit type:	Mixed grit types	
Grit range:	16; 24; 36-40; 60-120	
Backing:	y-wt cloth, cotton	16 – 100
	x-wt cloth, cotton	120
Coating:	Closed	
Bonding:	Resin over resin	

### Applications

- Flattening uneven areas

### Materials

Hardwood; Plywood panel; Softwood; Solid surface material

### Technology

siafast



**Back to Data Sheets**  
By sia Abrasives



**BOSCH**



Grinding


Sanding

Polishing

Products ▶




Tongued - Mini



Portable / Floor



Narrow-Edge-Long




# 2820 siamet

the all-round sanding belt for unalloyed steel and non-ferrous metals



As a specialist product designed for dry sanding with high removal rates as well as excellent edge stability and tear resistance, 2820 siamet is suitable for a wide variety of jobs ranging from removal of rust or paint to welding preparation – whether on unalloyed steels or non-ferrous metals.

- ▶ High edge stability, high initial tearing resistance
- ▶ High performance for all metals
- ▶ Aggressive cut




Grit type: Zirconia alumina  
 Grit range: 36-40; 60-120; 180; 240; 320; 400  
 Backing: x-wt cloth  
 Coating: Closed  
 Bonding: Resin over resin  
 Special coating: Cooling top coat

### Applications

- Removal of paint
- Removal of rust
- Weld preparation
- Removing discolouration
- Sanding down
- Surface finishing
- Deburring
- Smoothing and blending of flaws

### Materials

Unalloyed / low-alloy steel; Non-ferrous metal



**Back to Data Sheets**  
By sia Abrasives



**BOSCH**




Grinding

Sanding

Polishing

Products ▶



# 2824 siaflap

for market-leading performance in steel applications



A universal abrasive product designed for the surface treatment of unalloyed or low-alloyed steels, the 2824 siaflap flap disc with zirconia corundum and robust cloth backing provides high stock removal rates and long life. A further advantage: consistent surface quality until the abrasive is completely worn.

- ▶ High performance due to zirconia alumina abrasive grit
- ▶ Consistent surface quality until the abrasive is completely worn
- ▶ Cost reduction thanks to long lifetime



Grit type: Zirconia alumina  
 Grit range: 40; 60-80; 120  
 Backing: x-wt cloth  
 Coating: Closed  
 Bonding: Resin over resin  
 Special coating: Cooling top coat

### Applications

- Weld preparation
- Removing discolouration
- Sanding down
- Surface finishing
- Deburring

### Materials

Unalloyed / low-alloy steel

### Technology

X-LOCK



**Back to Data Sheets**  
By sia Abrasives



**BOSCH**




Grinding

Sanding

Polishing

Products ▶



# 2915 siarol

the flexible all-round product for manual sanding



An all-purpose product for applications ranging from rust and paint removal through to structuring and final sanding, 2915 siarol achieves high flexibility when sanding contours, curves and profiles, and can be folded or cut to any size for perfect surface quality.

- ▶ Highly adaptable to contours, curves and profiles
- ▶ Excellent surface quality
- ▶ Can be folded and cut to any desired format



Grit type: Aluminium oxide  
 Grit range: 40; 60-180; 240; 320  
 Backing: j-wt cloth  
 Coating: Closed  
 Bonding: Resin over resin

### Applications

- Removing rust and paint
- Removing discolouration
- Surface finishing
- Deburring
- Smoothing and blending of flaws
- Structuring and final sanding

### Materials

Unalloyed / low-alloy steel; High alloyed steel; Non-ferrous metal



**Back to Data Sheets**  
By sia Abrasives



**BOSCH**





Grinding

Sanding

Polishing

Products ▶




# 2920 siawood x

for optimum performance on solid wood



With its robust cloth backing, 2920 siawood is suitable for highly demanding solid wood applications.

- ▶ Perfect surfaces thanks to TopTec
- ▶ Dust-free process: Antistatic construction minimises dust build-up on belt, work piece and machinery
- ▶ Suitable for long periods of use thanks to very robust backing and optimised grit spreading technology
- ▶ High removal rate when working on softwood and hardwood with coarser grits



Grit type:	Aluminium oxide	
Grit range:	16; 40; 60-120; 180	
Backing:	y-wt cloth, cotton	P016 – P050
	x-wt cloth, cotton	P060 – P220
Coating:	Closed	P016 – P220
Bonding:	Resin over resin	
Equipment:	TopTec	

### Applications

- Flush sanding of edges
- Coarse sanding in plywood manufacturing
- Intermediate sanding in plywood manufacturing
- Coarse sanding of laminated softwood panels
- Intermediate sanding of laminated softwood panels
- Fine sanding of laminated softwood panels
- Sanding off paints and lacquers

### Materials

Softwood; Hardwood; Resinous wood; Solid surface material; Old lacquer; Old paint; Putty; Primer filler; Plywood panel; MDF board; Chipboard

### Technology

Open coating; siafast; TopTec



Back to Data Sheets  
By sia Abrasives





Grinding

Sanding

Polishing

Products ▶



# 2923 sialoX

the dependable series for grinding of unalloyed and non-ferrous steel



As a cost-effective abrasive with a stable cloth backing, 2923 sialoX offers aggressive finish, good tear resistance and particularly long service life in a variety of applications including final grinding of unalloyed steel and non-ferrous metals.

- ▶ Wide range of applications
- ▶ Excellent price/performance ratio
- ▶ Universal product for all metals
- ▶ Highly flexible, ideal for hard to reach areas
- ▶ Versatile all-round product with an attractive range of options



Grit type:	Aluminium oxide	
Grit range:	40; 60-80; 120	
Backing:	x-wt cloth, cotton	P050 – P150
Coating:	Closed	P050 – P150
Bonding:	Resin over resin	

### Applications

- Deburring
- Removing rust and paint
- Welded seam preparation
- Sanding down
- Removing discolouration
- Surface finishing
- Smoothing and blending of flaws

### Materials

Unalloyed / low-alloy steel; Non-ferrous metal



**Back to Data Sheets**  
By sia Abrasives



**BOSCH**



Grinding

Sanding

Polishing

Products ▶



## 2936 siatur jj

the highly flexible abrasive for profiles, curves and contours with radii from 5-10 mm



Designed for profile sanding of radii between 5–10 mm, 2936 siatur jj achieves a high level of dimensional accuracy during profile belt sanding applications and delivers perfect results when sanding profiled work pieces.

- ▶ Highly adaptable to contours, curves and profiles
- ▶ Ideal for hand sanding of turned work pieces
- ▶ Can be torn to any desired format



Grit type: Aluminium oxide  
 Grit range: 80-120; 180  
 Backing: jj-wt cloth, cotton  
 Coating: Closed  
 Bonding: Resin over resin

### Materials

Softwood; Hardwood; Resinous wood; Solid surface material; Primer coat; Putty; Primer filler; Polyester lacquer; PU lacquer; NC lacquer; UV lacquer; Water-based varnish



Back to Data Sheets  
By sia Abrasives



BOSCH





Grinding

Sanding

Polishing


Products ▶



Tongued - Mini

# 2945 siatur j

the benchmark for profiles and contours



As a specialist product for a range of applications including surgical instruments or watchcases, 2945 siatur j is everything you would expect of a flexible abrasive belt designed for applications ranging from coarse to fine sanding, all the way through to structuring and final sanding. Ideal for unalloyed steel and non-ferrous metals.

- ▶ Highly adaptable to contours, curves and profiles
- ▶ Excellent surface quality
- ▶ Versatile



Grit type: Aluminium oxide  
 Grit range: 60-80; 120  
 Backing: j-wt cloth  
 Coating: Closed  
 Bonding: Resin over resin  
 Special coating: Cooling top coat

### Applications

- Removal of rust
- Removing discolouration
- Surface finishing
- Deburring
- Smoothing and blending of flaws
- Structuring and final sanding

### Materials

Unalloyed / low-alloy steel; Non-ferrous metal



**Back to Data Sheets**  
By sia Abrasives



**BOSCH**



Grinding

Sanding

Polishing



Products ▶



Narrow-Edge-Long



Tongued - Mini



Portable / Floor

# 2946 siatur jj

the benchmark for profiles and contours



2946 siatur jj is an all-purpose product suitable for the surface treatment of profiles and contoured steel surfaces, hard to grind metals and non-ferrous metals using stationary or manually-operated abrasive belt machines – it delivers impressive results every step of the way from deburring to the perfect finish.

- ▶ Highly adaptable to contours, curves and profiles
- ▶ Excellent surface quality
- ▶ Versatile



Grit type: Aluminium oxide  
 Grit range: 240; 320; 400; 600  
 Backing: jj-wt cloth  
 Coating: Closed  
 Bonding: Resin over resin  
 Special coating: Cooling top coat

### Applications

- Removal of rust
- Removing discolouration
- Surface finishing
- Deburring
- Smoothing and blending of flaws
- Structuring and final sanding

### Materials

Unalloyed / low-alloy steel; Non-ferrous metal



**Back to Data Sheets**  
By sia Abrasives






Grinding

Sanding

Polishing

Products ▶



# 2951 siatur h

for perfect finish on profiled work pieces with radii from 2–5 mm



2951 siatur h excels in manual and portable machine sanding applications with radii from 2–5 mm thanks to its high adaptability and dimensional accuracy, especially in jobs such as keying, intermediate sanding and final sanding on paint, lacquer, body filler and primer filler.

- ▶ Can be torn to any desired format
- ▶ Best adaptability in the siasoft version
- ▶ Highly adaptable to contours and shapes



Grit type:	Aluminium oxide
Grit range:	80; 120-150; 220
Backing:	h-wt cloth, cotton, foam
Coating:	Closed
Bonding:	Resin over resin

### Applications

- Fine sanding profiles and contours
- Intermediate sanding of varnishes on curves and profiles
- Profile grinding for radii greater than 2 mm
- Keying of paints, lacquers, bodyfiller, primer filler and plastics

### Materials

Softwood; Hardwood; Resinous wood; Plywood panel; PU lacquer; NC lacquer; Water-based varnish; Acrylic lacquer; Putty; Primer filler; Primer coat; Solid surface material; Plastics; Plaster; Dry wall lining boards



**Back to Data Sheets**  
By sia Abrasives



**BOSCH**




Grinding

Sanding

Polishing

Products ▶



# 4560 siabite

the optimal ceramic fibre disc for general fabrication applications



4560 siabite's coarser grits have been designed for high stock removal on mild steel. The disc also delivers consistent surface quality in finer grits on stainless steel. All this leads to faster completion of your grinding applications.

- ▶ High-performance product with ceramic aluminium oxide
- ▶ Active additives with a cooling effect greatly reduce discolouration
- ▶ Firm fibre backing



Grit type: Ceramic aluminium oxide  
 Grit range: 36-120  
 Backing: Fibre  
 Coating: Closed  
 Bonding: Resin over resin  
 Special coating: Cooling top coat

### Applications

- Weld preparation
- Removing discolouration
- Sanding down
- Surface finishing
- Smoothing and blending of flaws
- Deburring

### Materials

Unalloyed / low-alloy steel; High alloyed steel

### Technology

X-LOCK



**Back to Data Sheets**  
By sia Abrasives



**BOSCH**




Grinding

Sanding

Polishing

Products ▶



# 4570 siabite X

the fibre disc for the coolest grinding with new and unique X-Technology



Thanks to innovative X-Technology, 4570 siabite fibre discs bring you considerably cooler grinding with a long service life and a consistent cutting performance on stainless steel and mild steel. With new and unique X-Technology, an active cooling aid is applied directly to the top level, which enhances cooling and minimises discolouration.

- ▶ Cool cut
- ▶ Uniform cutting performance
- ▶ Long lifetime
- ▶ Fine surface finish



Grit type: Ceramic aluminium oxide  
 Grit range: 36; 60-80; 120  
 Backing: Fibre  
 Coating: Electrostatic  
 Bonding: Resin over resin  
 Special coating: Cooling top coat

### Applications

- Weld removal
- Removal of scale and mill scale
- Blending flaws
- Removing discolouration

### Materials

Unalloyed / low-alloy steel; High alloyed steel; Aluminium

### Technology

X-Technology



**Back to Data Sheets**  
By sia Abrasives



**BOSCH**




Grinding

Sanding

Polishing

Products ▶




# 4581 siaramic

the ceramic fibre disc for maximum performance on steel



The coarser grits of the 4581 siaramic series are developed for an extraordinarily high stock removal speed on unalloyed/low-alloyed steels. The long lifetime of the disc is an additional benefit of the shaped siaramic grain. Additionally, the ceramic fibre disc distinguishes through a consistent cut in finer grits on unalloyed/low-alloyed steels what results in a superb surface quality.

- ▶ High removal rate thanks to ceramic grit
- ▶ Aggressive initial sanding thanks to optimised sanding grain
- ▶ Fast and rugged stock removal with regular surface quality
- ▶ Long lifetime
- ▶ Uniform cutting performance
- ▶ Increased efficiency due to measurable time-saving
- ▶ Minimal effort required thanks to highly aggressive abrasive grit



Grit type:	Ceramic aluminium oxide
Grit range:	36; 60-80
Backing:	Fibre
Coating:	Electrostatic
Bonding:	Resin over resin
Coating:	1-sided

### Applications


- Welded seam preparation
- Weld removal
- Removal of scale and mill scale
- Deburring
- Blending flaws
- Removing discolouration

### Materials

Unalloyed / low-alloy steel; Stainless steel (INOX)

### Technology

Moulded grit; X-LOCK; siaramic



**Back to Data Sheets**  
By sia Abrasives



**BOSCH**




Grinding

Sanding

Polishing

Products ▶



# 4582 siaramic

The ceramic fibre disc for maximum performance on stainless steel and steel



The coarser grits of the 4582 siaramic series are developed for an extraordinarily high stock removal speed on stainless steel (thanks to the cooling aid) as well as unalloyed/low-alloyed steels. The long lifetime of the disc is an additional benefit of the shaped siaramic grain. Additionally, the ceramic fibre disc distinguishes through a consistent cut in finer grits on stainless steel as well as unalloyed/low-alloyed steels what results in a superb surface quality.

- ▶ High removal rate thanks to ceramic grit
- ▶ Aggressive initial sanding thanks to optimised sanding grain
- ▶ Fast and rugged stock removal with regular surface quality
- ▶ Long lifetime
- ▶ Uniform cutting performance
- ▶ Increased efficiency due to measurable time-saving
- ▶ Minimal effort required thanks to highly aggressive abrasive grit



Grit type:	Ceramic aluminium oxide
Grit range:	36; 60-80; 120
Backing:	Fibre
Coating:	Electrostatic
Bonding:	Resin over resin
Special coating:	Cooling top coat
Coating:	1-sided

### Applications


- Welded seam preparation
- Weld removal
- Removal of scale and mill scale
- Deburring
- Blending flaws
- Removing discolouration

### Materials

Stainless steel (INOX); Unalloyed / low-alloy steel; Aluminium

### Technology

Moulded grit; X-LOCK; siaramic



**Back to Data Sheets**  
By sia Abrasives



**BOSCH**




Grinding

Sanding

Polishing

Products ▶



# 4815 siacut

the fibre disc for aggressive sanding of high-alloy steels



As specialist products for high-alloy steels, 4815 siacut fibre discs are suitable for a variety of applications: from general dressing work, deburring and edge chamfering through to the surface treatment of bronze ship propellers. Active cooling ingredients keep discolouration to a minimum.

- ▶ Aggressive cut
- ▶ Firm fibre backing
- ▶ Active additives with a cooling effect greatly reduce discolouration



Grit type: Zirconia alumina  
 Grit range: 36; 60-80; 120  
 Backing: Fibre  
 Coating: Closed  
 Bonding: Resin over resin  
 Special coating: Cooling top coat

### Applications

- Weld preparation
- Removing discolouration
- Sanding down
- Surface finishing
- Deburring
- Smoothing and blending of flaws

### Materials

High alloyed steel; Non-ferrous metal



**Back to Data Sheets**  
By sia Abrasives



**BOSCH**






Grinding

Sanding

Polishing

Products ▶



# 4819 siaron 8

the specialist abrasive for unalloyed steels and non-ferrous metals



Specially designed for applications involving steel and non-ferrous metals, 4819 siaron 8 fibre discs achieve, among other things, high stock removal rates and have a long life.

- ▶ High performance for stock removal
- ▶ Long lifetime
- ▶ Versatile



Grit type: Zirconia alumina  
 Grit range: 24; 36; 60-80;120  
 Backing: Fibre  
 Coating: Closed  
 Bonding: Resin over resin  
 Special coating: Cooling top coat

### Applications

- Removal of rust
- Weld preparation
- Removing discolouration
- Sanding down
- Surface finishing
- Deburring
- Smoothing and blending of flaws

### Materials

Unalloyed / low-alloy steel; Non-ferrous metal



**Back to Data Sheets**  
By sia Abrasives



**BOSCH**




Grinding

Sanding

Polishing

Products ▶




# 4961 sialoX

the all-rounder for highly effective material removal



The 4961 sialoX fibre disc series with its excellent price/performance ratio is suitable for all unalloyed steels, low-alloy steels and non-ferrous metals.

- ▶ A versatile all-round product
- ▶ Excellent price/performance ratio



Grit type: Aluminium oxide  
 Grit range: 16; 24; 36; 60-80; 120  
 Backing: Fibre  
 Coating: Closed  
 Bonding: Resin over resin  
 Special coating: Cooling top coat

### Applications

- Removal of rust
- Weld preparation
- Removing discolouration
- Sanding down
- Surface finishing
- Deburring
- Smoothing and blending of flaws

### Materials

Unalloyed / low-alloy steel; Non-ferrous metal



**Back to Data Sheets**  
By sia Abrasives



**BOSCH**






Grinding

Sanding

Polishing

Products ▶



# 6120 siafleece

for even surface finishes in manual and portable machine sanding



6120 siafleece can be used for dry and wet sanding and impresses due to its high conformability, consistent performance over the entire lifetime, low tendency to clog, and consistently high surface quality.

- ▶ Highly flexible and adaptable to contours
- ▶ For manual or portable machine sanding
- ▶ Low clogging
- ▶ Suitable for general use in dry and wet sanding applications



Grit type: Aluminium oxide  
Silicon carbide

Grade: - coarse; coarse A  
- extra cut A; extra cut S  
- general purpose  
- medium A; medium S  
- fine; Very fine; Very fine A; Very fine A XS  
- Ultra fine; ultra fine speed; ultra fine S SX  
- cleaning

Backing: Nonwoven

Coating: Mechanical

Bonding: Resin over resin

### Applications

- Removal of rust
- Removing discolouration
- Structuring/finishing

### Materials

Unalloyed / low-alloy steel; Non-ferrous metal; High alloyed steel

### Technology

siafast



**Back to Data Sheets**  
By sia Abrasives





Grinding

Sanding

Polishing

Products ▶



# 6120 siamop

for even surface finishes in portable machine sanding



6120 siamop Nonwoven and Interleaved impress due to its high conformability, consistent performance over the entire lifetime, low tendency to clog, and consistently high surface quality.

- ▶ Highly flexible and adaptable to contours
- ▶ For manual or portable machine sanding
- ▶ Low clogging
- ▶ Suitable for general use in dry and wet sanding applications



Grit type: Aluminium oxide  
 Grade: - coarse; coarse A  
 - medium; medium A; medium S  
 - fine; Very fine; Very fine A

Backing: Nonwoven, x-wt cloth  
 Coating: Mechanical  
 Bonding: Resin over resin

### Applications

- Removal of rust
- Removing discolouration
- Structuring / finishing

### Materials

Unalloyed / low-alloy steel; Non-ferrous metal; High alloyed steel



**Back to Data Sheets**  
By sia Abrasives



**BOSCH**





Grinding

Sanding

Polishing

Products ▶




# 6270 siamet SCM LS

longer lasting, faster finishing



The new 6270 SCM range with high-performance blue fired aluminium oxide grain and improved low stretch scrim helps deliver longer lifetime and faster working in both discs and belts.

- ▶ Excellent and consistent finish over a long period of time
- ▶ Suitable for general use in dry and wet sanding applications
- ▶ Low-stretch belt
- ▶ More durable so more resistant on edges
- ▶ Considerably more resistant to smearing than existing products; especially at the edge of the disc when working at tight angles



Grit type: Aluminium oxide / blue-fired  
 Grade: - coarse; coarse A  
           - medium; medium A  
           - fine; fine A; Very fine A

Backing: Nonwoven  
 Coating: Mechanical  
 Bonding: Resin over resin

### Applications

- Deburring
- Removing rust and paint
- Removing discolouration
- Surface finishing
- Finishing to prepare for coating and electroplating

### Materials

Unalloyed / low-alloy steel; High alloyed steel; Non-ferrous metal; Aluminium



**Back to Data Sheets**  
By sia Abrasives



**BOSCH**




Grinding

Sanding

Polishing

Products ▶




# 6300 siastrip

the specialist abrasive for the removal of paint and rust



6300 siastrip for unalloyed and low-alloyed steel leaves nothing to be desired in terms of removal rates and product life, and also has the advantage of low clogging.

- ▶ Low clogging
- ▶ Excellent performance and lifetime



Grit type: Silicon carbide  
 Grade: extra coarse  
 Backing: Nonwoven  
 Coating: Mechanical  
 Bonding: Resin over resin

### Applications

- Removing rust and paint
- Cleaning after primer filling

### Materials

Unalloyed / low-alloy steel

### Technology

X-LOCK



**Back to Data Sheets**  
By sia Abrasives



**BOSCH**




Grinding

Sanding

Polishing

Products ▶



# 6711 siafleece flex

maximum flexibility for ideal finishing results



6711 siafleece flex was designed especially for keying hard-to-reach areas. It is extremely flexible and showcases what it can do in the scuffing of new components, factory primers and varnishes prior to the final coating, for example.

- ▶ Highly flexible and adaptable to contours
- ▶ Consistent sanding pattern due to improved grain consistency
- ▶ Long lifetime
- ▶ Can be used wet or dry
- ▶ Low clogging
- ▶ Minimised grit break-out



Grit type:	Aluminium oxide	Very fine	maroon-brown
	Silicon carbide	Ultra fine	grey
Grade:	Very fine; Ultra fine		
Backing:	Nonwoven		
Coating:	Mechanical		
Bonding:	Resin over resin		

### Applications

- Scuffing new components and factory primers
- Scuffing in hard-to-reach areas
- Matt finishing of varnishes prior to final coating

### Materials

Colour; Paints; Old lacquer; Primer coat; Plastics; Aluminium



**Back to Data Sheets**  
By sia Abrasives



**BOSCH**




Grinding

Sanding

Polishing

Products ▶



# 6924 siamet hd

high-performance discs for surface finishing of metals



The high-performance discs in the 6924 siamet hd series offer an exceptional removal rate on hard materials and also impress with their exceptionally long lifetime. An excellent, even finish is yet another advantage.

- ▶ Major time-saving thanks to highest aggressiveness and highest stock removal rates
- ▶ Excellent performance on hard materials
- ▶ More durable so more resistant on edges
- ▶ Considerably more resistant to smearing than existing products; especially at the edge of the disc when working at tight angles
- ▶ Excellent and consistent finish over a long period of time



Grit type:	Aluminium oxide
Grade:	extra coarse; coarse; medium
Backing:	Nonwoven
Coating:	Mechanical
Bonding:	Resin over resin

### Applications

- Smoothing and blending of flaws
- Sanding down
- Light deburring
- Removing polishing scratches
- Removing discolouration
- Removal of paint
- Removal of rust

### Materials

Unalloyed / low-alloy steel; High alloyed steel; Stainless steel (INOX); Ferrous metal; Non-ferrous metal; Stainless steel (INOX); Steel



**Back to Data Sheets**  
By sia Abrasives



**BOSCH**





Grinding

Sanding

Polishing

Products ▶



# 7240 siacarat

for finishing scratch-resistant surfaces



Thanks to the coating of the abrasive with diamond abrasive minerals, combined with the pressure-damping foam backing, 7240 siacarat is the ideal solution for wet sanding of hard materials such as lacquers, composites and mineral materials.

- ▶ Very high abrasive performance with good finish
- ▶ Low clogging thanks to damp sanding
- ▶ Lasts up to 40 times longer than conventional abrasives
- ▶ Highly adaptable to contours, curves and profiles
- ▶ Pressure-equalising foam gives perfect surface finish
- ▶ Waterproof and washable
- ▶ Resistant to silicon remover



Grit type:	Diamond
Grit range:	500; 1000; 2000; 3000
Backing:	Knitted fabric with foam backing
Coating:	Special process
Bonding:	Resin over resin

### Applications

- Matt finishing of scratch-resistant coating systems as well as composite materials
- Producing a matt finish for blending
- Preparation for polishing on high-gloss surfaces

### Materials

Scratch resistant coatings; Composite; Acrylic glass; Plastics

### Technology

siafast



**Back to Data Sheets**  
By sia Abrasives






Grinding

Sanding

Polishing

Products ▶



# 7241 siacarbon

the harder, the more efficient



7241 siacarbon is ideal for wet and dry machine sanding of hard surfaces: For unique results when keying scratch-resistant coatings, composite materials, new parts, factory primers and aluminium with a minimum of abrasives consumption.

- ▶ Excellent performance on hard materials
- ▶ Extremely long lifetime thanks to state-of-the-art diamond technology
- ▶ Full-surface dust extraction
- ▶ No dependence on hole system
- ▶ Minimal risk of sanding through on edges
- ▶ Increased efficiency due to measurable time-saving
- ▶ Consistent removal rates



Grit type: Diamond  
 Grit range: 180; 240; 320; 500  
 Backing: Cloth  
 Coating: Special process  
 Bonding: Resin over resin

### Applications

- Keying of scratch-resistant coating systems as well as composite materials
- Keying new components and factory primers
- Keying aluminium

### Materials

Cathodic dip primer coat; Epoxy primer coat; Scratch resistant coatings; Aluminium; Plastics; Gelcoat polyester

### Technology

siafast



**Back to Data Sheets**  
By sia Abrasives



**BOSCH**




Grinding

Sanding

Polishing

Products ▶



# 7500 sianet

the powerful net-backed abrasive with ceramic grit



The special net structure of 7500 sianet CER enables dust-free sanding with the highest abrasive performance. The ceramic abrasive grain provides the highest removal rate and longest lifetime.

- ▶ Full-surface dust extraction
- ▶ No dependence on hole system
- ▶ High removal rate without clogging
- ▶ High tear resistance, thanks to sturdy net backing
- ▶ High-performance product with ceramic aluminium oxide



Grit type:	Ceramic aluminium oxide
Grit range:	80-240; 320; 400
Backing:	Knitted fabric
Coating:	Electrostatic
Bonding:	Resin over resin

### Applications

- Sanding off old varnish, paints and stains
- Sanding off raised wooden fibres and floorboards
- Sanding wooden terraces and pool surrounds
- Sanding off brittle or poorly adhesive paints
- Keying surfaces for better paint adhesion
- Sanding out uneven areas, scratches and marks
- Fine sanding of surfaces

### Materials

Acrylic lacquer; Old lacquer; Primer filler; Plaster; Priming foil; Dry wall lining boards; Hardwood; HDF board; Melamine sheet; Solid surface material; NC lacquer; PU lacquer; Polyester lacquer; UV lacquer; Water-based varnish; MDF board



### Technology

siafast; sianet



**Back to Data Sheets**  
By sia Abrasives



**BOSCH**







Grinding

Sanding

Polishing

Products ▶



# 7900 sianet

the powerful net-backed abrasive



The special net structure of 7900 sianet enables dust-free sanding with the highest abrasive performance.

- ▶ Best dust extraction rates
- ▶ High performance for stock removal
- ▶ Minimal clogging
- ▶ Long lifetime
- ▶ No dependence on hole system
- ▶ High tear resistance, thanks to sturdy net backing



Grit type: Blue-fired/white aluminium oxide  
 Grit range: 80-240; 320; 400  
 Backing: Knitted fabric  
 Coating: Electrostatic  
 Bonding: Resin over resin

### Applications

- Sanding off coatings and impurities
- Sanding out unevenness at the edges of repaired surfaces
- Flattening bodyfiller and primer filler
- Fine sanding primer filler

### Materials

Colour; Primer filler; Putty; Paints; Old lacquer; Primer coat; Epoxy primer coat; Cathodic dip primer coat; Plastics; Acrylic glass; Gelcoat polyester; Glass-fibre reinforced plastic (GRP); Composite; Aluminium; Steel



### Technology

siafast; sianet



**Back to Data Sheets**  
By sia Abrasives






Grinding

Sanding

Polishing

Products ▶



# 7940 siaair

a perfect finish for varnishes and mineral materials



Whether it's scuffing, fine sanding or preparation for polishing – the improved technology of 7940 siaair is the key to a perfect finish in damp sanding applications.

- ▶ High stock removal rates and excellent finish
- ▶ Low clogging in damp sanding applications
- ▶ Highly adaptable to contours, curves and profiles
- ▶ Pressure-equalising foam gives perfect surface finish
- ▶ Waterproof and washable
- ▶ Resistant to silicon remover



Grit type: Aluminium oxide  
 Grit range: 240; 360; 500-1000;  
 1500-2000; 3000-4000  
 Backing: Knitted fabric with foam backing  
 Coating: Special process  
 Bonding: Resin over resin

### Applications

- Matt finishing of conventional old and new varnishes as well as composite materials
- Fine sanding primer filler in hard-to-reach areas
- Preparation for polishing on high-gloss surfaces

### Materials

Colour; Paints; Old lacquer; Gelcoat polyester; Plastics; Acrylic glass; Composite

### Technology

siafast



Back to Data Sheets  
By sia Abrasives



BOSCH




Grinding

Sanding

Polishing

Products ▶



# 7979 siasponge flat

For dry and wet sanding in hard-to-reach areas



Applications such as keying, fine sanding and scuffing are especially easy to do using 7979 siasponge soft. Its high flexibility ensures that it adapts perfectly to contours, curves and profiles to deliver a high-quality, consistent sanding pattern.

- ▶ Can be used wet or dry
- ▶ Colour coded for easy identification
- ▶ Low clogging thanks to 3D properties imparted by foam, binder system and grit
- ▶ For hard-to-reach areas and round profiles
- ▶ Regular scratch depth due to consistent grinding performance
- ▶ Minimal risk of sanding through from high contact pressure



Grit type:	Aluminium oxide
Grit range:	60; 120; 220; 280-320
Grade:	medium; fine; super fine; Ultra fine; micro fine
Backing:	Foam (open structure)
Coating:	Mechanical
Bonding:	Elastic binder
Coating:	1-sided

### Applications

- Keying of wood and plastics
- Keying conventional old and new varnishes, primer filler and paints
- Fine sanding primer filler in hard-to-reach areas
- Producing a matt finish on varnishes
- Flattening primer filler
- Intermediate sanding of varnishes

### Materials

Colour; Primer filler; Primer coat; Plastics; Old lacquer; Composite



Back to Data Sheets  
By sia Abrasives



**BOSCH**




Grinding

Sanding

Polishing

Products ▶



# 7983 siasponge flex


adapts perfectly to the work piece



Be it curves, shapes or contours – an even and perfect sanding pattern can be achieved with 7983 siasponge flex. The extra-soft foam of siasponge flex ensures maximum conformability.



- ▶ Can be used wet or dry
- ▶ Colour coded for easy identification
- ▶ Low clogging thanks to 3D properties imparted by foam, binder system and grit
- ▶ For hard-to-reach areas and round profiles
- ▶ Consistent surface finishes even on curved work pieces
- ▶ Regular scratch depth due to consistent grinding performance
- ▶ Minimal risk of sanding through from high contact pressure



Grit type:	Aluminium oxide
Grit range:	60; 100; 180-220; 280
Grade:	medium; fine; super fine; Ultra fine
Backing:	PU foam (soft)
Coating:	Mechanical
Bonding:	Elastic binder
Coating:	2-page

### Applications

- Keying of wood and plastics
- Keying conventional old and new varnishes, primer filler and paints
- Fine sanding primer filler in hard-to-reach areas
- Producing a matt finish on varnishes
- Flattening bodyfiller and primer filler
- Intermediate sanding of varnishes

### Materials

Colour; Primer filler; Primer coat; Plastics; Old lacquer; Composite



**Back to Data Sheets**  
By sia Abrasives






Grinding

Sanding

Polishing

Products ▶



# 7990 siasponge block hard

the foam block for quick use



Surfaces can be treated quickly and easily with the 7990 siasponge block. This handy sanding block is ready to use at any time and achieves excellent results on wood, plastics, paints, lacquers and also on composites due to its high edge stability.

- ▶ Colour coded for easy identification
- ▶ Low clogging
- ▶ Can be used wet or dry
- ▶ Coated on all four sides, ideal for use inside rebates and on flat surfaces



Grit type:	Aluminium oxide
Grit range:	36; 60; 100; 180
Grade:	coarse; medium; fine; super fine
Backing:	PU foam (hard)
Coating:	Mechanical
Bonding:	Elastic binder
Coating:	4-page

### Applications

- Sanding off old varnish, paints and stains
- Sanding off raised wooden fibres
- Fine sanding of surfaces
- Sanding off rusted parts
- Sanding off old paint and varnish
- Keying surfaces for better paint adhesion
- Flattening uneven areas
- Keying or sanding surfaces
- Keying smoothed surfaces



### Materials

Old paint; Old lacquer; Primer filler; Melamine sheet; NC lacquer; PU lacquer; Putty; Polyester lacquer; UV lacquer; Water-based varnish; Plastics; Solid surface material; Hardwood; Softwood; Plaster; Dry wall lining boards



**Back to Data Sheets**  
By sia Abrasives



**BOSCH**






Grinding

Sanding

Polishing

Products ▶



# 8913 siacut

the professional abrasive for higher cutting power



The hard cutting discs of the 8913 siacut series never fail to impress, with a high cutting power, low level of heat, discolouration and reduced burring.

- ▶ Easy handling
- ▶ High cutting speed
- ▶ Long product life
- ▶ Comfortable to use with little contact pressure



Grit type: Aluminium oxide  
 Specification: A 30 S-BF41, A 60 R-BF41, A 60 S-BF41, AS 46T BF41, AS 60T INOX BF, CS 60 BF41  
 Bonding: Resin over resin  
 Glass fibre

### Applications

- Cutting of pipes and profiles
- Cutting of sheets
- Cutting of flat bars
- Cutting of solid materials and bars

### Materials

Stainless steel (INOX); Steel

### Technology

X-LOCK



**Back to Data Sheets**  
By sia Abrasives



**BOSCH**




Grinding

Sanding

Polishing

Products ▶



# 8933 siagrind

highly efficient, hard grinding discs for iron and steel



The hard grinding discs of the special 8933 siagrind series excel in a variety of metal applications and make for robust and efficient tools thanks to features such as high removal rates at low surface pressure and long life.

- ▶ Aggressive cut
- ▶ High performance for stock removal
- ▶ Long lifetime
- ▶ Comfortable to use with little contact pressure



Grit type: Aluminium oxide  
 Specification: A 20/24 P-BF27, A 30 T BF  
 Bonding: Resin over resin  
 Glass fibre

### Applications

- Welded seam preparation
- Removal of fillet welds
- Removing solid material
- Deburring

### Materials

Steel; Unalloyed / low-alloy steel; Ferrous metal

### Technology

X-LOCK



**Back to Data Sheets**  
By sia Abrasives



**BOSCH**





Grinding

Sanding

Polishing

Products ▶



# 9089 siaklett





### Applications

- Conversion kit for machines without hook and loop system

### Technology

- siafast

- ▶ Self-adhesive conversion kit for easy attachment to the tool
- ▶ Conversion allows the use of all siafast products
- ▶ Lossless energy transfer from the tool to the work piece



**Back to Data Sheets**  
By sia Abrasives



**BOSCH**




Grinding

Sanding

Polishing

Products ▶




# 9215 Flat Pad

adapts perfectly to the work piece



With 9215 Flat Pad, work such as sanding, fine sanding, matting and preparation for polishing is particularly easy. High flexibility for optimal adaptation to contours, curves and profiles - and thus enables high-quality, uniform sanding pattern.

- ▶ Can be used wet or dry
- ▶ Colour coded for easy identification
- ▶ Low clogging thanks to 3D properties imparted by foam, binder system and grit
- ▶ For hard-to-reach areas and round profiles
- ▶ Consistent surface finishes even on curved work pieces
- ▶ Regular scratch depth due to consistent sanding performance
- ▶ Minimal risk of sanding through from high contact pressure



Grit type:	Aluminium oxide
Grade:	medium; fine; super fine; micro fine
Backing:	Foam (open structure)
Coating:	Mechanical
Bonding:	Elastic binder
Coating:	1-sided

### Applications

- Keying of wood and plastics
- Keying conventional old and new varnishes, primer filler and paints
- Fine sanding primer filler in hard-to-reach areas
- Producing a matt finish on varnishes
- Flattening bodyfiller and primer filler
- Intermediate sanding of varnishes

### Materials

Colour; Primer filler; Primer coat; Plastics; Old lacquer; Composite



**Back to Data Sheets**  
By sia Abrasives





Grinding

Sanding

Polishing

Products ▶



# siachrome

the polishing system, fast, simple, brilliant



With the siachrome polishing system, sia Abrasives offers an efficient range of products that can be used to reliably carry out all stages of top coat preparation.

- ▶ Efficient and process-reliable polishing due to colour concept
- ▶ Excellent for use on standard and ceramic paints
- ▶ Suitable for soft or hard lacquers
- ▶ Usable on all polishable surfaces
- ▶ Silicone and solvent free, water-based
- ▶ Can be used without coolant
- ▶ No discolouration of plastic parts



### Applications

- Removal of polishing scratches
- Removal of sanding defects from hard lacquers
- Removal of holograms



**Back to Data Sheets**  
By sia Abrasives






Grinding

Sanding

Polishing



siaramic

for you. the PRO.

100 200 300 400


siapro – for automotive body painters




1958 siapro



XLOCK



X-Technology



S-Performance



sianet



Perfect Finish Solutions  
By sia Abrasives




# Siaramic Technology

Why it makes a big difference...




## Conventional, crushed ceramic grain



Conventional (crushed) grain is irregular and blocky in shape, resulting in a “ploughing” action and generates unwanted heat when grinding.

## siaramic technology, shaped ceramic grain




The optimal triangular shape of the siaramic technology grain enables a clean cutting action, delivering high stock removal and a cooler grinding temperature, which increases the disc lifetime, all of this offers an optimal grinding experience.



# 1958 siapro

for you. the PRO.



siapro – for automotive body painters

Paint stripping

Featheredge

Shaping bodyfiller

Refining

Block sanding primer

Refining

Final primer sanding

Refining



1



2



3



4



100

200

100

200

200

300

300

400



# X-LOCK




The ultimate changing system for grinders



8933 siagrind



8913 siacut



# XLOCK



2824 siaflap



6300 siastrip



6270 siamet SCM LS | 6924 siamet hd


# X-Technology

## Makes all the difference



Active cooling aid is applied directly to the top level

Enhances cooling and minimises discolouration



- On conventional abrasives the space between the grain is filled with top size which leads to less usable grain and therefore reduced lifetime of the disc.
- Additionally the cooling aid is mixed in the top size which restricts the effectiveness of the chemicals.

- X-Technology uses only one size coat, therefore providing more usable grain and maximising lifetime.
- The X-Technology cooling aid is strewed directly on the top of the grain which enhances cooling efficiency leading to minimal discoloration.
- The free-standing grain fractures more easily offering a fast and consistent grinding experience.

cooler grinding with a long service life and a consistent cutting performance on stainless steel and mild steel



# S Performance

## The next multi-hole generation



### **Strong performance**


*High removal rate and long lifetime through less clogging*

Optimal combination of holes (to extract dust) and sanding surface (to sand).

### **Safe and clean working environment**

*Minimum dust in the air through optimised dust extraction*

Long holes with an **airflow effect**



### **Simple and easy storage and handling**


*Easy storage through centre hole and simple handling through long holes*

Centre hole to hang the disc up on the work station.


Broad coverage with long holes allows easy positioning on the backing pad.

# 7900 sianet

## The powerful net-backed abrasive



# Abrasive solutions for true specialists



**sia House**  
simple, easy and efficient





# Grinding

## System solution Window renovation

1



### 1 Preparatory steps



- Cover all parts that you are not renovating
- Apply a light layer of bodyfiller to cracks and holes

### 2 Sanding off



- Fully sand off any brittle/peeling paint
- Key the whole window frame

#### Manual sanding P80/P120 Sanding off P180 Keying

- ★★★★★ 7900 sianet
- ★★★★☆ 1960 siarexx
- ★★★☆☆ 1902 siacraft

#### Machine sanding P80/P120 Sanding off P180 Keying

- ★★★★★ 7900 sianet
- ★★★★☆ 1960 siarexx
- ★★★☆☆ 1944 siaone

### 5 Second coat



- Clean the surface thoroughly
- Apply a second coat according to the paint manufacturer's specifications

#### Expert tip:

Use a siasponge Combination Block for precise intermediate sanding.



7990 siasponge

#### Expert tip:

Use sialleece for soft and efficient intermediate sanding.



6120 sialleece

# Sanding



### 3 Priming



- Thoroughly clean the window
- Apply a first coat according to the paint manufacturer's specifications

### 4 Intermediate sanding



- Sand off wood fibres resulting from moisture in the paint

#### Manual sanding P240

- ★★★★★ 7900 sianet
- ★★★★☆ 1960 siarexx
- ★★★☆☆ 1902 siacraft

#### Machine sanding P240

- ★★★★★ 7900 sianet
- ★★★★☆ 1960 siarexx
- ★★★☆☆ 1944 siaone

## Window with a perfect surface finish



# Polishing



### Best

Top performance, surface quality and durability



#### 7900 sianet - Net-backed abrasive

Art. no.	Grit
5869.5710.0080	80
5869.5710.0120	120
5869.5710.0180	180
5869.5710.0240	240



### Better

High performance and surface quality



#### 1960 siarexx (multi-hole)

Art. no.	Grit
7375.1406.0080	80
7375.1406.0120	120
7375.1406.0180	180
7375.1406.0240	240



### Good

Proven performance and surface quality



#### 1944 siaone (9-hole)

Art. no.	Grit
4569.9165.0080	80
4569.9165.0120	120
4569.9165.0180	180
4569.9165.0240	240



#### 7900 sianet - Net-backed abrasive

Art. no.	Grit
0998.5363.0080	80
0998.5363.0120	120
0998.5363.0180	180
0998.5363.0240	240



#### 1960 siarexx

Art. no.	Grit
6318.5062.0080	80
6318.5062.0120	120
6318.5062.0180	180
6318.5062.0240	240



#### 7900 sianet - Net-backed abrasive

Art. no.	Grit
1635.2907.0080	80
1635.2907.0120	120
1635.2907.0180	180
1635.2907.0240	240



#### 1960 siarexx

Art. no.	Grit
4097.5762.0080	80
4097.5762.0120	120
4097.5762.0180	180
4097.5762.0240	240



#### 6120 sialleece

Art. no.	Grit
4132.9840.6921 (152 x 29 mm)	very fine
7338.6815.6921 (Ø 125 mm)	fine



#### 7990 siasponge

Art. no.	Grit
0070.1255	medium
0070.1230	fine





# Grinding

## System solution Newly laid parquet floor

2



### 1 Basic sanding



#### Machine sanding P40/P60

★★★★★ 2812 siaral  
★★★★☆ 2920 siawood

- Flatten all rough patches
- Work along the grain
- Resand along the wall using the manual machine

### 2 Pre-sanding



- Fill any cracks and wood faults
- When dry, sand again across the grain

### 4 First coat of oil/varnish



- Clean the surface thoroughly
- Apply oil or varnish according to the manufacturer's instructions
- Important: Apply oil evenly

### 5 Intermediate sanding



#### Machine sanding very fine

★★★★★ 6120 siafleece

- Depending on the varnish and wear, prepare for an optional second coat
- Observe the drying time according to the oil paint manufacturer's instructions
- Sand off any protruding wood fibres with fleece

### 6 Second coat of oil/varnish



- Use slightly less oil / varnish than the 1st coat
- Oil: Rub off any remaining oil with a cloth after 5 minutes

### Expert tip:

For a perfect finish, place a delta triangle (P220) on (very fine) fleece.



1960 siarexx



# Sanding



#### Availability of parquet products

- Sales via sia Abrasives specialist retailers in the following countries: Australia, China, Italy, the Netherlands, Switzerland and Singapore
- For sales via Bona specialist retailers, visit: [www.bona.com](http://www.bona.com)



#### Machine sanding P80/P100

★★★★★ 2812 siaral  
★★★★☆ 2920 siawood

### 3 Fine sanding



#### Machine sanding P120

★★★★★ 1749 siaral

- Finely sand the whole area
- Resand along the wall using the manual machine

### Parquet floor with a perfect surface finish



Before

After

# Polishing



#### Availability of parquet products

- Sales via sia Abrasives specialist retailers in the following countries: Australia, China, Italy, the Netherlands, Switzerland and Singapore
- For sales via Bona specialist retailers, visit: [www.bona.com](http://www.bona.com)

### Best

Top performance, surface quality and durability

★★★★★

#### 1749 siaral

Art. no. Gritt  
2690.6226.0120.01 120



#### 1749 siaral

Art. no. Gritt  
3587.8581.0040.01 40  
3587.8581.0060.01 60  
3587.8581.0080.01 80  
3587.8581.0100.01 100  
3587.8581.0120.01 120



#### 1749 siaral

Art. no. Gritt  
2981.4558.0040.01 40  
2981.4558.0060.01 60  
2981.4558.0080.01 80  
2981.4558.0100.01 100  
2981.4558.0120.01 120



### Better

High performance and surface quality

★★★★☆

#### 1919 siawood

Art. no. Gritt  
7756.0796.0040 40  
7756.0796.0060 60  
7756.0796.0080 80  
7756.0796.0100 100  
7756.0796.0120 120



#### 2812 siaral

Art. no. Gritt  
7271.6954.0040 40  
7271.6954.0060 60  
1173.7707.0080 80  
8785.5450.0100 100



#### 2920 siawood

Art. no. Gritt  
9598.5525.0040 40  
9598.5525.0060 60  
3500.5811.0080 80  
1144.5673.0100 100



#### 1960 siarexx

Art. no. Gritt  
6318.5062.0320 320



#### 6120 siafleece

Art. no. Gritt  
0049.0168.6932 very fine



Back to sia House  
By sia Abrasives



BOSCH



# Grinding

# Sanding

# Polishing

System solution  
**Visible concrete**

3

### 1 Preparatory steps



- Cover the floor and surroundings
- Sand down any concrete seams until flush, using grinding discs or a diamond grinding disc

### 2 Sanding off



- Key the surface to remove any traces of parting agents

#### Machine sanding P100

- ★★★★★ 7900 sianet
- ★★★★☆ 1749 siaral

### 3 Extra fine



- For an extra fine surface, sand with fleece

#### Fine sanding medium


- ★★★★★ 6120 siafleece

### 4 Impregnation (optional)



- To provide protection against stains (e.g. coffee or grease), the concrete can also be impregnated

### Visible concrete with a perfect surface finish



Before

After



#### Best

Top performance, surface quality and durability



#### 7900 sianet – Net-backed abrasive

Art. no. 8023.0581.0100    Grit 100



#### Better

High performance and surface quality



#### 1749 siaral

Art. no. 7635.2076.0100.01    Grit 100



#### Good

Proven performance and surface quality



#### 7900 sianet – Net-backed abrasive

Art. no. 6397.0967.0100    Grit 100



#### 1749 siaral

Art. no. 2981.4558.0100.05    Grit 100



#### 6120 siafleece

Art. no. 7866.2539.4721    Grit medium



### Expert tip:

If you plan to paint the surface, the concrete surface must be keyed to enable better adhesion. Alternatively, pretreat the surface with an etch primer.



**Back to sia House**  
By sia Abrasives



**BOSCH**





# Grinding

## System solution Smoothing and painting wooden surfaces with bodyfiller

4

### 1 Preparatory steps



- Cover all parts that you are not renovating
- Apply a light layer of bodyfiller to cracks and holes

### 5 Second coat



- Clean the surface thoroughly
- Apply a second coat according to the paint manufacturer's specifications

### Expert tip:

Use a fleece for quick, soft intermediate sanding of surfaces and edges.



6120 sialfleece



### 2 Basic sanding



- Flatten any significant uneven and filled sections
- Then finely sand the whole surface

#### Manual sanding P120/P180



- ★★★★★ 7900 sianet
- ★★★★★ 1960 siarexx
- ★★★★★ 1902 siacraft

#### Machine sanding P120/P180



- ★★★★★ 7900 sianet
- ★★★★★ 1960 siarexx
- ★★★★★ 1944 siaone

### 3 First coat



- Clean the surface thoroughly
- Apply a first coat according to the paint manufacturer's specifications

### 4 Intermediate sanding



- Sand off wood fibres resulting from moisture in the paint

#### Manual sanding P240



- ★★★★★ 7900 sianet
- ★★★★★ 1960 siarexx
- ★★★★★ 1902 siacraft

#### Machine sanding P240



- ★★★★★ 7900 sianet
- ★★★★★ 1960 siarexx
- ★★★★★ 1944 siaone

## Wooden substrate with a perfect surface finish



Before



After

# Sanding

# Polishing



### Best

Top performance, surface quality and durability



#### 7900 sianet – Net-backed abrasive

Art. no.	Grit
6397.0967.0120	120
6397.0967.0180	180
6397.0967.0240	240



#### 7900 sianet – Net-backed abrasive

Art. no.	Grit
5869.5710.0120	120
5869.5710.0180	180
5869.5710.0240	240



#### 7900 sianet – Net-backed abrasive

Art. no.	Grit
0998.5363.0120	120
0998.5363.0180	180
0998.5363.0240	240



#### 7900 sianet – Net-backed abrasive

Art. no.	Grit
1635.2907.0120	120
1635.2907.0180	180
1635.2907.0240	240



#### 6120 sialfleece

Art. no.	Grit
4132.9840.6921 (152 x 229 mm)	very fine
7866.2539.6932 (Ø 150 mm)	very fine
7338.6815.6921 (Ø 125 mm)	very fine



### Better

High performance and surface quality



#### 1960 siarexx (multi-hole)

Art. no.	Grit
7425.4595.0120	120
7425.4595.0180	180
7425.4595.0240	240



#### 1960 siarexx (multi-hole)

Art. no.	Grit
7375.1406.0120	120
7375.1406.0180	180
7375.1406.0240	240



#### 1960 siarexx

Art. no.	Grit
6318.5062.0120	120
6318.5062.0180	180
6318.5062.0240	240



#### 1960 siarexx

Art. no.	Grit
4097.5762.0120	120
4097.5762.0180	180
4097.5762.0240	240



#### 1960 siarexx

Art. no.	Grit
0906.6878.0120	120
0906.6878.0180	180
0906.6878.0240	240



### Good

Proven performance and surface quality



#### 1944 siaone (15-hole)

Art. no.	Grit
7425.4595.0120	120
7425.4595.0180	180
7425.4595.0240	240



#### 1944 siaone (9-hole)

Art. no.	Grit
4569.9165.0120	120
4569.9165.0180	180
4569.9165.0240	240



#### 1902 siacraft

Art. no.	Grit
2849.9871.0120	120
2849.9871.0180	180
2849.9871.0240	240





# Grinding

# Sanding

# Polishing

## System solution Solid surface materials with a matt finish

5

### 1 Preparatory steps



- Cover and protect all elements that are not being sanded

### 2 Sanding off



- Sand out unevenness and any scratches or old stains

#### Machine sanding P180/P240

★★★★★ 7900 sianet  
★★★★☆ 1950 siaspeed

### 3 Scuffing



- Remove all dust in order to check the surface
- Use a fleece to create a matt finish over the whole surface

#### Machine sanding very fine

★★★★★ 6120 siafleece

## Solid surface materials with a perfect surface finish



Before



After

### Expert tip:

For optimum surface cleaning use a microfibre cloth.



Microfibre cloth



### Best

Top performance, surface quality and durability

★★★★★

#### 7900 sianet – Net-backed abrasive

Art. no.	Grit
6397.0967.0180	180
6397.0967.0240	240
6397.0967.0400	400



#### 1950 siaspeed (multi-hole)

8443.7842.0600	600
7546.2948.0800	800

### Better

High performance and surface quality

★★★★☆

#### 1950 siaspeed (multi-hole)

Art. no.	Grit
8443.7842.0180	180
8443.7842.0240	240
8443.7842.0400	400
8443.7842.0600	600
7546.2948.0800	800



### Good

Proven performance and surface quality

★★★★☆

#### 7240 siacarat

Art. no.	Grit
9967.9911.3000	3000



#### 7940 siaair

Art. no.	Grit
5163.3687.3000	3000



#### 6120 siafleece

Art. no.	Grit
7866.2539.6932	very fine



#### Protection disc

Art. no.	
0020.3453	



#### siachrome cut

Art. no.	
0020.6663	



#### Microfibre cloth

Art. no.	
0020.3185	



Back to sia House  
By sia Abrasives



**BOSCH**



# Grinding

# Sanding

# Polishing

## System solution Solid surface materials with a gloss finish

5

### 1 Preparatory steps



- Cover and protect all elements that are not being sanded

### 2 Sanding off



**Machine sanding**  
P180 / P240 / P400 / P600

★★★★★ 7900 sianet  
★★★★☆ 1950 siaspeed

- Sand out unevenness and any scratches or old stains
- Sand the whole surface with each grain size

### 4 Polishing preparation



**Machine sanding**  
3000

★★★★★ 7240 siacarat  
★★★★☆ 7940 siaair

- Sand over the whole moist surface
- After sanding, wipe the surface clean

### 5 Polishing



**Machine sanding**

★★★★★ siachrome cut

- Apply the polish to the pad and polish the whole surface



### 3 Wet sanding



**Machine sanding**  
P800

★★★★★ 1950 siaspeed

- Detach the dust extractor
- Attach the protective disc and sand over the whole surface while moist

## Solid surface materials with a perfect surface finish



Before



After



### Best

Top performance, surface quality and durability



#### 7900 sianet – Net-backed abrasive

Art. no.	Grit
6397.0967.0180	180
6397.0967.0240	240
6397.0967.0400	400



Art. no.	Grit
8443.7842.0600	600
7546.2948.0800	800

### Better

High performance and surface quality



#### 1950 siaspeed (multi-hole)

Art. no.	Grit
8443.7842.0180	180
8443.7842.0240	240
8443.7842.0400	400
8443.7842.0600	600
7546.2948.0800	800



### Good

Proven performance and surface quality



#### 7240 siacarat

Art. no.	Grit
9967.9911.3000	3000



#### 7940 siaair

Art. no.	Grit
5163.3687.3000	3000



#### 6120 siafleece

Art. no.	Grit
7866.2539.6932	very fine



#### Protection disc

Art. no.
0020.3453



#### siachrome cut

Art. no.
0020.6663



#### Microfibre cloth

Art. no.
0020.3185



# Back to sia House

By sia Abrasives



# BOSCH



# Grinding

## System solution Steel frames (lift doors): renovation or new treatment

6

### 1 Preparatory steps



- Cover the surrounding area
- On new metal, remove the film and use thinner to remove the oil film

### 2 Sanding off



- Sand off any rusted parts
- Fill any dips and dents and sand until flush
- Key the complete door surface

#### Manual sanding P120/P180



- ★★★★★ 7900 sianet
- ★★★★★ 1960 siarexx
- ★★★★★ 1902 siacraft

#### Machine sanding P120/P180



- ★★★★★ 7900 sianet
- ★★★★★ 1960 siarexx
- ★★★★★ 1944 siaone

### 5 Second coat



- First paint the less easily accessible parts with a paintbrush
- Then apply paint over the whole surface using a roller

### Expert tip:

Use a sponge Combination Block for rapid pre-sanding.



7990 siasponge



# Sanding



### 3 Priming



- First, apply primer to parts that a roller cannot reach
- Then use a roller over the whole surface

### 4 Intermediate sanding



- Observe the drying time
- Intermediate sanding of the whole surface

#### Manual sanding P240



- ★★★★★ 7900 sianet
- ★★★★★ 1960 siarexx
- ★★★★★ 1902 siacraft

#### Machine sanding P240



- ★★★★★ 7900 sianet
- ★★★★★ 1960 siarexx
- ★★★★★ 1944 siaone

## Door frames with a perfect surface finish



# Polishing



### Best

Top performance, surface quality and durability



#### 7900 sianet – Net-backed abrasive

Art. no.	Grit
6397.0967.0120	120
6397.0967.0180	180
6397.0967.0240	240



### Better

High performance and surface quality



#### 1960 siarexx (multi-hole)

Art. no.	Grit
7425.4595.0120	120
7425.4595.0180	180
7425.4595.0240	240



### Good

Proven performance and surface quality



#### 1944 siaone (15-hole)

Art. no.	Grit
7425.4595.0120	120
7425.4595.0180	180
7425.4595.0240	240



#### 7900 sianet – Net-backed abrasive

Art. no.	Grit
5869.5710.0120	120
5869.5710.0180	180
5869.5710.0240	240



#### 1960 siarexx (multi-hole)

Art. no.	Grit
7375.1406.0120	120
7375.1406.0180	180
7375.1406.0240	240



#### 1944 siaone (9-hole)

Art. no.	Grit
4569.9165.0120	120
4569.9165.0180	180
4569.9165.0240	240



#### 7900 sianet – Net-backed abrasive

Art. no.	Grit
1635.2907.0120	120
1635.2907.0180	180
1635.2907.0240	240



#### 1960 siarexx

Art. no.	Grit
0906.6878.0120	120
0906.6878.0180	180
0906.6878.0240	240



#### 7900 sianet – Net-backed abrasive

Art. no.	Grit
0998.5363.0120	120
0998.5363.0180	180
0998.5363.0240	240



#### 1960 siarexx

Art. no.	Grit
6318.5062.0120	120
6318.5062.0180	180
6318.5062.0240	240



#### 7990 siasponge

Art. no.	Grit
0070.1255	medium
0070.1230	fine



Back to sia House  
By sia Abrasives



BOSCH



# Grinding

# Sanding

# Polishing

## System solution Refreshing stairs and handrails (oiling)

7



### 1 Preparatory steps



- Clean the steps of all dirt or coating residue
- Repair any cracks with bodyfiller or patch up with wood

### 2 Basic sanding



- Flatten any rougher uneven areas
- Sand off old paint
- Finely sand the stairs

#### Manual sanding P80/P120

- ★★★★★ 7900 sianet
- ★★★★☆ 1960 siarexx
- ★★★☆☆ 1902 siacraft

#### Machine sanding P80/P120

- ★★★★★ 7900 sianet
- ★★★★☆ 1960 siarexx
- ★★★☆☆ 1944 siaone

### 5 Second coat of oil



- Apply oil sparingly in accordance with manufacturer's instructions
- Allow to soak in for five minutes, then wipe over with a cloth

### Expert tip:

siafleece is perfect for use on curved elements.



6120 siafleece



### 3 First coat of oil



- Apply oil sparingly in accordance with manufacturer's instructions
- Important: Oil must be applied evenly

### 4 Intermediate sanding



- For a fine finish, sand off any wood fibres protruding as a result of the oil application

#### Manual sanding P240

- ★★★★★ 7900 sianet
- ★★★★☆ 1960 siarexx
- ★★★☆☆ 1902 siacraft

#### Machine sanding P240

- ★★★★★ 7900 sianet
- ★★★★☆ 1960 siarexx
- ★★★☆☆ 1944 siaone

### Stairs with a perfect surface finish



Before



After



### Best

Top performance, surface quality and durability



#### 7900 sianet – Net-backed abrasive

Art. no.	Grit
6397.0967.0080	80
6397.0967.0120	120
6397.0967.0240	240



### Better

High performance and surface quality



#### 1960 siarexx (multi-hole)

Art. no.	Grit
1762.1219.0080	80
1762.1219.0120	120
1762.1219.0240	240



### Good

Proven performance and surface quality



#### 1944 siaone (15-hole)

Art. no.	Grit
7425.4595.0080	80
7425.4595.0120	120
7425.4595.0240	240



#### 7900 sianet – Net-backed abrasive

Art. no.	Grit
5869.5710.0080	80
5869.5710.0120	120
5869.5710.0240	240



#### 1960 siarexx (multi-hole)

Art. no.	Grit
7375.1406.0080	80
7375.1406.0120	120
7375.1406.0240	240



#### 1944 siaone (9-hole)

Art. no.	Grit
4569.9165.0080	80
4569.9165.0120	120
4569.9165.0240	240



#### 7900 sianet – Net-backed abrasive

Art. no.	Grit
0998.5363.0080	80
0998.5363.0120	120
0998.5363.0240	240



#### 1960 siarexx

Art. no.	Grit
6318.5062.0080	80
6318.5062.0120	120
6318.5062.0240	240



#### 7900 sianet – Net-backed abrasive

Art. no.	Grit
1635.2907.0120	120
1635.2907.0240	240



#### 1960 siarexx

Art. no.	Grit
4097.5762.0080	80
4097.5762.0120	120
4097.5762.0240	240



#### 7900 sianet – Net-backed abrasive

Art. no.	Grit
1635.2907.0080	80
1635.2907.0120	120
1635.2907.0240	240



#### 1960 siarexx

Art. no.	Grit
0906.6878.0080	80
0906.6878.0120	120
0906.6878.0240	240



#### 6120 siafleece

Art. no.	Grit
4132.9840.6921	(152 x 229 mm)
7866.2539.6932	very fine
7338.6815.6921	fine



Back to sia House  
By sia Abrasives



BOSCH



# Grinding

System solution  
**Drywall construction (plasterboards)**  
Medium-fine finish

8

Q2



## 1 Pre-filling



- Clean surface
- Moisten transverse joints using a paintbrush
- Apply filler at right angles to the joint
- and wipe along the joint to remove

## 2 Joint cover strips



- Insert glass fibre strips
- Press in carefully with a smoothing trowel

## 3 Cover with filler



- Allow the filler to dry
- Skim the bodyfiller using a sharp edge
- Cover over joints again with a slightly wider application of filler

### Plasterboards – Overview of quality levels

Q2

**Quality level:**  
For medium and coarse structured wall coverings (e.g. ingrain or textured wallpaper) or finishing coats with a grain size from 1 mm.

Q3

**Quality level:**  
For finely structured coatings and wall coverings such as wallpaper with a grain size of less than 1 mm.

Q4

**Quality level:**  
For stucco or smooth wall coverings with a gloss finish (e.g. metal/vinyl wallpaper).



# Sanding



## 4 Final sanding



- Allow the covered surface to dry completely
- Sand over the plastered surface
- Caution: Do not sand into the board surface of the panels

### Manual sanding P120

- ★★★★★ 7900 sianet
- ★★★★★ 1960 siarexx
- ★★★★★ 1902 siacraft

### Machine sanding P120

- ★★★★★ 7900 sianet
- ★★★★★ 1960 siarexx
- ★★★★★ 1944 siaone


### Plasterboard with a perfect surface finish



Before

After

# Polishing



## Best

Top performance, surface quality and durability



### 7900 sianet – Net-backed abrasive

Art. no.	Grit
8023.0581.0120	120
8023.0581.0240	240



## Better

High performance and surface quality



### 1960 siarexx (19-hole)

Art. no.	Grit
2234.7823.0120	120
2234.7823.0240	240



## Good

Proven performance and surface quality



### 1944 siaone (15-hole)

Art. no.	Grit
7425.4595.0120	120
7425.4595.0240	240



### 7900 sianet – Net-backed abrasive

Art. no.	Grit
6397.0967.0120	120
6397.0967.0240	240



### 1960 siarexx (multi-hole)

Art. no.	Grit
1762.1219.0120	120
1762.1219.0240	240



### 1944 siaone (9-hole)

Art. no.	Grit
7425.4595.0120	120
7425.4595.0240	240



### 7900 sianet – Net-backed abrasive

Art. no.	Grit
5869.5710.0120	120
5869.5710.0240	240



### 1960 siarexx (multi-hole)

Art. no.	Grit
7375.1406.0120	120
7375.1406.0240	240



### 1944 siaone (9-hole)

Art. no.	Grit
4569.9165.0120	120
4569.9165.0240	240



### 1960 siarexx

Art. no.	Grit
4097.5762.0120	120
4097.5762.0240	240



### 1902 siacraft

Art. no.	Grit
2849.9871.0120	120
2849.9871.0240	240



### 7900 sianet – Net-backed abrasive

Art. no.	Grit
1635.2907.0120	120
1635.2907.0240	240



10 m

### 1960 siarexx

Art. no.	Grit
0906.6878.0120	120
0906.6878.0240	240



5 m

Back to sia House  
By sia Abrasives



**BOSCH**



# Grinding

System solution  
**Drywall construction (plasterboards)**  
Fine finish

8

Q3



## 1 Pre-filling



- Clean surface
- Moisten transverse joints using a paintbrush
- Apply filler at right angles to the joint
- and wipe along the joint to remove

## 2 Joint cover strips



- Insert glass fibre strips
- Press in carefully with a smoothing trowel

## 3 Cover with filler



- Allow the filler to dry
- Skim the bodyfiller using a sharp edge
- Cover over joints again with a slightly wider application of filler

## Plasterboards – Overview of quality levels

Q2

**Quality level:**  
For medium and coarse structured wall coverings (e.g. ingrain or textured wallpaper) or finishing coats with a grain size from 1 mm.

Q3

**Quality level:**  
For finely structured coatings and wall coverings such as wallpaper with a grain size of less than 1 mm.

Q4

**Quality level:**  
For stucco or smooth wall coverings with a gloss finish (e.g. metal/vinyl wallpaper).



# Sanding



## 4 Pore coverage



- Apply a thin layer of filler to the whole surface
- Skim using a sharp edge

## 5 Final sanding



- Allow the covered surface to dry completely
- Sand over the plastered surface



### Manual sanding P240

- ★★★★★ 7900 sianet
- ★★★★☆ 1960 siarexx
- ★★★★☆ 1902 siacraft



### Machine sanding P240

- ★★★★★ 7900 sianet
- ★★★★☆ 1960 siarexx
- ★★★★☆ 1944 siaone


## Plasterboard with a perfect surface finish



Before

After

# Polishing



## Best

Top performance, surface quality and durability



### 7900 sianet – Net-backed abrasive

Art. no.	Grit
8023.0581.0120	120
8023.0581.0240	240



## Better

High performance and surface quality



### 1960 siarexx (19-hole)

Art. no.	Grit
2234.7823.0120	120
2234.7823.0240	240



## Good

Proven performance and surface quality



### 1944 siaone (15-hole)

Art. no.	Grit
7425.4595.0120	120
7425.4595.0240	240



### 7900 sianet – Net-backed abrasive

Art. no.	Grit
6397.0967.0120	120
6397.0967.0240	240



### 1960 siarexx (multi-hole)

Art. no.	Grit
1762.1219.0120	120
1762.1219.0240	240



### 1944 siaone (15-hole)

Art. no.	Grit
7425.4595.0120	120
7425.4595.0240	240



### 7900 sianet – Net-backed abrasive

Art. no.	Grit
5869.5710.0120	120
5869.5710.0240	240



### 1960 siarexx (multi-hole)

Art. no.	Grit
7375.1406.0120	120
7375.1406.0240	240



### 1944 siaone (9-hole)

Art. no.	Grit
4569.9165.0120	120
4569.9165.0240	240



### 1960 siarexx

Art. no.	Grit
4097.5762.0120	120
4097.5762.0240	240



### 1902 siacraft

Art. no.	Grit
2849.9871.0120	120
2849.9871.0240	240



### 7900 sianet – Net-backed abrasive

Art. no.	Grit
1635.2907.0120	120
1635.2907.0240	240



10 m

### 1960 siarexx

Art. no.	Grit
0906.6878.0120	120
0906.6878.0240	240



5 m

Back to sia House  
By sia Abrasives



**BOSCH**



# Grinding

System solution  
**Drywall construction (plasterboards)**  
Extremely fine finish

8

Q4



## 1 Pre-filling



- Clean surface
- Moisten transverse joints using a paintbrush
- Apply filler at right angles to the joint
- and wipe along the joint to remove

## 2 Joint cover strips



- Insert glass fibre strips
- Press in carefully with a smoothing trowel

## 3 Cover with filler



- Allow the filler to dry
- Skim the bodyfiller using a sharp edge
- Cover over joints again with a slightly wider application of filler

### Plasterboards – Overview of quality levels

Q2

**Quality level:**  
For medium and coarse structured wall coverings (e.g. ingrain or textured wallpaper) or finishing coats with a grain size from 1 mm.

Q3

**Quality level:**  
For finely structured coatings and wall coverings such as wallpaper with a grain size of less than 1 mm.

Q4

**Quality level:**  
For stucco or smooth wall coverings with a gloss finish (e.g. metal/vinyl wallpaper).



# Sanding



## 4 Full coverage



- Coat the whole surface with a layer of approx. 1 mm thickness

## 5 Final sanding



- Allow the covered surface to dry completely
- Sand over the plastered surface



**Manual sanding**  
P240



★★★★★ 7900 sianet  
★★★★★ 1960 siarexx  
★★★★★ 1902 siacraft



**Machine sanding**  
P240



★★★★★ 7900 sianet  
★★★★★ 1960 siarexx  
★★★★★ 1944 siaone


### Plasterboard with a perfect surface finish



Before

After

# Polishing



## Best

Top performance, surface quality and durability



### 7900 sianet – Net-backed abrasive

Art. no. Grit  
8023.0581.0120 120  
8023.0581.0240 240



## Better

High performance and surface quality



### 1960 siarexx (19-hole)

Art. no. Grit  
2234.7823.0120 120  
2234.7823.0240 240



## Good

Proven performance and surface quality



### 1944 siaone (15-hole)

Art. no. Grit  
7425.4595.0120 120  
7425.4595.0240 240



### 7900 sianet – Net-backed abrasive

Art. no. Grit  
6397.0967.0120 120  
6397.0967.0240 240



### 1960 siarexx (multi-hole)

Art. no. Grit  
1762.1219.0120 120  
1762.1219.0240 240



### 1944 siaone (9-hole)

Art. no. Grit  
4569.9165.0120 120  
4569.9165.0240 240



### 7900 sianet – Net-backed abrasive

Art. no. Grit  
5869.5710.0120 120  
5869.5710.0240 240



### 1960 siarexx (multi-hole)

Art. no. Grit  
7375.1406.0120 120  
7375.1406.0240 240



### 1944 siaone (9-hole)

Art. no. Grit  
4569.9165.0120 120  
4569.9165.0240 240



### 1960 siarexx

Art. no. Grit  
4097.5762.0120 120  
4097.5762.0240 240



### 1902 siacraft

Art. no. Grit  
2849.9871.0120 120  
2849.9871.0240 240



### 7900 sianet – Net-backed abrasive

Art. no. Grit  
1635.2907.0120 120  
1635.2907.0240 240



### 1960 siarexx

Art. no. Grit  
0906.6878.0120 120  
0906.6878.0240 240



5 m

10 m

Back to sia House  
By sia Abrasives



**BOSCH**





# Grinding

System solution  
**Drywall construction**  
 (dry wall lining boards)  
 Coarse finish  
 e.g. Fermacell

9

Q1

## 1 Preparatory steps



### Manual sanding P80

- ★★★★★ 7900 sianet
- ★★★★★ 1960 siarexx
- ★★★★★ 1902 siacraft

### Machine sanding P80

- ★★★★★ 7900 sianet
- ★★★★★ 1960 siarexx
- ★★★★★ 1944 siaone

- Shave off any glue residue
- Sand any glue seams
- Clean the surface

## Dry wall lining boards – Overview of quality levels

**Q1** Quality level:  
 For mounting tiles or other ceramic wall coverings (e.g. flagging).

**Q2** Quality level:  
 For medium and coarse structured wall coverings (e.g. ingrain or textured wallpaper) or finishing coats with a grain size from 1 mm.

**Q3** Quality level:  
 For finely structured coatings and wall coverings such as wallpaper with a grain size of less than 1 mm.

**Q4** Quality level:  
 For stucco or smooth wall coverings with a gloss finish (e.g. metal/vinyl wallpaper).

# Sanding



## Dry wall lining board with a perfect surface finish



# Polishing



## Best

Top performance, surface quality and durability



### 7900 sianet – Net-backed abrasive

Art. no.	Grit
8023.0581.0080	80
8023.0581.0120	120
8023.0581.0240	240



## Better

High performance and surface quality



### 1960 siarexx (19-hole)

Art. no.	Grit
2234.7823.0080	80
2234.7823.0120	120
2234.7823.0240	240



## Good

Proven performance and surface quality



### 1944 siaone (15-hole)

Art. no.	Grit
7425.4595.0080	80
7425.4595.0120	120
7425.4595.0240	240



### 7900 sianet – Net-backed abrasive

Art. no.	Grit
6397.0967.0080	80
6397.0967.0120	120
6397.0967.0240	240



### 1960 siarexx (multi-hole)

Art. no.	Grit
1762.1219.0080	80
1762.1219.0120	120
1762.1219.0240	240



### 1944 siaone (9-hole)

Art. no.	Grit
4569.9165.0080	80
4569.9165.0120	120
4569.9165.0240	240



### 7900 sianet – Net-backed abrasive

Art. no.	Grit
5869.5710.0080	80
5869.5710.0120	120
5869.5710.0240	240



### 1960 siarexx (multi-hole)

Art. no.	Grit
7375.1406.0080	80
7375.1406.0120	120
7375.1406.0240	240



### 1944 siaone (9-hole)

Art. no.	Grit
4569.9165.0080	80
4569.9165.0120	120
4569.9165.0240	240



### 1960 siarexx

Art. no.	Grit
4097.5762.0080	80
4097.5762.0120	120
4097.5762.0240	240



### 1902 siacraft

Art. no.	Grit
2849.9871.0080	80
2849.9871.0120	120
2849.9871.0240	240



### 7900 sianet – Net-backed abrasive

Art. no.	Grit
1635.2907.0080	80
1635.2907.0120	120
1635.2907.0240	240



### 1960 siarexx

Art. no.	Grit
0906.6878.0080	80
0906.6878.0120	120
0906.6878.0240	240



**Back to sia House**  
 By sia Abrasives



**BOSCH**



# Grinding

System solution **9**  
**Drywall construction**  
**(dry wall lining boards)**  
 Medium-fine finish **Q2**  
 e.g. Fermacell

## 1 Preparatory steps



- Shave off any glue residue
- Sand flat surfaces

## 2 Pre-filling and final sanding



- Fill joints and holes with bodyfiller
- Optional: For tapered board, insert glass fibre strips
- Sand over the filled surfaces

### Manual sanding P120

- ★★★★★ 7900 sianet
- ★★★★☆ 1960 siarexx
- ★★★☆☆ 1902 siacraft

### Machine sanding P120

- ★★★★★ 7900 sianet
- ★★★★☆ 1960 siarexx
- ★★★☆☆ 1944 siaone

## Dry wall lining boards – Overview of quality levels

**Q1** Quality level:  
For mounting tiles or other ceramic wall coverings (e.g. flagging).

**Q2** Quality level:  
For medium and coarse structured wall coverings (e.g. ingrain or textured wallpaper) or finishing coats with a grain size from 1 mm.

**Q3** Quality level:  
For finely structured coatings and wall coverings such as wallpaper with a grain size of less than 1 mm.

**Q4** Quality level:  
For stucco or smooth wall coverings with a gloss finish (e.g. metal/vinyl wallpaper).

# Sanding



## Dry wall lining board with a perfect surface finish



# Polishing



## Best

Top performance, surface quality and durability



### 7900 sianet – Net-backed abrasive

Art. no.	Grit
8023.0581.0080	80
8023.0581.0120	120
8023.0581.0240	240



## Better

High performance and surface quality



### 1960 siarexx (19-hole)

Art. no.	Grit
2234.7823.0080	80
2234.7823.0120	120
2234.7823.0240	240



## Good

Proven performance and surface quality



### 1944 siaone (15-hole)

Art. no.	Grit
7425.4595.0080	80
7425.4595.0120	120
7425.4595.0240	240



### 7900 sianet – Net-backed abrasive

Art. no.	Grit
6397.0967.0080	80
6397.0967.0120	120
6397.0967.0240	240



### 1960 siarexx (multi-hole)

Art. no.	Grit
1762.1219.0080	80
1762.1219.0120	120
1762.1219.0240	240



### 1944 siaone (9-hole)

Art. no.	Grit
4569.9165.0080	80
4569.9165.0120	120
4569.9165.0240	240



### 7900 sianet – Net-backed abrasive

Art. no.	Grit
5869.5710.0080	80
5869.5710.0120	120
5869.5710.0240	240



### 1960 siarexx (multi-hole)

Art. no.	Grit
7375.1406.0080	80
7375.1406.0120	120
7375.1406.0240	240



### 1944 siaone (9-hole)

Art. no.	Grit
4569.9165.0080	80
4569.9165.0120	120
4569.9165.0240	240



### 1960 siarexx

Art. no.	Grit
4097.5762.0080	80
4097.5762.0120	120
4097.5762.0240	240



### 1902 siacraft

Art. no.	Grit
2849.9871.0080	80
2849.9871.0120	120
2849.9871.0240	240



### 7900 sianet – Net-backed abrasive

Art. no.	Grit
1635.2907.0080	80
1635.2907.0120	120
1635.2907.0240	240



### 1960 siarexx

Art. no.	Grit
0906.6878.0080	80
0906.6878.0120	120
0906.6878.0240	240



**Back to sia House**  
 By sia Abrasives



**BOSCH**



# Grinding

System solution  
**Drywall construction**  
 (dry wall lining boards)  
 Fine finish  
 e.g. Fermacell

9

Q3

### 1 Preparatory steps



- Shave off any glue residue
- Sand flat surfaces

### 2 Pre-filling



- Fill joints and holes with bodyfiller
- Optional: For tapered board, insert glass fibre strips

### 3 Pore coverage



- Apply filler over the whole surface
- Allow the filler to dry
- After drying, skim the bodyfiller using a sharp edge

## Dry wall lining boards – Overview of quality levels

**Q1** Quality level:  
 For mounting tiles or other ceramic wall coverings (e.g. flagging).

**Q2** Quality level:  
 For medium and coarse structured wall coverings (e.g. Ingrain or textured wallpaper) or finishing coats with a grain size from 1 mm.

**Q3** Quality level:  
 For finely structured coatings and wall coverings such as wallpaper with a grain size of less than 1 mm.

**Q4** Quality level Q4:  
 For stucco or smooth wall coverings with a gloss finish (e.g. metal/vinyl wallpaper).

# Sanding



### 4 Final sanding



#### Manual sanding P240

- ★★★★★ 7900 sianet
- ★★★★★ 1960 siarexx
- ★★★★★ 1902 siacraft

#### Machine sanding P240

- ★★★★★ 7900 sianet
- ★★★★★ 1960 siarexx
- ★★★★★ 1944 siaone

### Dry wall lining board with a perfect surface finish



# Polishing



### Best

Top performance, surface quality and durability



#### 7900 sianet – Net-backed abrasive

Art. no.	Grit
8023.0581.0080	80
8023.0581.0120	120
8023.0581.0240	240



### Better

High performance and surface quality



#### 1960 siarexx (19-hole)

Art. no.	Grit
2234.7823.0080	80
2234.7823.0120	120
2234.7823.0240	240



### Good

Proven performance and surface quality



#### 7900 sianet – Net-backed abrasive

Art. no.	Grit
6397.0967.0080	80
6397.0967.0120	120
6397.0967.0240	240



#### 1960 siarexx (multi-hole)

Art. no.	Grit
1762.1219.0080	80
1762.1219.0120	120
1762.1219.0240	240



#### 1944 siaone (15-hole)

Art. no.	Grit
7425.4595.0080	80
7425.4595.0120	120
7425.4595.0240	240



#### 7900 sianet – Net-backed abrasive

Art. no.	Grit
5869.5710.0080	80
5869.5710.0120	120
5869.5710.0240	240



#### 1960 siarexx (multi-hole)

Art. no.	Grit
7375.1406.0080	80
7375.1406.0120	120
7375.1406.0240	240



#### 1944 siaone (9-hole)

Art. no.	Grit
4569.9165.0080	80
4569.9165.0120	120
4569.9165.0240	240



#### 1960 siarexx

Art. no.	Grit
4097.5762.0080	80
4097.5762.0120	120
4097.5762.0240	240



#### 1902 siacraft

Art. no.	Grit
2849.9871.0080	80
2849.9871.0120	120
2849.9871.0240	240



#### 7900 sianet – Net-backed abrasive

Art. no.	Grit
1635.2907.0080	80
1635.2907.0120	120
1635.2907.0240	240



10 m

#### 1960 siarexx

Art. no.	Grit
0906.6878.0080	80
0906.6878.0120	120
0906.6878.0240	240



5 m



Back to sia House  
 By sia Abrasives



**BOSCH**



# Grinding

System solution  
**Drywall construction**  
**(dry wall lining boards)**  
 Extremely fine Finish  
 e.g. Fermacell

9

Q4

## 1 Preparatory steps



- Shave off any glue residue
- Sand flat surfaces

## 2 Pre-filling



- Fill joints and holes with bodyfiller
- Optional: For tapered board, insert glass fibre strips

## 3 Full area coverage



- Coat the whole surface with a layer of approx. 1 mm thickness

## Dry wall lining boards – Overview of quality levels

**Q1** Quality level:  
 For mounting tiles or other ceramic wall coverings (e.g. flagging).

**Q2** Quality level:  
 For medium and coarse structured wall coverings (e.g. ingrain or textured wallpaper) or finishing coats with a grain size from 1 mm.

**Q3** Quality level:  
 For finely structured coatings and wall coverings such as wallpaper with a grain size of less than 1 mm.

**Q4** Quality level:  
 For stucco or smooth wall coverings with a gloss finish (e.g. metal/vinyl wallpaper).

# Sanding



## 4 Final sanding



### Manual sanding

P240

- 7900 sianet
- 1960 siarexx
- 1902 siacraft

### Machine sanding

P240

- 7900 sianet
- 1960 siarexx
- 1944 siaone

- Allow the covered surface to dry completely
- Sand over the plastered surface

## Dry wall lining board with a perfect surface finish



# Polishing



## Best

Top performance, surface quality and durability



### 7900 sianet – Net-backed abrasive

Art. no.	Grit
8023.0581.0080	80
8023.0581.0120	120
8023.0581.0240	240



## Better

High performance and surface quality



### 1960 siarexx (19-hole)

Art. no.	Grit
2234.7823.0080	80
2234.7823.0120	120
2234.7823.0240	240



## Good

Proven performance and surface quality



### 7900 sianet – Net-backed abrasive

Art. no.	Grit
6397.0967.0080	80
6397.0967.0120	120
6397.0967.0240	240



### 1960 siarexx (multi-hole)

Art. no.	Grit
1762.1219.0080	80
1762.1219.0120	120
1762.1219.0240	240



### 1944 siaone (15-hole)

Art. no.	Grit
7425.4595.0080	80
7425.4595.0120	120
7425.4595.0240	240



### 7900 sianet – Net-backed abrasive

Art. no.	Grit
5869.5710.0080	80
5869.5710.0120	120
5869.5710.0240	240



### 1960 siarexx (multi-hole)

Art. no.	Grit
7375.1406.0080	80
7375.1406.0120	120
7375.1406.0240	240



### 1944 siaone (9-hole)

Art. no.	Grit
4569.9165.0080	80
4569.9165.0120	120
4569.9165.0240	240



### 1960 siarexx

Art. no.	Grit
4097.5762.0080	80
4097.5762.0120	120
4097.5762.0240	240



### 1902 siacraft

Art. no.	Grit
2849.9871.0080	80
2849.9871.0120	120
2849.9871.0240	240



### 7900 sianet – Net-backed abrasive

Art. no.	Grit
1635.2907.0080	80
1635.2907.0120	120
1635.2907.0240	240



### 1960 siarexx

Art. no.	Grit
0906.6878.0080	80
0906.6878.0120	120
0906.6878.0240	240



**Back to sia House**  
 By sia Abrasives



**BOSCH**



# Grinding

10

## System solution Refreshing visible timber beams



### 1 Sanding off



#### Manual sanding P120



#### Machine sanding P120



- Sand off the beam with a coarse grain
- Fully sand off all old glaze, paints and coatings

### 2 Basic sanding



- Finely sand in an additional sanding step
- For structured beams, clean with a brush if necessary

# Sanding



### 3 Coating



- Clean the surface thoroughly
- Apply coating according to the manufacturer's instructions
- Glazer requires only one coat

## Visible beams with a perfect surface finish



# Polishing



### Best

Top performance, surface quality and durability



#### 7900 sianet – Net-backed abrasive

Art. no.	Grit
6397.0967.0120	120
6397.0967.0180	180



### Better

High performance and surface quality



#### 1960 siarexx (multi-hole)

Art. no.	Grit
1762.1219.0120	120
1762.1219.0180	180



### Good

Proven performance and surface quality



#### 1944 siaone (15-hole)

Art. no.	Grit
7425.4595.0120	120
7425.4595.0180	180



#### 7900 sianet – Net-backed abrasive

Art. no.	Grit
5869.5710.0120	120
5869.5710.0180	180



#### 1960 siarexx (multi-hole)

Art. no.	Grit
7375.1406.0120	120
7375.1406.0180	180



#### 1944 siaone (9-hole)

Art. no.	Grit
4569.9165.0120	120
4569.9165.0180	180



#### 1960 siarexx

Art. no.	Grit
4097.5762.0120	120
4097.5762.0180	180



#### 1902 siacraft

Art. no.	Grit
2849.9871.0120	120
2849.9871.0180	180



#### 7900 sianet – Net-backed abrasive

Art. no.	Grit
1635.2907.0120	120
1635.2907.0180	180



10 m

#### 1960 siarexx

Art. no.	Grit
0906.6878.0120	120
0906.6878.0180	180



5 m

#### siabrosse

Art. no.	Grit
0020.0358	60
0020.0359	80



## Expert tip:

Use siabrosse to apply structure to your timber to achieve an authentic rustic look.



siabrosse



Back to sia House  
By sia Abrasives



BOSCH



# Grinding

# Sanding

# Polishing

## System solution Renovating radiators

11

### 1 Preparatory steps



- Treat the radiator when cold
- Cover the surrounding area

### 2 Sanding off



- Sand off any rust points down to the metal

#### Manual sanding P120



#### Machine sanding P120



### 5 Painting



- Allow the primer coat to dry
- If necessary, perform intermediate sanding with P240 or sialfleece
- Apply a second coat with varnish

#### Expert tip:

siasponge flex is perfect for use on curved elements.



#### Expert tip:

For curved elements, use sialfleece instead of P240 sandpaper.



### 3 Keying



- Apply rust protector to bare metal surfaces
- After drying, sand the whole radiator

#### Manual sanding P240



#### Machine sanding P240



### 4 Priming



- Apply temperature-resistant varnish to the whole radiator

### Radiators with a perfect surface finish



#### Best

Top performance, surface quality and durability



#### 7900 sianet – Net-backed abrasive

Art. no.	Grit
6397.0967.0120	120
6397.0967.0240	240



#### Better

High performance and surface quality



#### 1960 siarexx (multi-hole)

Art. no.	Grit
1762.1219.0120	120
1762.1219.0240	240



#### Good

Proven performance and surface quality



#### 1944 siaone (15-hole)

Art. no.	Grit
7425.4595.0120	120
7425.4595.0240	240



#### 7900 sianet – Net-backed abrasive

Art. no.	Grit
5869.5710.0120	120
5869.5710.0240	240



#### 1960 siarexx (multi-hole)

Art. no.	Grit
7375.1406.0120	120
7375.1406.0240	240



#### 1944 siaone (9-hole)

Art. no.	Grit
4569.9165.0120	120
4569.9165.0240	240



#### 7900 sianet – Net-backed abrasive

Art. no.	Grit
1635.2907.0120	120
1635.2907.0240	240



10 m

#### 1960 siarexx

Art. no.	Grit
4097.5762.0120	120
4097.5762.0240	240



5 m

#### 6120 sialfleece

Art. no.	Grit
4132.9840.6921 (152x229 mm)	
7866.2539.6932 (Ø 150 mm)	very fine
7336.6815.6921 (Ø 125 mm)	fine



#### 7983 siasponge flex

Art. no.	Grit
0070.1244	medium
0070.1247	fine



Back to sia House  
By sia Abrasives



BOSCH



# Grinding

# Sanding

# Polishing

## System solution Renovating entrance doors

12

### 1 Sanding off



#### Manual sanding P80



7900 sianet  
1960 siarexx  
1902 siacraft

#### Machine sanding P80



7900 sianet  
1960 siarexx  
1944 siaone

- Remove all coatings and sealants
- Fully sand off all old glaze, paints and coatings
- Wood must be dry

### 2 Basic sanding



- Finely sand over the whole surface
- Depending on the type of wood and your requirements, you may need to use a finer grit for sanding

### 4 Intermediate sanding



#### Manual sanding P240



7900 sianet  
1960 siarexx  
1902 siacraft

#### Machine sanding P240



7900 sianet  
1960 siarexx  
1944 siaone

- Sand off wood fibres resulting from moisture in the paint

### 5 Second coat



- Clean the surface thoroughly
- Apply coating according to the manufacturer's instructions
- When fully dry, re-apply the coatings and sealants

### Expert tip:

Use a siasponge Block for seams and grooves.



7990 siasponge

### Expert tip:

Use a fleece for quick, soft intermediate sanding of surfaces and edges.



6120 siafleece

### 3 Primer coat



- Clean the surface thoroughly
- Apply coating according to the manufacturer's instructions

## Entrance door with a perfect surface finish



Before

After

Best Top performance, surface quality and durability ★★★★★	Better High performance and surface quality ★★★★☆	Good Proven performance and surface quality ★★★☆☆																								
<b>7900 sianet – Net-backed abrasive</b> <table border="1"> <tr><th>Art. no.</th><th>Grit</th></tr> <tr><td>6397.0967.0080</td><td>80</td></tr> <tr><td>6397.0967.0120</td><td>120</td></tr> <tr><td>6397.0967.0240</td><td>240</td></tr> </table>	Art. no.	Grit	6397.0967.0080	80	6397.0967.0120	120	6397.0967.0240	240	<b>1960 siarexx (multi-hole)</b> <table border="1"> <tr><th>Art. no.</th><th>Grit</th></tr> <tr><td>7425.4595.0080</td><td>80</td></tr> <tr><td>7425.4595.0120</td><td>120</td></tr> <tr><td>7425.4595.0240</td><td>240</td></tr> </table>	Art. no.	Grit	7425.4595.0080	80	7425.4595.0120	120	7425.4595.0240	240	<b>1944 siaone (15-hole)</b> <table border="1"> <tr><th>Art. no.</th><th>Grit</th></tr> <tr><td>7425.4595.0080</td><td>80</td></tr> <tr><td>7425.4595.0120</td><td>120</td></tr> <tr><td>7425.4595.0240</td><td>240</td></tr> </table>	Art. no.	Grit	7425.4595.0080	80	7425.4595.0120	120	7425.4595.0240	240
Art. no.	Grit																									
6397.0967.0080	80																									
6397.0967.0120	120																									
6397.0967.0240	240																									
Art. no.	Grit																									
7425.4595.0080	80																									
7425.4595.0120	120																									
7425.4595.0240	240																									
Art. no.	Grit																									
7425.4595.0080	80																									
7425.4595.0120	120																									
7425.4595.0240	240																									
<b>7900 sianet – Net-backed abrasive</b> <table border="1"> <tr><th>Art. no.</th><th>Grit</th></tr> <tr><td>5869.5710.0080</td><td>80</td></tr> <tr><td>5869.5710.0120</td><td>120</td></tr> <tr><td>5869.5710.0240</td><td>240</td></tr> </table>	Art. no.	Grit	5869.5710.0080	80	5869.5710.0120	120	5869.5710.0240	240	<b>1960 siarexx (multi-hole)</b> <table border="1"> <tr><th>Art. no.</th><th>Grit</th></tr> <tr><td>7375.1406.0080</td><td>80</td></tr> <tr><td>7375.1406.0120</td><td>120</td></tr> <tr><td>7375.1406.0240</td><td>240</td></tr> </table>	Art. no.	Grit	7375.1406.0080	80	7375.1406.0120	120	7375.1406.0240	240	<b>1944 siaone (9-hole)</b> <table border="1"> <tr><th>Art. no.</th><th>Grit</th></tr> <tr><td>4569.9165.0080</td><td>80</td></tr> <tr><td>4569.9165.0120</td><td>120</td></tr> <tr><td>4569.9165.0240</td><td>240</td></tr> </table>	Art. no.	Grit	4569.9165.0080	80	4569.9165.0120	120	4569.9165.0240	240
Art. no.	Grit																									
5869.5710.0080	80																									
5869.5710.0120	120																									
5869.5710.0240	240																									
Art. no.	Grit																									
7375.1406.0080	80																									
7375.1406.0120	120																									
7375.1406.0240	240																									
Art. no.	Grit																									
4569.9165.0080	80																									
4569.9165.0120	120																									
4569.9165.0240	240																									
<b>7900 sianet – Net-backed abrasive</b> <table border="1"> <tr><th>Art. no.</th><th>Grit</th></tr> <tr><td>1635.2907.0080</td><td>80</td></tr> <tr><td>1635.2907.0120</td><td>120</td></tr> <tr><td>1635.2907.0240</td><td>240</td></tr> </table>	Art. no.	Grit	1635.2907.0080	80	1635.2907.0120	120	1635.2907.0240	240	<b>1960 siarexx</b> <table border="1"> <tr><th>Art. no.</th><th>Grit</th></tr> <tr><td>4097.5762.0080</td><td>80</td></tr> <tr><td>4097.5762.0120</td><td>120</td></tr> <tr><td>4097.5762.0240</td><td>240</td></tr> </table>	Art. no.	Grit	4097.5762.0080	80	4097.5762.0120	120	4097.5762.0240	240	<b>1902 siacraft</b> <table border="1"> <tr><th>Art. no.</th><th>Grit</th></tr> <tr><td>2849.9871.0080</td><td>80</td></tr> <tr><td>2849.9871.0120</td><td>120</td></tr> <tr><td>2849.9871.0240</td><td>240</td></tr> </table>	Art. no.	Grit	2849.9871.0080	80	2849.9871.0120	120	2849.9871.0240	240
Art. no.	Grit																									
1635.2907.0080	80																									
1635.2907.0120	120																									
1635.2907.0240	240																									
Art. no.	Grit																									
4097.5762.0080	80																									
4097.5762.0120	120																									
4097.5762.0240	240																									
Art. no.	Grit																									
2849.9871.0080	80																									
2849.9871.0120	120																									
2849.9871.0240	240																									
<b>7990 siasponge</b> <table border="1"> <tr><th>Art. no.</th><th>Grit</th></tr> <tr><td>0070.1255</td><td>medium</td></tr> <tr><td>0070.1230</td><td>fine</td></tr> </table>	Art. no.	Grit	0070.1255	medium	0070.1230	fine	<b>1960 siarexx</b> <table border="1"> <tr><th>Art. no.</th><th>Grit</th></tr> <tr><td>0906.6878.0080</td><td>80</td></tr> <tr><td>0906.6878.0120</td><td>120</td></tr> <tr><td>0906.6878.0240</td><td>240</td></tr> </table>	Art. no.	Grit	0906.6878.0080	80	0906.6878.0120	120	0906.6878.0240	240											
Art. no.	Grit																									
0070.1255	medium																									
0070.1230	fine																									
Art. no.	Grit																									
0906.6878.0080	80																									
0906.6878.0120	120																									
0906.6878.0240	240																									
<b>6120 siafleece</b> <table border="1"> <tr><th>Art. no.</th><th>Grit</th></tr> <tr><td>4132.9840.6921 (153x219 mm)</td><td></td></tr> <tr><td>7866.2539.6932 (Ø 150 mm)</td><td>very fine</td></tr> <tr><td>7338.6815.6921 (Ø 125 mm)</td><td>fine</td></tr> </table>	Art. no.	Grit	4132.9840.6921 (153x219 mm)		7866.2539.6932 (Ø 150 mm)	very fine	7338.6815.6921 (Ø 125 mm)	fine																		
Art. no.	Grit																									
4132.9840.6921 (153x219 mm)																										
7866.2539.6932 (Ø 150 mm)	very fine																									
7338.6815.6921 (Ø 125 mm)	fine																									



# Back to sia House

By sia Abrasives



# BOSCH



# Grinding

# Sanding

# Polishing

## System solution Façades and fronts

13

### 1 Sanding off



#### Manual sanding P80



7900 sianet  
1960 siarexx  
1902 siacraft

#### Machine sanding P80



7900 sianet  
1960 siarexx  
1944 siaone

- Sand off the façade with a coarse grain
- Fully sand out all old glaze, paints and coatings
- Wood must be dry

### 4 Intermediate sanding



#### Manual sanding P240



7900 sianet  
1960 siarexx  
1902 siacraft

#### Machine sanding P240



7900 sianet  
1960 siarexx  
1944 siaone

- Sand off wood fibres resulting from moisture in the paint

### 2 Basic sanding



- Finely sand using sandpaper
- Perform an additional fine sanding step if necessary

### 3 Primer coat



- Clean the surface thoroughly
- Apply coating according to the manufacturer's instructions

#### Manual sanding P120



7900 sianet  
1960 siarexx  
1902 siacraft

#### Machine sanding P120



7900 sianet  
1960 siarexx  
1944 siaone

## Façade with a perfect surface finish



### Expert tip:

Use a siasponge Combination Block for seams and grooves.



7990 siasponge



### Best

Top performance, surface quality and durability



#### 7900 sianet – Net-backed abrasive

Art. no.	Grit
6397.0967.0080	80
6397.0967.0120	120
6397.0967.0240	240



### Better

High performance and surface quality



#### 1960 siarexx (multi-hole)

Art. no.	Grit
1762.1219.0080	80
1762.1219.0120	120
1762.1219.0240	240



### Good

Proven performance and surface quality



#### 1944 siaone (15-hole)

Art. no.	Grit
7425.4595.0080	80
7425.4595.0120	120
7425.4595.0240	240



#### 7900 sianet – Net-backed abrasive

Art. no.	Grit
5869.5710.0080	80
5869.5710.0120	120
5869.5710.0240	240



#### 1960 siarexx (multi-hole)

Art. no.	Grit
7375.1406.0080	80
7375.1406.0120	120
7375.1406.0240	240



#### 1944 siaone (9-hole)

Art. no.	Grit
4569.9165.0080	80
4569.9165.0120	120
4569.9165.0240	240



#### 7900 sianet – Net-backed abrasive

Art. no.	Grit
0998.5363.0120	120
0998.5363.0180	180
0998.5363.0240	240



#### 1960 siarexx

Art. no.	Grit
6318.5062.0120	120
6318.5062.0180	180
6318.5062.0240	240



#### 7900 sianet – Net-backed abrasive

Art. no.	Grit
1635.2907.0080	80
1635.2907.0120	120
1635.2907.0240	240



#### 1960 siarexx

Art. no.	Grit
4097.5762.0080	80
4097.5762.0120	120
4097.5762.0240	240



#### 7990 siasponge

Art. no.	Grit
0070.1255	medium
0070.1230	fine



#### 1902 siacraft

Art. no.	Grit
2849.9871.0080	80
2849.9871.0120	120
2849.9871.0240	240



Back to sia House  
By sia Abrasives



BOSCH





# Grinding

## System solution Renovating garden furniture and fences

14



### 1 Sanding off



#### Manual sanding P80



7900 sianet  
1960 siarexx  
1902 siacraft

#### Machine sanding P80



7900 sianet  
1960 siarexx  
1944 siaone

- ☐ Clean with a coarse brush if necessary – wood must be dry
- ☐ Fully sand out all old glaze, paints and coatings

### 2 Basic sanding



- ☐ Sand using a medium-grain sandpaper
- ☐ Garden furniture may require an additional fine sanding step

### 4 Intermediate sanding



#### Manual sanding P180



7900 sianet  
1960 siarexx  
1902 siacraft

#### Machine sanding P180



7900 sianet  
1960 siarexx  
1944 siaone

- ☐ Sand off wood fibres resulting from moisture in the paint

### 5 Second coat



- ☐ Clean the surface thoroughly
- ☐ Apply paint according to the manufacturer's instructions

### Expert tip:

siasponge flex is perfect for use on curved elements.



7983 siasponge flex

### Expert tip:

sialfleece is perfect for use on curved elements.



6120 sialfleece

# Sanding



### Manual sanding P120



7900 sianet  
1960 siarexx  
1902 siacraft

### Machine sanding P120



7900 sianet  
1960 siarexx  
1944 siaone

### 3 First coat



- ☐ Clean the surface thoroughly
- ☐ Apply coating according to the manufacturer's instructions

## Garden furniture with a perfect surface finish



Before



After

# Polishing



### Best

Top performance, surface quality and durability



#### 7900 sianet – Net-backed abrasive

Art. no.	Grit
6397.0967.0080	80
6397.0967.0120	120
6397.0967.0180	180



### Better

High performance and surface quality



#### 1960 siarexx (multi-hole)

Art. no.	Grit
7425.4595.0080	80
7425.4595.0120	120
7425.4595.0180	180



### Good

Proven performance and surface quality



#### 1944 siaone (15-hole)

Art. no.	Grit
7425.4595.0080	80
7425.4595.0120	120
7425.4595.0180	180



#### 7900 sianet – Net-backed abrasive

Art. no.	Grit
5869.5710.0080	80
5869.5710.0120	120
5869.5710.0180	180



#### 1960 siarexx (multi-hole)

Art. no.	Grit
7375.1406.0080	80
7375.1406.0120	120
7375.1406.0180	180



#### 1944 siaone (9-hole)

Art. no.	Grit
4569.9165.0080	80
4569.9165.0120	120
4569.9165.0180	180



#### 7900 sianet – Net-backed abrasive

Art. no.	Grit
1635.2907.0080	80
1635.2907.0120	120
1635.2907.0180	180



#### 1960 siarexx

Art. no.	Grit
0906.6878.0080	80
0906.6878.0120	120
0906.6878.0180	180



#### 6120 sialfleece

Art. no.	Grit
4132.9840.6921 (152x229 mm)	
7866.2539.6932 (Ø 150 mm)	very fine
7338.6815.6921 (Ø 125 mm)	



#### 7983 siasponge flex

Art. no.	Grit
0070.1244	medium
0070.1247	fine



# Back to sia House

By sia Abrasives



# BOSCH



# Grinding

# Sanding

# Polishing

## System solution Renovating decking

15

### 1 Sanding off



#### Manual sanding P80



★★★★★ 7900 sianet  
★★★★★ 1960 siarexx  
★★★★★ 1902 siacraft

#### Machine sanding P80



★★★★★ 7900 sianet  
★★★★★ 1960 siarexx  
★★★★★ 1944 siaone

☐ Sand off floorboards using sandpaper until smooth and clean

### 2 Fine sanding



☐ For a finer surface finish, perform an additional sanding step

### 3 Coating



#### Manual sanding P120



★★★★★ 7900 sianet  
★★★★★ 1960 siarexx  
★★★★★ 1902 siacraft

#### Machine sanding P120



★★★★★ 7900 sianet  
★★★★★ 1960 siarexx  
★★★★★ 1944 siaone

### 3 Coating



☐ Clean the surface thoroughly  
☐ Apply oil coating according to the oil manufacturer's instructions

### Decking with a perfect surface finish



Before



After

### Expert tip:

Maintain your decking regularly with oil to prolong the lifetime of your perfect surface.



### Best Top performance, surface quality and durability



#### 7900 sianet – Net-backed abrasive

Art. no. Grit  
6397.0967.0080 80  
6397.0967.0120 120



### Better High performance and surface quality



#### 1960 siarexx (multi-hole)

Art. no. Grit  
1762.1219.0080 80  
1762.1219.0120 120



### Good Proven performance and surface quality



#### 1944 siaone (15-hole)

Art. no. Grit  
7425.4595.0080 80  
7425.4595.0120 120



#### 7900 sianet – Net-backed abrasive

Art. no. Grit  
5869.5710.0080 80  
5869.5710.0120 120



#### 1960 siarexx (multi-hole)

Art. no. Grit  
7375.1406.0080 80  
7375.1406.0120 120



#### 1944 siaone (9-hole)

Art. no. Grit  
4569.9165.0080 80  
4569.9165.0120 120



#### 1960 siarexx

Art. no. Grit  
4097.5762.0080 80  
4097.5762.0120 120



#### 1902 siacraft

Art. no. Grit  
2849.9871.0080 80  
2849.9871.0120 120



#### 7900 sianet – Net-backed abrasive

Art. no. Grit  
1635.2907.0080 80  
1635.2907.0120 120



#### 1960 siarexx

Art. no. Grit  
0906.6878.0080 80  
0906.6878.0120 120



## Back to sia House

By sia Abrasives

